

## **Ohutusnõuded elektrilistele mõõtmis-, juhtimis- ja laboratooriumiseadmetele. Osa 1: Üldnõuded**

Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61010-1:2010 sisaldab Euroopa standardi EN 61010-1:2010 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.11.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.10.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 61010-1:2010 consists of the English text of the European standard EN 61010-1:2010.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.11.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 15.10.2010.

The standard is available from Estonian standardisation organisation.

ICS 19.080, 71.040.10

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:  
Aru str 10 Tallinn 10317 Estonia; [www.evs.ee](http://www.evs.ee); Phone: 605 5050; E-mail: [info@evs.ee](mailto:info@evs.ee)

**Safety requirements for electrical equipment for measurement, control,  
and laboratory use -  
Part 1: General requirements  
(IEC 61010-1:2010)**

Règles de sécurité pour appareils  
électriques de mesure, de régulation et  
de laboratoire -  
Partie 1: Exigences générales  
(CEI 61010-1:2010)

Sicherheitsbestimmungen für elektrische  
Mess-, Steuer-, Regel- und Laborgeräte -  
Teil 1: Allgemeine Anforderungen  
(IEC 61010-1:2010)

This European Standard was approved by CENELEC on 2010-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 66/414/FDIS, future edition 3 of IEC 61010-1, prepared by IEC TC 66, Safety of measuring, control and laboratory equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61010-1 on 2010-10-01.

This European Standard supersedes EN 61010-1:2001.

This edition includes the following significant changes from EN 61010-1:2001, as well as numerous other changes.

- The scope of the standard has been expanded to include all locations where these products may be used, so that both professional and non-professional versions of these products are within the scope.
- The requirements for testing and measuring circuits (in various subclauses and the entirety of Clause 16) have been removed and included in a particular standard EN 61010-2-030.
- Insulation requirements (6.7) have been completely rewritten.
- Specific requirements have been added for solid insulation and thin-film insulation.
- Subclause 6.7 now contains only the insulation requirements for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V, and for secondary circuits.
- The insulation requirements for all other circuits have been moved to a new Annex K.
- Additional requirements for protection against mechanical HAZARDS (Clause 7) have been included.
- Surface temperature limits (Clause 10) have been modified to conform to the limits of EN 563.
- Radiation requirements (Clause 12) have been modified, and take into account a distinction between intended emission and unintended emission.
- Requirements for reasonably foreseeable misuse and ergonomic aspects have been added (Clause 16).
- A new clause (Clause 17) has been added to deal with HAZARDS and environments not covered by the standard, along with a new informative annex (Annex J) dealing with RISK assessment.
- A new informative annex (Annex E) addresses methods of reducing the POLLUTION DEGREE of a micro-environment.
- Requirements for the qualification of coatings for protection against POLLUTION have been added (Annex H).
- A new informative annex (Annex I) has been added to further explain how to determine the WORKING VOLTAGE of a MAINS CIRCUIT.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- |                                                                                                                                          |       |            |
|------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-07-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn                                               | (dow) | 2013-10-01 |

Annex ZA has been added by CENELEC.

### Endorsement notice

The text of the International Standard IEC 61010-1:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

|                    |      |                                                     |
|--------------------|------|-----------------------------------------------------|
| IEC 60079 series   | NOTE | Harmonized in EN 60079 series (partially modified). |
| IEC 60085          | NOTE | Harmonized as EN 60085.                             |
| IEC 60112:1970     | NOTE | Harmonized as HD 214 S2:1980 (not modified).        |
| IEC 60127 series   | NOTE | Harmonized in EN 60127 series (not modified).       |
| IEC 60204 series   | NOTE | Harmonized in EN 60204 series (partially modified). |
| IEC 60332-1 series | NOTE | Harmonized in EN 60332-1 series (not modified).     |
| IEC 60332-2 series | NOTE | Harmonized in EN 60332-2 series (not modified).     |
| IEC 60335 series   | NOTE | Harmonized in EN 60335 series (partially modified). |
| IEC 60364 series   | NOTE | Harmonized in EN 60364 series (partially modified). |
| IEC 60439 series   | NOTE | Harmonized in EN 60439 series (partially modified). |
| IEC 60439-1:1999   | NOTE | Harmonized as EN 60439-1:1999 (not modified).       |
| IEC 60445:1999     | NOTE | Harmonized as EN 60445:2000 (not modified).         |
| IEC 60447:1993     | NOTE | Harmonized as EN 60447:1993 (not modified).         |
| IEC 60601 series   | NOTE | Harmonized in EN 60601 series (partially modified). |
| IEC 60664-1        | NOTE | Harmonized as EN 60664-1.                           |
| IEC 60695-10-2     | NOTE | Harmonized as EN 60695-10-2.                        |
| IEC 60950 series   | NOTE | Harmonized in EN 60950 series (partially modified). |
| IEC 60950-1        | NOTE | Harmonized as EN 60950-1.                           |
| IEC 60990          | NOTE | Harmonized as EN 60990                              |
| IEC 61010-2-030    | NOTE | Harmonized as EN 61010-2-030.                       |
| IEC 61032          | NOTE | Harmonized as EN 61032                              |
| IEC 61243-3        | NOTE | Harmonized as EN 61243-3                            |
| IEC 61326 series   | NOTE | Harmonized in EN 61326 series (not modified).       |
| IEC 61508 series   | NOTE | Harmonized in EN 61508 series (not modified).       |
| IEC 61558 series   | NOTE | Harmonized in EN 61558 series (partially modified). |
| ISO 9241 series    | NOTE | Harmonized in EN ISO 9241 series.                   |
| ISO 14121-1        | NOTE | Harmonized as EN ISO 14121-1.                       |
| ISO 14738          | NOTE | Harmonized as EN ISO 14738.                         |
| ISO 14971          | NOTE | Harmonized as EN ISO 14971.                         |

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u>                                                                                                                                                                                | <u>EN/HD</u>  | <u>Year</u> |
|--------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|
| IEC 60027          | Series      | Letter symbols to be used in electrical technology                                                                                                                                          | -             | -           |
| IEC 60065          | Series      | Audio, video and similar electronic apparatus - Safety requirements                                                                                                                         | -EN 60065     | Series      |
| IEC 60068-2-14     | -           | Environmental testing - Part 2-14: Tests - Test N: Change of temperature                                                                                                                    | EN 60068-2-14 | -           |
| IEC 60068-2-75     | -           | Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests                                                                                                                            | EN 60068-2-75 | -           |
| IEC 60073          | -           | Basic and safety principles for man-machine interface, marking and identification - Coding principles for indicators and actuators                                                          | EN 60073      | -           |
| IEC 60227          | Series      | Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V                                                                                                         | -             | -           |
| IEC 60245          | Series      | Rubber insulated cables - Rated voltages up to and including 450/750 V                                                                                                                      | -             | -           |
| IEC 60309          | Series      | Plugs, socket-outlets and couplers for industrial purposes                                                                                                                                  | EN 60309      | Series      |
| IEC 60320          | Series      | Appliance couplers for household and similar general purposes                                                                                                                               | EN 60320      | Series      |
| IEC 60332-1-2      | -           | Tests on electric and optical fibre cables under fire conditions - Part 1-2: Test for vertical flame propagation for a single insulated wire or cable - Procedure for 1 kW pre-mixed flame  | EN 60332-1-2  | -           |
| IEC 60332-2-2      | -           | Tests on electric and optical fibre cables under fire conditions - Part 2-2: Test for vertical flame propagation for a single small insulated wire or cable - Procedure for diffusion flame | EN 60332-2-2  | -           |
| IEC 60335-2-24     | -           | Household and similar electrical appliances - Safety - Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice makers                                 | EN 60335-2-24 | -           |

| <u>Publication</u> | <u>Year</u> | <u>Title</u>                                                                                                                                                                                               | <u>EN/HD</u>   | <u>Year</u> |
|--------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------|
| IEC 60335-2-89     | -           | Household and similar electrical appliances - Safety - Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor | EN 60335-2-89  | -           |
| IEC 60364-4-44     | -           | Low voltage electrical installations - Part 4-44: Protection for safety - Protection against voltage disturbances and electromagnetic disturbances                                                         | HD 60364-4-444 | -           |
| IEC 60405          | -           | Nuclear instrumentation - Constructional requirements and classification of radiometric gauges                                                                                                             | EN 60405       | -           |
| IEC 60417          | -           | Graphical symbols for use on equipment                                                                                                                                                                     | EN 60417       | -           |
| IEC 60529          | -           | Degrees of protection provided by enclosures - (IP Code)                                                                                                                                                   | -              | -           |
| IEC 60664-3        | -           | Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution                                                            | EN 60664-3     | -           |
| IEC 60695-11-10    | -           | Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods                                                                                                            | EN 60695-11-10 | -           |
| IEC 60799          | -           | Electrical accessories - Cord sets and interconnection cord sets                                                                                                                                           | EN 60799       | -           |
| IEC 60825-1        | -           | Safety of laser products - Part 1: Equipment classification and requirements                                                                                                                               | EN 60825-1     | -           |
| IEC 60947-1        | -           | Low-voltage switchgear and controlgear - Part 1: General rules                                                                                                                                             | EN 60947-1     | -           |
| IEC 60947-3        | -           | Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units                                                                                  | EN 60947-3     | -           |
| IEC 61010-031      | -           | Safety requirements for electrical equipment for measurement, control and laboratory use - Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test                | EN 61010-031   | -           |
| IEC 61180          | Series      | High-voltage test techniques for low-voltage equipment                                                                                                                                                     | EN 61180       | Series      |
| IEC 61180-1        | -           | High-voltage test techniques for low-voltage equipment - Part 1: Definitions, test and procedure requirements                                                                                              | EN 61180-1     | -           |
| IEC 61180-2        | -           | High-voltage test techniques for low-voltage equipment - Part 2: Test equipment                                                                                                                            | EN 61180-2     | -           |
| IEC 61672-1        | -           | Electroacoustics - Sound level meters - Part 1: Specifications                                                                                                                                             | EN 61672-1     | -           |
| IEC 61672-2        | -           | Electroacoustics - Sound level meters - Part 2: Pattern evaluation tests                                                                                                                                   | EN 61672-2     | -           |

| <u>Publication</u> | <u>Year</u> | <u>Title</u>                                                                                                                                                          | <u>EN/HD</u>  | <u>Year</u>        |
|--------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------|
| IEC 62262          | -           | Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)                                                   | EN 62262      | -                  |
| IEC Guide 104      | -           | The preparation of safety publications and the use of basic safety publications and group safety publications                                                         | -             | -                  |
| ISO/IEC Guide 51   | -           | Safety aspects - Guidelines for their inclusion in standards                                                                                                          | -             | -                  |
| ISO 306            | 1994        | Plastics - Thermoplastic materials - Determination of Vicat softening temperature (VST)                                                                               | EN ISO 306    | 1996 <sup>1)</sup> |
| ISO 361            | -           | Basic ionizing radiation symbol                                                                                                                                       | -             | -                  |
| ISO 3746           | -           | Acoustics - Determination of sound power levels of noise sources using sound pressure - Survey method using an enveloping measurement surface over a reflecting plane | EN ISO 3746   | -                  |
| ISO 7000           | -           | Graphical symbols for use on equipment                                                                                                                                | -             | -                  |
| ISO 9614-1         | -           | Acoustics - Determination of sound power levels of noise sources using sound intensity - Part 1: Measurement at discrete points                                       | EN ISO 9614-1 | -                  |

---

<sup>1)</sup> Superseded by EN ISO 306:2004.



## CONTENTS

|                                                                                  |    |
|----------------------------------------------------------------------------------|----|
| FOREWORD.....                                                                    | 10 |
| INTRODUCTION.....                                                                | 13 |
| 1 Scope and object.....                                                          | 14 |
| 1.1 Scope.....                                                                   | 14 |
| 1.1.1 Equipment included in scope .....                                          | 14 |
| 1.1.2 Equipment excluded from scope .....                                        | 14 |
| 1.1.3 Computing equipment.....                                                   | 15 |
| 1.2 Object.....                                                                  | 15 |
| 1.2.1 Aspects included in scope .....                                            | 15 |
| 1.2.2 Aspects excluded from scope .....                                          | 15 |
| 1.3 Verification.....                                                            | 15 |
| 1.4 Environmental conditions .....                                               | 16 |
| 1.4.1 Normal environmental conditions .....                                      | 16 |
| 1.4.2 Extended environmental conditions .....                                    | 16 |
| 2 Normative references .....                                                     | 16 |
| 3 Terms and definitions .....                                                    | 18 |
| 3.1 Equipment and states of equipment.....                                       | 18 |
| 3.2 Parts and accessories .....                                                  | 19 |
| 3.3 Quantities.....                                                              | 19 |
| 3.4 Tests.....                                                                   | 20 |
| 3.5 Safety terms.....                                                            | 20 |
| 3.6 Insulation .....                                                             | 22 |
| 4 Tests.....                                                                     | 23 |
| 4.1 General.....                                                                 | 23 |
| 4.2 Sequence of tests .....                                                      | 24 |
| 4.3 Reference test conditions.....                                               | 24 |
| 4.3.1 Environmental conditions.....                                              | 24 |
| 4.3.2 State of equipment .....                                                   | 24 |
| 4.4 Testing in SINGLE FAULT CONDITION .....                                      | 26 |
| 4.4.1 General .....                                                              | 26 |
| 4.4.2 Application of fault conditions .....                                      | 26 |
| 4.4.3 Duration of tests .....                                                    | 28 |
| 4.4.4 Conformity after application of fault conditions.....                      | 29 |
| 5 Marking and documentation.....                                                 | 30 |
| 5.1 Marking.....                                                                 | 30 |
| 5.1.1 General .....                                                              | 30 |
| 5.1.2 Identification.....                                                        | 30 |
| 5.1.3 MAINS supply .....                                                         | 30 |
| 5.1.4 Fuses .....                                                                | 32 |
| 5.1.5 TERMINALS, connections and operating devices.....                          | 33 |
| 5.1.6 Switches and circuit-breakers .....                                        | 33 |
| 5.1.7 Equipment protected by DOUBLE INSULATION or REINFORCED<br>INSULATION ..... | 34 |
| 5.1.8 Field-wiring TERMINAL boxes .....                                          | 34 |
| 5.2 Warning markings .....                                                       | 34 |
| 5.3 Durability of markings.....                                                  | 34 |

|       |                                                                                                            |    |
|-------|------------------------------------------------------------------------------------------------------------|----|
| 5.4   | Documentation .....                                                                                        | 35 |
| 5.4.1 | General .....                                                                                              | 35 |
| 5.4.2 | Equipment RATINGS .....                                                                                    | 35 |
| 5.4.3 | Equipment installation .....                                                                               | 36 |
| 5.4.4 | Equipment operation .....                                                                                  | 36 |
| 5.4.5 | Equipment maintenance and service .....                                                                    | 37 |
| 5.4.6 | Integration into systems or effects resulting from special conditions .....                                | 37 |
| 6     | Protection against electric shock .....                                                                    | 37 |
| 6.1   | General .....                                                                                              | 37 |
| 6.1.1 | Requirements .....                                                                                         | 37 |
| 6.1.2 | Exceptions .....                                                                                           | 38 |
| 6.2   | Determination of ACCESSIBLE parts .....                                                                    | 38 |
| 6.2.1 | General .....                                                                                              | 38 |
| 6.2.2 | Examination .....                                                                                          | 38 |
| 6.2.3 | Openings above parts that are HAZARDOUS LIVE .....                                                         | 39 |
| 6.2.4 | Openings for pre-set controls .....                                                                        | 39 |
| 6.3   | Limit values for ACCESSIBLE parts .....                                                                    | 39 |
| 6.3.1 | Levels in NORMAL CONDITION .....                                                                           | 39 |
| 6.3.2 | Levels in SINGLE FAULT CONDITION .....                                                                     | 40 |
| 6.4   | Primary means of protection .....                                                                          | 43 |
| 6.4.1 | General .....                                                                                              | 43 |
| 6.4.2 | ENCLOSURES and PROTECTIVE BARRIERS .....                                                                   | 43 |
| 6.4.3 | BASIC INSULATION .....                                                                                     | 43 |
| 6.4.4 | Impedance .....                                                                                            | 43 |
| 6.5   | Additional means of protection in case of SINGLE FAULT CONDITIONS .....                                    | 43 |
| 6.5.1 | General .....                                                                                              | 43 |
| 6.5.2 | PROTECTIVE BONDING .....                                                                                   | 44 |
| 6.5.3 | SUPPLEMENTARY INSULATION and REINFORCED INSULATION .....                                                   | 47 |
| 6.5.4 | PROTECTIVE IMPEDANCE .....                                                                                 | 47 |
| 6.5.5 | Automatic disconnection of the supply .....                                                                | 48 |
| 6.5.6 | Current- or voltage-limiting device .....                                                                  | 48 |
| 6.6   | Connections to external circuits .....                                                                     | 48 |
| 6.6.1 | General .....                                                                                              | 48 |
| 6.6.2 | TERMINALS for external circuits .....                                                                      | 49 |
| 6.6.3 | Circuits with TERMINALS which are HAZARDOUS LIVE .....                                                     | 49 |
| 6.6.4 | TERMINALS for stranded conductors .....                                                                    | 49 |
| 6.7   | Insulation requirements .....                                                                              | 50 |
| 6.7.1 | The nature of insulation .....                                                                             | 50 |
| 6.7.2 | Insulation for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II with a nominal supply voltage up to 300 V .....   | 52 |
| 6.7.3 | Insulation for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V ..... | 56 |
| 6.8   | Procedure for voltage tests .....                                                                          | 61 |
| 6.8.1 | General .....                                                                                              | 61 |
| 6.8.2 | Humidity preconditioning .....                                                                             | 62 |
| 6.8.3 | Test procedures .....                                                                                      | 63 |
| 6.9   | Constructional requirements for protection against electric shock .....                                    | 63 |
| 6.9.1 | General .....                                                                                              | 63 |
| 6.9.2 | Insulating materials .....                                                                                 | 64 |

|        |                                                                                        |    |
|--------|----------------------------------------------------------------------------------------|----|
| 6.9.3  | Colour coding .....                                                                    | 64 |
| 6.10   | Connection to the MAINS supply source and connections between parts of equipment ..... | 64 |
| 6.10.1 | MAINS supply cords .....                                                               | 64 |
| 6.10.2 | Fitting of non-detachable MAINS supply cords .....                                     | 65 |
| 6.10.3 | Plugs and connectors .....                                                             | 66 |
| 6.11   | Disconnection from supply source .....                                                 | 67 |
| 6.11.1 | General .....                                                                          | 67 |
| 6.11.2 | Exceptions .....                                                                       | 67 |
| 6.11.3 | Requirements according to type of equipment .....                                      | 67 |
| 6.11.4 | Disconnecting devices .....                                                            | 68 |
| 7      | Protection against mechanical HAZARDS .....                                            | 69 |
| 7.1    | General .....                                                                          | 69 |
| 7.2    | Sharp edges .....                                                                      | 69 |
| 7.3    | Moving parts .....                                                                     | 69 |
| 7.3.1  | General .....                                                                          | 69 |
| 7.3.2  | Exceptions .....                                                                       | 69 |
| 7.3.3  | RISK assessment for mechanical HAZARDS to body parts .....                             | 70 |
| 7.3.4  | Limitation of force and pressure .....                                                 | 71 |
| 7.3.5  | Gap limitations between moving parts .....                                             | 72 |
| 7.4    | Stability .....                                                                        | 74 |
| 7.5    | Provisions for lifting and carrying .....                                              | 75 |
| 7.5.1  | General .....                                                                          | 75 |
| 7.5.2  | Handles and grips .....                                                                | 75 |
| 7.5.3  | Lifting devices and supporting parts .....                                             | 75 |
| 7.6    | Wall mounting .....                                                                    | 76 |
| 7.7    | Expelled parts .....                                                                   | 76 |
| 8      | Resistance to mechanical stresses .....                                                | 76 |
| 8.1    | General .....                                                                          | 76 |
| 8.2    | ENCLOSURE rigidity tests .....                                                         | 77 |
| 8.2.1  | Static test .....                                                                      | 77 |
| 8.2.2  | Impact test .....                                                                      | 77 |
| 8.3    | Drop test .....                                                                        | 79 |
| 8.3.1  | Equipment other than HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT .....            | 79 |
| 8.3.2  | HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT .....                                 | 79 |
| 9      | Protection against the spread of fire .....                                            | 79 |
| 9.1    | General .....                                                                          | 79 |
| 9.2    | Eliminating or reducing the sources of ignition within the equipment .....             | 81 |
| 9.3    | Containment of fire within the equipment, should it occur .....                        | 81 |
| 9.3.1  | General .....                                                                          | 81 |
| 9.3.2  | Constructional requirements .....                                                      | 81 |
| 9.4    | Limited-energy circuit .....                                                           | 84 |
| 9.5    | Requirements for equipment containing or using flammable liquids .....                 | 85 |
| 9.6    | Overcurrent protection .....                                                           | 85 |
| 9.6.1  | General .....                                                                          | 85 |
| 9.6.2  | PERMANENTLY CONNECTED EQUIPMENT .....                                                  | 86 |
| 9.6.3  | Other equipment .....                                                                  | 86 |
| 10     | Equipment temperature limits and resistance to heat .....                              | 86 |

|        |                                                                                                        |     |
|--------|--------------------------------------------------------------------------------------------------------|-----|
| 10.1   | Surface temperature limits for protection against burns .....                                          | 86  |
| 10.2   | Temperatures of windings .....                                                                         | 87  |
| 10.3   | Other temperature measurements .....                                                                   | 87  |
| 10.4   | Conduct of temperature tests .....                                                                     | 88  |
| 10.4.1 | General .....                                                                                          | 88  |
| 10.4.2 | Temperature measurement of heating equipment .....                                                     | 88  |
| 10.4.3 | Equipment intended for installation in a cabinet or a wall .....                                       | 88  |
| 10.5   | Resistance to heat .....                                                                               | 89  |
| 10.5.1 | Integrity of CLEARANCES and CREEPAGE DISTANCES .....                                                   | 89  |
| 10.5.2 | Non-metallic ENCLOSURES .....                                                                          | 89  |
| 10.5.3 | Insulating material .....                                                                              | 89  |
| 11     | Protection against HAZARDS from fluids .....                                                           | 90  |
| 11.1   | General .....                                                                                          | 90  |
| 11.2   | Cleaning .....                                                                                         | 90  |
| 11.3   | Spillage .....                                                                                         | 91  |
| 11.4   | Overflow .....                                                                                         | 91  |
| 11.5   | Battery electrolyte .....                                                                              | 91  |
| 11.6   | Specially protected equipment .....                                                                    | 91  |
| 11.7   | Fluid pressure and leakage .....                                                                       | 91  |
| 11.7.1 | Maximum pressure .....                                                                                 | 91  |
| 11.7.2 | Leakage and rupture at high pressure .....                                                             | 92  |
| 11.7.3 | Leakage from low-pressure parts .....                                                                  | 92  |
| 11.7.4 | Overpressure safety device .....                                                                       | 93  |
| 12     | Protection against radiation, including laser sources, and against sonic and ultrasonic pressure ..... | 93  |
| 12.1   | General .....                                                                                          | 93  |
| 12.2   | Equipment producing ionizing radiation .....                                                           | 93  |
| 12.2.1 | Ionizing radiation .....                                                                               | 93  |
| 12.2.2 | Accelerated electrons .....                                                                            | 94  |
| 12.3   | Ultraviolet (UV) radiation .....                                                                       | 94  |
| 12.4   | Microwave radiation .....                                                                              | 95  |
| 12.5   | Sonic and ultrasonic pressure .....                                                                    | 95  |
| 12.5.1 | Sound level .....                                                                                      | 95  |
| 12.5.2 | Ultrasonic pressure .....                                                                              | 95  |
| 12.6   | Laser sources .....                                                                                    | 96  |
| 13     | Protection against liberated gases and substances, explosion and implosion .....                       | 96  |
| 13.1   | Poisonous and injurious gases and substances .....                                                     | 96  |
| 13.2   | Explosion and implosion .....                                                                          | 96  |
| 13.2.1 | Components .....                                                                                       | 96  |
| 13.2.2 | Batteries and battery charging .....                                                                   | 97  |
| 13.2.3 | Implosion of cathode ray tubes .....                                                                   | 97  |
| 14     | Components and subassemblies .....                                                                     | 97  |
| 14.1   | General .....                                                                                          | 97  |
| 14.2   | Motors .....                                                                                           | 99  |
| 14.2.1 | Motor temperatures .....                                                                               | 99  |
| 14.2.2 | Series excitation motors .....                                                                         | 99  |
| 14.3   | Overtemperature protection devices .....                                                               | 99  |
| 14.4   | Fuse holders .....                                                                                     | 99  |
| 14.5   | MAINS voltage selection devices .....                                                                  | 100 |

|                       |                                                                                                                   |     |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|-----|
| 14.6                  | MAINS transformers tested outside equipment.....                                                                  | 100 |
| 14.7                  | Printed wiring boards.....                                                                                        | 100 |
| 14.8                  | Circuits or components used as TRANSIENT OVERVOLTAGE limiting devices .....                                       | 100 |
| 15                    | Protection by interlocks .....                                                                                    | 101 |
| 15.1                  | General.....                                                                                                      | 101 |
| 15.2                  | Prevention of reactivating .....                                                                                  | 101 |
| 15.3                  | Reliability .....                                                                                                 | 101 |
| 16                    | HAZARDS resulting from application.....                                                                           | 101 |
| 16.1                  | REASONABLY FORESEEABLE MISUSE.....                                                                                | 101 |
| 16.2                  | Ergonomic aspects .....                                                                                           | 102 |
| 17                    | RISK assessment.....                                                                                              | 102 |
| Annex A (normative)   | Measuring circuits for touch current (see 6.3).....                                                               | 104 |
| Annex B (normative)   | Standard test fingers (see 6.2).....                                                                              | 107 |
| Annex C (normative)   | Measurement of CLEARANCES and CREEPAGE DISTANCES .....                                                            | 109 |
| Annex D (normative)   | Parts between which insulation requirements are specified (see 6.4 and 6.5.3) .....                               | 113 |
| Annex E (informative) | Guideline for reduction of POLLUTION DEGREES .....                                                                | 116 |
| Annex F (normative)   | ROUTINE TESTS.....                                                                                                | 117 |
| Annex G (informative) | Leakage and rupture from fluids under pressure .....                                                              | 119 |
| Annex H (normative)   | Qualification of conformal coatings for protection against POLLUTION .....                                        | 124 |
| Annex I (informative) | Line-to-neutral voltages for common MAINS supply systems .....                                                    | 127 |
| Annex J (informative) | RISK assessment .....                                                                                             | 128 |
| Annex K (normative)   | Insulation requirements not covered by 6.7 .....                                                                  | 132 |
| Annex L (informative) | Index of defined terms .....                                                                                      | 153 |
|                       | Bibliography.....                                                                                                 | 155 |
| Figure 1              | Measurements through openings in ENCLOSURES.....                                                                  | 39  |
| Figure 2              | Maximum duration of short-term ACCESSIBLE voltages in SINGLE FAULT CONDITION (see 6.3.2 a)) .....                 | 41  |
| Figure 3              | Capacitance level versus voltage in NORMAL CONDITION and SINGLE FAULT CONDITION (see 6.3.1 c) and 6.3.2 c)) ..... | 42  |
| Figure 4              | Acceptable arrangement of protective means against electric shock .....                                           | 44  |
| Figure 5              | Examples of binding screw assemblies .....                                                                        | 46  |
| Figure 6              | Distance between conductors on an interface between two layers.....                                               | 54  |
| Figure 7              | Distance between adjacent conductors along an interface of two inner layers .....                                 | 54  |
| Figure 8              | Distance between adjacent conductors located between the same two layers .....                                    | 55  |
| Figure 9              | Detachable MAINS supply cords and connections .....                                                               | 65  |
| Figure 10             | Impact test using a sphere .....                                                                                  | 78  |
| Figure 11             | Flow chart to explain the requirements for protection against the spread of fire .....                            | 80  |
| Figure 12             | Baffle .....                                                                                                      | 83  |
| Figure 13             | Area of the bottom of an ENCLOSURE to be constructed as specified in 9.3.2 c) 1).....                             | 83  |

|                                                                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Figure 14 – Ball-pressure test apparatus .....                                                                                                              | 90  |
| Figure 15 – Flow chart for conformity options 14.1 a), b), c) and d).....                                                                                   | 98  |
| Figure A.1 – Measuring circuit for a.c. with frequencies up to 1 MHz and for d.c. ....                                                                      | 104 |
| Figure A.2 – Measuring circuits for sinusoidal a.c. with frequencies up to 100 Hz and for d.c. ....                                                         | 105 |
| Figure A.3 – Current measuring circuit for electrical burns .....                                                                                           | 106 |
| Figure A.4 – Current measuring circuit for wet contact .....                                                                                                | 106 |
| Figure B.1 – Rigid test finger .....                                                                                                                        | 107 |
| Figure B.2 – Jointed test finger .....                                                                                                                      | 108 |
| Figure C.1 – Examples of methods of measuring CLEARANCES and CREEPAGE DISTANCES .....                                                                       | 112 |
| Figures D.1a) to d) – Protection between HAZARDOUS LIVE circuits and ACCESSIBLE parts .....                                                                 | 114 |
| Figures D.1e) to h) – Protection between HAZARDOUS LIVE circuits and circuits which ACCESSIBLE external TERMINALS .....                                     | 114 |
| Figures D.2 a) and D.2 b) – Protection between a HAZARDOUS LIVE internal circuit and an ACCESSIBLE part which is not bonded to other ACCESSIBLE parts ..... | 115 |
| Figures D.2 c) and D.2 d) – Protection between a HAZARDOUS LIVE primary circuit and circuits which have ACCESSIBLE external TERMINALS .....                 | 115 |
| Figure D.3 – Protection of external ACCESSIBLE TERMINALS of two HAZARDOUS LIVE circuits .....                                                               | 115 |
| Figure G.1 – Conformity verification process (see G.2) .....                                                                                                | 120 |
| Figure H.1 – Test sequence and conformity .....                                                                                                             | 126 |
| Figure J.1 – Iterative process of RISK assessment and RISK reduction .....                                                                                  | 128 |
| Figure J.2 – RISK reduction .....                                                                                                                           | 129 |
| Figure K.1 – Distance between conductors on an interface between two layers .....                                                                           | 136 |
| Figure K.2 – Distance between adjacent conductors along an interface of an inner layer .....                                                                | 137 |
| Figure K.3 – Distance between adjacent conductors located between the same two layers .....                                                                 | 138 |
| Figure K.4 – Example of recurring peak voltage .....                                                                                                        | 150 |
| Table 1 – Symbols .....                                                                                                                                     | 32  |
| Table 2 – Tightening torque for binding screw assemblies .....                                                                                              | 46  |
| Table 3 – Multiplication factors for CLEARANCES of equipment RATED for operation at altitudes up to 5 000 m .....                                           | 50  |
| TABLE 4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V .....                                                 | 52  |
| Table 5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V .....                                                 | 53  |
| Table 6 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V .....                      | 57  |
| Table 7 – CREEPAGE DISTANCES for secondary circuits .....                                                                                                   | 58  |
| Table 8 – Minimum values for distance or thickness (see 6.7.3.4.2 to 6.7.3.4.4) .....                                                                       | 60  |
| Table 9 – Distances between TERMINALS and foil .....                                                                                                        | 61  |
| Table 10 – Correction factors according to test site altitude for test voltages for CLEARANCES .....                                                        | 62  |
| Table 11 – Values for physical tests on cord anchorages .....                                                                                               | 66  |

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table 12 – Protective measures against mechanical HAZARDS to body parts.....                                                              | 71  |
| Table 13 – Minimum maintained gaps to prevent crushing for different body parts .....                                                     | 73  |
| Table 14 – Maximum gaps to prevent access for different body parts.....                                                                   | 74  |
| Table 15 – Impact energy levels, test height and corresponding IK codes .....                                                             | 79  |
| Table 16 – Acceptable perforation of the bottom of an ENCLOSURE .....                                                                     | 82  |
| Table 17 – Limits of maximum available current.....                                                                                       | 84  |
| Table 18 – Values for overcurrent protection devices .....                                                                                | 85  |
| Table 19 – Surface temperature limits in NORMAL CONDITION.....                                                                            | 87  |
| Table 20 – Maximum temperatures for insulation material of windings .....                                                                 | 87  |
| Table 21 – Impulse withstand voltages for OVERVOLTAGE CATEGORY II .....                                                                   | 100 |
| Table C.1 – Dimensions of X.....                                                                                                          | 109 |
| Table E.1 – Environmental situations .....                                                                                                | 116 |
| Table E.2 – Reduction of POLLUTION DEGREES .....                                                                                          | 116 |
| Table F.1 – Test voltages for ROUTINE TESTS of MAINS CIRCUITS .....                                                                       | 118 |
| Table G.1 – Test pressures for equipment with pressures above 14 Mpa .....                                                                | 122 |
| Table H.1 – Test parameters, test conditions and test procedures .....                                                                    | 125 |
| Table I.1 – Line-to-neutral voltages for common MAINS supply systems .....                                                                | 127 |
| Table J.1 – Severity of harm .....                                                                                                        | 130 |
| Table J.2 – Probability of harm .....                                                                                                     | 130 |
| Table J.3 – Risk category .....                                                                                                           | 130 |
| Table K.1 – Multiplication factors for CLEARANCES for equipment RATED for operation at altitudes up to 5 000 m .....                      | 133 |
| Table K.2 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V .....                             | 133 |
| Table K.3 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY III .....                                        | 134 |
| Table K.4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV .....                                         | 134 |
| Table K.5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V .....                             | 135 |
| Table K.6 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY III .....                                        | 135 |
| Table K.7 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV .....                                         | 135 |
| Table K.8 – Test voltages for testing long-term stress of solid insulation in MAINS CIRCUITS.....                                         | 136 |
| Table K.9 – Minimum values for distance or thickness of solid insulation .....                                                            | 137 |
| Table K.10 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V ..... | 140 |
| Table K.11 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY III.....             | 141 |
| Table K.12 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV .....             | 142 |
| Table K.13 – CREEPAGE DISTANCES for secondary circuits.....                                                                               | 143 |
| Table K.14 – Minimum values for distance or thickness (see K.2.4.2 to K.2.4.4) .....                                                      | 145 |
| Table K.15 – CLEARANCE values for the calculation of K.3.2 .....                                                                          | 148 |

|                                                                                                                                                    |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table K.16 – Test voltages based on CLEARANCES .....                                                                                               | 149 |
| Table K.17 – CLEARANCES for BASIC INSULATION in circuits having recurring peak<br>voltages or WORKING VOLTAGES with frequencies above 30 kHz ..... | 151 |

This document is a preview generated by EVS



## INTRODUCTION

This International Standard specifies the safety requirements that are generally applicable to all equipment within its scope. For certain types of equipment, these requirements will be supplemented or modified by the special requirements of one, or more than one, particular part 2 of the standard which must be read in conjunction with the part 1 requirements.

This document is a preview generated by EVS

# SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE –

## Part 1: General requirements

### 1 Scope and object

#### 1.1 Scope

##### 1.1.1 Equipment included in scope

This part of IEC 61010 specifies general safety requirements for the following types of electrical equipment and their accessories, wherever they are intended to be used.

##### a) Electrical test and measurement equipment

This is equipment which by electromagnetic means tests, measures, indicates or records one or more electrical or physical quantities, also non-measuring equipment such as signal generators, measurement standards, power supplies for laboratory use, transducers, transmitters, etc.

NOTE 1 This includes bench-top power supplies intended to aid a testing or measuring operation on another piece of equipment. Power supplies intended to power equipment are within the scope of IEC 61558 (see 1.1.2 h)).

This standard also applies to test equipment integrated into manufacturing processes and intended for testing manufactured devices.

NOTE 2 Manufacturing test equipment is likely to be installed adjacent to and interconnected with industrial machinery in this application.

##### b) Electrical industrial process-control equipment

This is equipment which controls one or more output quantities to specific values, with each value determined by manual setting, by local or remote programming, or by one or more input variables.

##### c) Electrical laboratory equipment

This is equipment which measures, indicates, monitors, inspects or analyses materials, or is used to prepare materials, and includes in vitro diagnostic (IVD) equipment.

This equipment may also be used in areas other than laboratories; examples include self-test IVD equipment to be used in the home and inspection equipment to be used to check people or material during transportation.

##### 1.1.2 Equipment excluded from scope

This standard does not apply to equipment within the scope of:

- a) IEC 60065 (Audio, video and similar electronic apparatus);
- b) IEC 60204 (Safety of machinery – Electrical equipment of machines);
- c) IEC 60335 (Household and similar electrical appliances);
- d) IEC 60364 (Electrical installations of buildings);
- e) IEC 60439 (Low-voltage switchgear and controlgear assemblies);
- f) IEC 60601 (Medical electrical equipment);

- g) IEC 60950 (Information technology equipment including electrical business equipment, except as specified in 1.1.3);
- h) IEC 61558 (Power transformers, power supply units and similar);
- i) IEC 61010-031 (Hand-held probe assemblies);
- j) IEC 61243-3 (Live working – Voltage detectors – Part 3: Two-pole low-voltage type).

### 1.1.3 Computing equipment

This standard applies only to computers, processors, etc. which form part of equipment within the scope of this standard or are designed for use exclusively with the equipment.

NOTE Computing devices and similar equipment within the scope of IEC 60950 and conforming to its requirements are considered to be suitable for use with equipment within the scope of this standard. However, some of the requirements of IEC 60950 for resistance to moisture and liquids are less stringent than those in this standard (see 5.4.4 second paragraph)).

## 1.2 Object

### 1.2.1 Aspects included in scope

The purpose of the requirements of this standard is to ensure that HAZARDS to the OPERATOR and the surrounding area are reduced to a tolerable level.

Requirements for protection against particular types of HAZARD are given in Clauses 6 to 13, as follows:

- a) electric shock or burn (see Clause 6);
- b) mechanical HAZARDS (see Clauses 7 and 8);
- c) spread of fire from the equipment (see Clause 9);
- d) excessive temperature (see Clause 10);
- e) effects of fluids and fluid pressure (see Clause 11);
- f) effects of radiation, including lasers sources, and sonic and ultrasonic pressure (see Clause 12);
- g) liberated gases, explosion and implosion (see Clause 13).

Requirements for protection against HAZARDS arising from REASONABLY FORESEEABLE MISUSE and ergonomic factors are specified in Clause 16.

RISK assessment for HAZARDS or environments not fully covered above is specified in Clause 17.

NOTE Attention is drawn to the existence of additional requirements regarding the health and safety of labour forces.

### 1.2.2 Aspects excluded from scope

This standard does not cover:

- a) reliable function, performance, or other properties of the equipment not related to safety;
- b) effectiveness of transport packaging;
- c) EMC requirements (see the IEC 61326 series);
- d) protective measures for explosive atmospheres (see the IEC 60079 series).

## 1.3 Verification

This standard also specifies methods of verifying that the equipment meets the requirements of this standard, through inspection, TYPE TESTS, ROUTINE TESTS, and RISK assessment.

## 1.4 Environmental conditions

### 1.4.1 Normal environmental conditions

This standard applies to equipment designed to be safe at least under the following conditions:

- a) indoor use;
- b) altitude up to 2 000 m;
- c) temperature 5 °C to 40 °C;
- d) maximum relative humidity 80 % for temperatures up to 31 °C decreasing linearly to 50 % relative humidity at 40 °C;
- e) MAINS supply voltage fluctuations up to  $\pm 10$  % of the nominal voltage;
- f) TRANSIENT OVERVOLTAGES up to the levels of OVERVOLTAGE CATEGORY II;

NOTE 1 These levels of transient overvoltage are typical for equipment supplied from the building wiring.

- g) TEMPORARY OVERVOLTAGES occurring on the MAINS supply.
- h) applicable POLLUTION DEGREE of the intended environment (POLLUTION DEGREE 2 in most cases).

NOTE 2 Manufacturers may specify more restricted environmental conditions for operation; nevertheless the equipment must be safe within these normal environmental conditions.

### 1.4.2 Extended environmental conditions

This standard applies to equipment designed to be safe not only in the environmental conditions specified in 1.4.1, but also in any of the following conditions as RATED by the manufacturer of the equipment:

- a) outdoor use;
- b) altitude above 2 000 m;
- c) ambient temperatures below 5 °C or above 40 °C;
- d) relative humidity above the levels specified in 1.4.1;
- e) MAINS supply voltage fluctuations exceeding  $\pm 10$  % of the nominal voltage;
- f) WET LOCATION;
- g) TRANSIENT OVERVOLTAGES up to the levels of OVERVOLTAGE CATEGORY III or IV (see Annex K).

## 2 Normative references

The following referenced documents, where applicable, are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60065, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60073, *Basic and safety principles for man-machine interface, marking and identification – Coding principles for indicators and actuators*

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*

IEC 60309 (all parts), *Plugs, socket-outlets and couplers for industrial purposes*

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60332-2-2, *Tests on electric and optical fibre cables under fire conditions – Part 2-2: Test for vertical flame propagation for a single small insulated wire or cable – Procedure for diffusion flame*

IEC 60335-2-24, *Household and similar electrical appliances – Safety – Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers.*

IEC 60335-2-89, *Household and similar electrical appliances – Safety – Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor*

IEC 60364-4-44, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60405, *Nuclear instrumentation – Constructional requirements and classification of radiometric gauges*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60799, *Electrical accessories – Cord sets and interconnection cord sets*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-3, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 61010-031, *Safety requirements for electrical equipment for measurement, control and laboratory use – Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test*

IEC 61180 (all parts), *High-voltage test techniques for low-voltage equipment*

IEC 61180-1, *High-voltage test techniques for low-voltage equipment – Part 1: Definitions, test and procedure requirements*

IEC 61180-2, *High-voltage test techniques for low-voltage equipment – Part 2: Test equipment*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 61672-2, *Electroacoustics – Sound level meters – Part 2: Pattern evaluation tests*

IEC 62262, *Degrees of protection provided by enclosures for electrical equipment against external impacts (IK code)*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

ISO 306:1994, *Plastics – Thermoplastic materials – Determination of Vicat softening temperature (VST)*

ISO 361, *Basic ionizing radiation symbol*

ISO 3746, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Survey method using an enveloping measurement surface over a reflecting plane*

ISO 7000, *Graphical symbols for use on equipment*

ISO 9614-1, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 1: Measurement at discrete points*

### **3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

#### **3.1 Equipment and states of equipment**

##### **3.1.1**

##### **FIXED EQUIPMENT**

equipment fastened to a support, or otherwise secured in a specific location

[IEC 60050-826:2004, 826-16-07, modified]

##### **3.1.2**

##### **PERMANENTLY CONNECTED EQUIPMENT**

equipment that is electrically connected to a supply by means of a permanent connection which can be detached only by the use of a TOOL

##### **3.1.3**

##### **PORTABLE EQUIPMENT**

equipment intended to be carried by hand

##### **3.1.4**

##### **HAND-HELD EQUIPMENT**

PORTABLE EQUIPMENT intended to be supported by one hand during NORMAL USE