Fertilizers and liming materials - Determination of cadmium, chromium, lead and nickel by inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16319:2013+A1:2015 sisaldab Euroopa standardi EN 16319:2013+A1:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 16319:2013+A1:2015 consists of the English text of the European standard EN 16319:2013+A1:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.12.2015.	Date of Availability of the European standard is 23.12.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 65.080

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 16319:2013+A1

December 2015

ICS 65.080

Supersedes EN 16319:2013

English Version

Fertilizers and liming materials - Determination of cadmium, chromium, lead and nickel by inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution

Engrais et amendements minéraux basiques -Détermination du cadmium, chrome, plomb et nickel par spectrométrie d'émission atomique avec plasma induit par haute fréquence (ICP-AES) après digestion à l'eau régale

This European Standard was approved by CEN on 15 September 2013 and includes Amendment 1 approved by CEN on 7 November 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

cont	ents	Page
Europ	ean foreword	3
1	Scope	
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Sampling and sample preparation	
6	Reagents	
7	Apparatus	5
8 8.1	Procedure	6
8.2 8.2.1	Preparation of the test solution	
8.2.2 8.3 8.4	PreparationPreparation of the test solution for the correction of matrix effects by spike recovery. Preparation of the blank test solution	7 7
8.5	Preparation of the calibration solutions for the analysis of cadmium, chromium, nickel and lead	8
8.6 8.6.1	Determination of cadmium, chromium, nickel and lead by ICP-AESGeneral	
8.6.2	Determination by ICP-AES	8
9	Calculation and expression of the results	10
9.1	External calibration	
9.2 9.3	Correction for spike recoveryStandard addition method	
9.3 9.4	Calculation of the element content in the sample	
10	Precision	12
10.1	Inter-laboratory tests	12
10.2	Repeatability	
10.3	Reproducibility	
11	Test report	
Annex	x A (informative) Results of the inter-laboratory test	
A.1	Inter-laboratory tests	15
A.2	Statistical results for the determination of cadmium, chromium, lead and nickel A1 for fertilizers (A1)	15
A. 3	Statistical results for the determination of cadmium, chromium, lead and nickel for liming materials	17
Biblio	graphy	20

European foreword

This document (EN 16319:2013+A1:2015) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016, and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2015-11-07.

This document supersedes (A) EN 16319:2013 (A).

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{\mathbb{A}}$ $\boxed{\mathbb{A}}$.

A1) deleted text (A1

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies a method for the determination of the content of cadmium, chromium, nickel and lead in fertilizers and liming materials using inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution. All Limits of quantification are dependent on the sample matrix as well as on the instrument, but can roughly be expected to be 0,3 mg/kg for Cd and 1 mg/kg for Cr, Ni and Pb.

NOTE 1 (a) Due to significant interference from Cu, Fe and Mn, no valid results can be reported using this method for fertilizer matrices containing high concentrations (≥ 10 %) of these micro-nutrients.

NOTE 2The term fertilizer is used throughout the body of this European Standard and needs to be taken to include liming materials unless otherwise indicated. (A)

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation

EN 12944-1:1999, Fertilizers and liming materials and soil improvers — Vocabulary — Part 1: General terms

EN 12944-2:1999, Fertilizers and liming materials and soil improvers — Vocabulary — Part 2: Terms relating to fertilizers

EN 12944-3:2001, Fertilizers and liming materials — Vocabulary — Part 3: Terms relating to liming materials (A)

EN ISO 3696, Water for analytical laboratory use — Specification and test methods (ISO 3696)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1:1999, EN 12944-2:1999 and EN 12944-3:2001 apply. (A)

4 Principle

Cadmium, chromium, nickel and lead are extracted from the sample with aqua regia and conventional boiling. The concentrations in the extract are measured by inductively coupled plasma–atomic emission spectrometry (ICP-AES), with axial or radial viewing.

5 Sampling and sample preparation

Sampling is not part of the method specified in this European Standard. A recommended sampling method is given in EN 1482-1.

Sample preparation shall be carried out in accordance with EN 1482-2.

6 Reagents

Use only reagents of recognized analytical grade.