
**Life cycle inventory calculation
methodology for steel products**

*Méthodologie de calcul de l'inventaire du cycle de vie des produits
en acier*



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Basic conditions for LCI of steel products	3
4.1 General requirements	3
4.2 Function and functional unit	3
4.3 System boundary	4
4.4 Data quality	5
4.4.1 General	5
4.4.2 Time-related coverage	5
4.4.3 Geographical coverage	5
4.4.4 Technology coverage	5
4.4.5 Sources of the data	5
4.4.6 Cut-off criteria	5
5 Methodological procedure for LCI calculation of steel products with provision for scrap recycling	6
5.1 General	6
5.2 Calculation of cradle to gate LCI without allocation for scrap input	7
5.3 Allocation for scrap recycling	8
5.3.1 General	8
5.3.2 LCI calculation methodology for scrap	8
5.3.3 Calculation of the burden for scrap input to produce the specific steel product under study	8
5.3.4 Calculation of the credits for scrap recovery	9
5.4 Collecting data	9
5.4.1 General	9
5.4.2 Co-products	9
5.4.3 Ferrous raw materials	10
5.4.4 Process coal	11
5.4.5 Non-ferrous raw materials	11
5.4.6 Ferro alloy	11
5.4.7 Other input materials	11
5.4.8 Fuels	11
5.4.9 Process gases	11
5.4.10 Electricity	12
5.4.11 Steam	12
5.4.12 Sea water	12
5.4.13 Fresh water	12
5.4.14 Industrial gases	12
5.4.15 Emissions to air, water and soil	12
5.4.16 Flares	12
5.4.17 Transportation	13
5.5 Allocation procedure for co-products	13
5.5.1 General requirement	13
5.5.2 System expansion	13
6 Reporting	13
7 Critical review	14
Annex A (informative) An example for calculating X_{pr}	15
Annex B (informative) Example of LCI result reporting	17

Annex C (informative) Example uses of co-products outside of the system boundary	23
Annex D (informative) Comparison among standards	24
Annex E (informative) Details for calculating the recycling rate	25
Annex F (informative) LCI calculations for electricity and steam	27
Bibliography	29

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 17, *Steel*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The life cycle inventory (LCI) of steel products is an important component in the support of life cycle assessments for a wide range of products and applications that contain steel or where steel is used to support the manufacture, production or delivery of products.

This document describes the methodology for the calculation of the steel life cycle inventories that can be applied to a wide range of steel products, and represents the main process routes for global steel production. This includes the extraction of raw materials from the earth through to the production of steel products at the factory gate, as well as provision for scrap recycling of steel products and the treatment of steel scrap. The methodology conforms to the principles and framework set out in ISO 14040:2006 and ISO 14044:2006 and demonstrates how these principles can be applied to steel product manufacture and steel recycling.

As illustrated in [Figure 1](#), the life cycle of steel products consists of the following stages:

- sourcing of natural resources (which includes mining, transportation and intermediate processing of raw materials) and ferrous scrap (recovered from both the manufacturing process and the end of life of final products);
- production of steel products at the steelworks;
- manufacturing of final products by downstream users, for example, by customers of the steel industry, such as automotive, construction and engineering industries;
- use of final products, where the environmental performance of the final product depends on the steel products being used; for example, the fuel (or energy) consumption of an automobile depends partly upon the weight of its steel components;
- recovery of material from the end of life of final products;
- recycling of ferrous scrap from both the manufacturing process and the end of life of final products to substitute the use of raw materials from the earth.

The schematic diagram of the full life cycle of steel is shown in [Figure 1](#). This document covers life cycle stages including sourcing of raw materials from the earth and ferrous scrap, production of steel products at the steelworks, and recycling of ferrous scrap. It does not cover the manufacturing of final products and the use of final products.

All global steel production is sourced from different ratios of ferrous scrap and primary ores. Therefore, an understanding of the value of steel recycling becomes a necessary part of the steel product LCI.

It is generally understood that the recycling of materials makes a positive contribution towards reducing resource consumption and energy requirements, and helps to avoid the potential impacts of raw materials extraction and processing. However, all recycling routes (including the processing and transport of recycled materials) carry environmental burdens and these can be quantified as part of a life cycle assessment.

A critical factor in the understanding of the benefits of materials recycling is the quality of the materials and products that can be produced from the recycled material. Where the recycled products can be made to the same inherent properties as those sourced from primary materials, this is described as closed loop recycling.

With the existing process and scrap quality controls, steel sourced from (scrap based) steel recycling can be made to the same specification as steels sourced from the (iron ore based) primary routes. The properties of the different steel grades are achieved through different alloying concepts as well as process steps, such as heat treatment. Steel metallurgy allows the control of alloying and tramp elements to achieve closed loop recycling.

Life cycle assessment can be used to quantify the potential benefits of recycling to conform to the guidance set out in ISO 14040:2006 and ISO 14044:2006.




Figure 1 — Schematic diagram of the life cycle of steel

Life cycle inventory calculation methodology for steel products

1 Scope

This document specifies guidelines and requirements for conducting life cycle inventory (LCI) studies of steel products reflecting steel's capacity for closed-loop recycling, including:

- a) specification of the functional unit used for LCI calculation of steel products;
- b) definition of the system boundaries used for LCI calculation of steel products;
- c) evaluation of scrap in LCI calculation of steel products;
- d) evaluation of co-products in LCI calculation of steel products;
- e) reporting of LCI calculation results of steel products.

The application of LCI results, including life cycle impact assessment (LCIA), is outside the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*

ISO 14044:2006, *Environmental management — Life cycle assessment — Requirements and guidelines*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

steel product

product produced from steel and shipped out from steelworks

EXAMPLE Hot rolled steel, pickled hot rolled steel, cold rolled steel, finished cold rolled steel, electrogalvanized steel, hot-dip galvanized steel, tin-free steel, tinplated steel, organic coated steel, section, plate, rebar, engineering steel, wire rod, seamless pipe, UO pipe, welded pipe.

3.2

final product

product that requires no additional transformation prior to its use

EXAMPLE Automobiles, building structures, building envelopes, packaging.

[SOURCE: ISO/TS 18110:2015, 2.2, modified — The example has been added.]