EESTI STANDARD

EVS-EN ISO 20028-1:2019

Plastics - Thermoplastic polyester (TP) moulding and extrusion materials - Part 1: Designation system and basis for specification (ISO 20028-1:2019)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| <u></u> | | | | | | |
|---|--|--|--|--|--|--|
| | This Estonian standard EVS-EN ISO 20028-1:2019 consists of the English text of the European standard EN ISO 20028-1:2019. | | | | | |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. | | | | | |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.10.2019. | Date of Availability of the European standard is 23.10.2019. | | | | | |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. | | | | | |
| | | | | | | |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 83.080.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN ISO 20028-1

October 2019

ICS 83.080.20

Supersedes EN ISO 20028-1:2017

English Version

Plastics - Thermoplastic polyester (TP) moulding and extrusion materials - Part 1: Designation system and basis for specification (ISO 20028-1:2019)

Plastiques - Matériaux polyesters thermoplastiques (TP) pour moulage et extrusion - Partie 1: Système de désignation et base de spécification (ISO 20028-1:2019)

Kunststoffe - Thermoplastische Polvester (TP)-Werkstoffe - Teil 1: Bezeichnungssystem und Basis für Spezifikationen (ISO 20028-1:2019)

This European Standard was approved by CEN on 16 September 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 20028-1:2019) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 20028-1:2017.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20028-1:2019 has been approved by CEN as EN ISO 20028-1:2019 without any modification.

Page

Contents

| Fore | eword | | iv |
|------|----------|---|----|
| Intr | oductio |)n | v |
| 1 | Scop | De | |
| 2 | Nor | mative references | |
| 3 | Tern | ns and definitions | 2 |
| 4 | Desi | gnation system | |
| | 4.1 | General | |
| | 4.2 | Data block 1 | |
| | 4.3 | Data block 2 | |
| | 4.4 | Data block 3 | |
| | 4.5 | Data block 4 | 5 |
| | | 4.5.1 General | |
| | | 4.5.2 Viscosity number | |
| | | 4.5.3 Tensile modulus of elasticity | |
| | 4.6 | Data block 5 | 7 |
| 5 | Exan | nples of designations | 7 |
| | 5.1 | Designation only | 7 |
| | 5.2 | Designation transformed into a specification | |
| Ann | ex A (no | ormative) Designation of thermoplastic polyesters | |
| Bibl | iograph | hy | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *Thermoplastic materials*.

This second edition cancels and replaces the first edition (ISO 20028-1:2017), which has been technically revised to introduce a new designation system.

The revised designation system is published under a new ISO number, as many existing documents refer to ISO 7792-1. If the existing ISO 7792-1 would be replaced by the new designation system, these documents would refer to the incorrect designation system.

A list of all parts in the ISO 20028 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

. 62 172 . (

Introduction

ISO 7792-1 is complex and does not fit with daily practice anymore. In practice, ISO 1043 and ISO 11469 ton, similar in a marking. are, in combination, "improperly" being used as a designation system for, for example, marking. The aim of this revision is to add an information about flame retardant in the second position of the second block and to connect more to ISO 1043 and ISO 11469, where the first two blocks are used for generic identification and marking of products.

Plastics — Thermoplastic polyester (TP) moulding and extrusion materials —

Part 1: Designation system and basis for specification

1 Scope

This document establishes a system of designation for thermoplastic polyester (TP) material, which can be used as the basis for specifications. It covers polyester homopolymers for moulding and extrusion based on poly(ethylene terephthalate) (PET), poly(butylene terephthalate) (PBT), poly(cyclohexylenedimethylene terephthalate) (PCT), poly(ethylene naphthalate) (PEN), poly(butylene naphthalates) (PBN) and other TP-types and copolyesters of various compositions for moulding and extrusion.

The types of thermoplastic polyester are differentiated from each other by a classification system based on appropriate levels of the designatory properties:

- a) viscosity number;
- b) tensile modulus of elasticity;

and on information about the intended application and/or method of processing, important properties, additives, colorants, fillers and reinforcing materials.

This designation system is applicable to thermoplastic polyester homopolymers and copolymers. It applies to materials ready for normal use in the form of powder, granules or pellets, unmodified or modified by colorants, fillers and other additives. This document does not apply to the saturated polyester/ester and polyether/ester thermoplastic elastomers covered by ISO 20029.

It is not intended to imply that materials having the same designation give necessarily the same performance. This document does not provide engineering data, performance data or data on processing conditions which can be required to specify a material. If such additional properties are required, they are intended to be determined in accordance with the test methods specified in ISO 20028-2, if suitable.

In order to designate a thermoplastic polyester material to meet particular specifications, the requirements are to be given in data block 5 (see <u>4.1</u>).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1043-1, Plastics — Symbols and abbreviated terms — Part 1: Basic polymers and their special characteristics

ISO 1043-2, Plastics — Symbols and abbreviated terms — Part 2: Fillers and reinforcing materials

ISO 1043-4, Plastics — Symbols and abbreviated terms — Part 4: Flame retardants

ISO 1628-5, Plastics — Determination of the viscosity of polymers in dilute solution using capillary viscometers — Part 5: Thermoplastic polyester (TP) homopolymers and copolymers

ISO 20028-2, *Plastics* — *Thermoplastic polyester (TP) moulding and extrusion materials* — *Part 2: Preparation of test specimens and determination of properties*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at <u>http://www.electropedia.org/</u>

4 Designation system

4.1 General

The designation system for thermoplastics is based on the following standardized pattern.

| | Designation | | | | | |
|---------------------|---------------------------|-----------------------|--------------|--------------|--------------|--------------|
| Description | Identity block | | | | | |
| Block (optional) | International Standard | Individual item block | | | | |
| | Number block | Data block 1 | Data block 2 | Data block 3 | Data block 4 | Data block 5 |

The designation consists of an optional description block, reading "Thermoplastics", and an identity block comprising the International Standard number and an individual-item block. For unambiguous designation, the individual-item block is subdivided into five data blocks comprising the following information.

Data block 1: Identification of the plastic by its symbol PET, PBT, PCT, PEN, PBN or TP for all such polyesters and copolyesters in general, in accordance with ISO 1043-1 (see <u>4.2</u>).
Data block 2: Position 1: Fillers or reinforcing materials and their nominal content (see <u>4.3</u>).

Position 2: Flame retardant (see 4.3).

Position 3: Declaration of recyclate (REC) plastics and their contents if desired (see 4.3).

— Data block 3: Position 1: Intended application and/or method of processing (see <u>4.4</u>).

Positions 2 to 8: Important properties, additives and supplementary information (see <u>4.4</u>).

- Data block 4: Designatory properties (see <u>4.5</u>).
- Data block 5: For the purpose of specifications, a fifth data block contains appropriate information (see <u>4.6</u>).

The first character of the individual item block shall be a hyphen. The five data blocks shall be separated from each other by a comma. If a data block is not used, this shall be indicated by doubling the separation sign, i.e. by two commas (,,). Terminal commas may be omitted.

NOTE Data blocks 1 and 2, when separated by a hyphen, form the part marking symbol.