

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Safety in installations for electroheating and electromagnetic processing –  
Part 1: General requirements**

**Sécurité dans les installations destinées au traitement électrothermique  
et électromagnétique –  
Partie 1: Exigences générales**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



---

### **Safety in installations for electroheating and electromagnetic processing – Part 1: General requirements**

### **Sécurité dans les installations destinées au traitement électrothermique et électromagnétique – Partie 1: Exigences générales**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 25.180.10

ISBN 978-2-8322-7898-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|                                                                                                                                                  |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----|
| FOREWORD.....                                                                                                                                    | 7  |
| INTRODUCTION.....                                                                                                                                | 9  |
| 1 Scope.....                                                                                                                                     | 10 |
| 2 Normative references .....                                                                                                                     | 10 |
| 3 Terms, definitions and abbreviated terms .....                                                                                                 | 14 |
| 3.1 General concepts.....                                                                                                                        | 14 |
| 3.2 Equipment and state of equipment.....                                                                                                        | 16 |
| 3.3 Parts and accessories.....                                                                                                                   | 17 |
| 3.4 Safety related concepts .....                                                                                                                | 19 |
| 3.5 Abbreviated terms.....                                                                                                                       | 20 |
| 4 Classification and subdivision of equipment and installations.....                                                                             | 21 |
| 4.1 Classification by processing frequency.....                                                                                                  | 21 |
| 4.2 Classification by voltage .....                                                                                                              | 22 |
| 4.3 Subdivision of installation and equipment.....                                                                                               | 23 |
| 4.3.1 Subdivision into parts .....                                                                                                               | 23 |
| 4.3.2 Hierarchy and structure of requirements .....                                                                                              | 25 |
| 4.4 Classification of hazards and risks .....                                                                                                    | 25 |
| 4.4.1 Classification of hazards.....                                                                                                             | 25 |
| 4.4.2 Classification of risks.....                                                                                                               | 26 |
| 5 Risk assessment .....                                                                                                                          | 26 |
| 6 General provisions.....                                                                                                                        | 27 |
| 6.1 Basic considerations .....                                                                                                                   | 27 |
| 6.2 Significant hazards .....                                                                                                                    | 28 |
| 6.3 Physical environment and operating conditions for the installation as such<br>and electrical equipment outside the processing equipment..... | 28 |
| 6.4 Physical environment and operating conditions for electrical equipment<br>caused by operation of the processing equipment.....               | 29 |
| 6.5 Power supply .....                                                                                                                           | 30 |
| 6.6 Access.....                                                                                                                                  | 31 |
| 6.7 Ergonomic aspects .....                                                                                                                      | 31 |
| 6.8 Transport and storage.....                                                                                                                   | 31 |
| 6.9 Provisions for handling.....                                                                                                                 | 32 |
| 6.10 Consumables and replaceable parts .....                                                                                                     | 32 |
| 7 Protection against hazards from electric shock .....                                                                                           | 32 |
| 7.1 General.....                                                                                                                                 | 32 |
| 7.2 Fundamental rule of protection.....                                                                                                          | 32 |
| 7.3 General provisions .....                                                                                                                     | 33 |
| 7.4 Basic protection .....                                                                                                                       | 34 |
| 7.5 Provisions for protection in electric single fault condition .....                                                                           | 35 |
| 7.6 Protective equipotential bonding .....                                                                                                       | 36 |
| 7.7 Additional provisions for fault protection for frequencies above 200 Hz .....                                                                | 38 |
| 7.8 Currents in protective conductors.....                                                                                                       | 39 |
| 7.9 Touch current and touch voltage .....                                                                                                        | 39 |
| 7.10 Conductors and insulations at high temperature.....                                                                                         | 40 |
| 7.11 Non-electric faults.....                                                                                                                    | 40 |
| 8 Protection against hazards from electric or magnetic fields.....                                                                               | 40 |

|       |                                                                           |    |
|-------|---------------------------------------------------------------------------|----|
| 8.1   | General.....                                                              | 40 |
| 8.2   | Magnetic fields.....                                                      | 40 |
| 8.3   | Magnetic fields below 1 Hz .....                                          | 41 |
| 8.4   | Local electric fields .....                                               | 41 |
| 8.5   | Requirements related to barriers and screens .....                        | 41 |
| 8.6   | Requirements related to objects worn, carried or held by persons .....    | 42 |
| 9     | Protection against hazards from radiation .....                           | 43 |
| 9.1   | General.....                                                              | 43 |
| 9.2   | Installation or equipment generating ionizing radiation .....             | 43 |
| 9.3   | Ultraviolet radiation .....                                               | 44 |
| 9.4   | Visible and infrared radiation .....                                      | 44 |
| 9.5   | Laser sources .....                                                       | 45 |
| 10    | Protection against hazards from thermal influences .....                  | 45 |
| 10.1  | General.....                                                              | 45 |
| 10.2  | Surface temperature limits for protection against burn .....              | 45 |
| 10.3  | Hazards caused by working conditions.....                                 | 46 |
| 10.4  | Temperature resistance of components.....                                 | 46 |
| 10.5  | Cooling .....                                                             | 46 |
| 10.6  | Over-temperature protection .....                                         | 47 |
| 11    | Protection against hazards from fire .....                                | 48 |
| 12    | Protection against hazards from fluids .....                              | 48 |
| 12.1  | General.....                                                              | 48 |
| 12.2  | Poisonous and injurious fluids.....                                       | 49 |
| 12.3  | Explosion and implosion of pressurised parts or vacuum equipment .....    | 50 |
| 13    | Specific requirements for components and subassemblies .....              | 50 |
| 13.1  | General.....                                                              | 50 |
| 13.2  | Electrical equipment and conductors.....                                  | 50 |
| 13.3  | Connection to the electrical supply network and internal connections..... | 51 |
| 13.4  | Isolation and switching .....                                             | 52 |
| 13.5  | Sensors and actuators safeguarding moving parts .....                     | 52 |
| 13.6  | Motors .....                                                              | 52 |
| 13.7  | Non electric-heating means.....                                           | 52 |
| 13.8  | Lighting.....                                                             | 53 |
| 13.9  | Structural parts and stability.....                                       | 53 |
| 13.10 | Doors, windows and other openings.....                                    | 53 |
| 13.11 | Transformers, inductors, capacitors .....                                 | 53 |
| 13.12 | Handheld applicators .....                                                | 53 |
| 13.13 | Vacuum system .....                                                       | 54 |
| 13.14 | Protective and reactive gas generator .....                               | 54 |
| 14    | Control of the installation or equipment.....                             | 54 |
| 14.1  | General.....                                                              | 54 |
| 14.2  | Operator control unit.....                                                | 54 |
| 14.3  | Emergency stop .....                                                      | 55 |
| 14.4  | Control systems and their safety functions .....                          | 55 |
| 14.5  | Controlgear .....                                                         | 56 |
| 14.6  | Protective devices.....                                                   | 57 |
| 14.7  | Over-temperature protection devices and systems .....                     | 57 |
| 14.8  | Overpressure safety device.....                                           | 58 |

|                     |                                                                                                                      |    |
|---------------------|----------------------------------------------------------------------------------------------------------------------|----|
| 15                  | Protection against mechanical hazards .....                                                                          | 58 |
| 16                  | Protection against hazards resulting from use .....                                                                  | 59 |
| 16.1                | Particular hazards in processing of food, feed, cosmetics and similar intended for human or animal consumption ..... | 59 |
| 16.2                | Combination equipment .....                                                                                          | 59 |
| 17                  | EMC .....                                                                                                            | 59 |
| 17.1                | Radio frequency interference .....                                                                                   | 59 |
| 17.2                | Immunity .....                                                                                                       | 60 |
| 18                  | Verification and testing .....                                                                                       | 60 |
| 18.1                | General .....                                                                                                        | 60 |
| 18.2                | Performing measurements and tests .....                                                                              | 62 |
| 18.3                | Verification of requirements from references .....                                                                   | 63 |
| 18.4                | Examination of drawings or calculations .....                                                                        | 63 |
| 18.5                | Visual inspection .....                                                                                              | 63 |
| 18.6                | Measurements .....                                                                                                   | 63 |
| 18.6.1              | Environment and operating conditions inside the processing equipment .....                                           | 63 |
| 18.6.2              | Impedance of protective bonding .....                                                                                | 63 |
| 18.6.3              | Insulation resistance measurement .....                                                                              | 64 |
| 18.6.4              | Measurement of electric or magnetic fields .....                                                                     | 64 |
| 18.6.5              | Touch current measurement .....                                                                                      | 64 |
| 18.6.6              | Measurement of ionising radiation .....                                                                              | 64 |
| 18.6.7              | Measurement of non-coherent optical irradiation .....                                                                | 64 |
| 18.6.8              | Measurement of coherent optical radiation .....                                                                      | 65 |
| 18.6.9              | Surface temperature measurement .....                                                                                | 65 |
| 18.6.10             | Temperature of structural components subject to heat .....                                                           | 65 |
| 18.7                | Functional tests .....                                                                                               | 65 |
| 18.7.1              | Protection by automatic disconnection of supply .....                                                                | 65 |
| 18.7.2              | Voltage test .....                                                                                                   | 65 |
| 18.7.3              | Dielectric test .....                                                                                                | 65 |
| 18.7.4              | Accessibility of live parts .....                                                                                    | 65 |
| 18.7.5              | Protective devices and systems .....                                                                                 | 66 |
| 18.8                | Numerical calculations and modelling .....                                                                           | 66 |
| 18.8.1              | General .....                                                                                                        | 66 |
| 18.8.2              | Numerical assessment of short circuit currents .....                                                                 | 66 |
| 18.8.3              | Numerical assessment of electric or magnetic emission .....                                                          | 66 |
| 18.8.4              | Numerical assessment of optical radiation emission .....                                                             | 67 |
| 19                  | Information for use .....                                                                                            | 67 |
| 19.1                | General requirements .....                                                                                           | 67 |
| 19.2                | Location and nature of the information for use .....                                                                 | 68 |
| 19.3                | Signalling and warning devices .....                                                                                 | 68 |
| 19.4                | Markings, pictograms, written warnings .....                                                                         | 68 |
| 19.5                | Instruction handbook .....                                                                                           | 69 |
| Annex A (normative) | List of significant hazards .....                                                                                    | 73 |
| Annex B (normative) | Limits to touch currents .....                                                                                       | 79 |
| B.1                 | General .....                                                                                                        | 79 |
| B.2                 | Risk classes .....                                                                                                   | 80 |
| B.3                 | Body model .....                                                                                                     | 80 |
| Annex C (normative) | Non coherent optical radiation – Limits and risk classes .....                                                       | 82 |

|              |                                                                             |    |
|--------------|-----------------------------------------------------------------------------|----|
| C.1          | General.....                                                                | 82 |
| C.2          | Boundary of the installation or equipment and assessment .....              | 82 |
| C.3          | Non-coherent optical radiation – Risk classes .....                         | 83 |
| C.3.1        | Approach.....                                                               | 83 |
| C.3.2        | Optical radiation – Risk class 0.....                                       | 83 |
| C.3.3        | Risk class 1 (low risk).....                                                | 83 |
| C.3.4        | Risk class 2 (moderate risk).....                                           | 84 |
| C.3.5        | Risk class 3 (high risk) .....                                              | 84 |
| C.3.6        | Pulsed equipment.....                                                       | 84 |
| C.3.7        | Radiation from laser sources .....                                          | 84 |
| Annex D      | (normative) Electric and magnetic fields .....                              | 85 |
| D.1          | General.....                                                                | 85 |
| D.2          | Boundary of the installation or equipment and assessment .....              | 85 |
| D.3          | Risk classes.....                                                           | 85 |
| D.3.1        | General .....                                                               | 85 |
| D.3.2        | Risk class 0 .....                                                          | 86 |
| D.3.3        | Risk class 1 (low risk).....                                                | 86 |
| D.3.4        | Risk class 2 (moderate risk).....                                           | 86 |
| D.3.5        | Risk class 3 (high risk) .....                                              | 86 |
| Annex E      | (normative) Surface temperature limits .....                                | 87 |
| Annex F      | (normative) EH, EPM and fire.....                                           | 88 |
| F.1          | Occurrence of fire .....                                                    | 88 |
| F.2          | Inherently safe design measures.....                                        | 88 |
| F.3          | Safeguarding and/or complementary protective measures .....                 | 88 |
| F.4          | Information for use.....                                                    | 89 |
| Annex G      | (normative) Marking and warning.....                                        | 90 |
| G.1          | Electromagnetic field hazards .....                                         | 90 |
| G.2          | Touch currents and surfaces.....                                            | 90 |
| G.3          | Optical radiation hazards .....                                             | 91 |
| G.4          | Symbols and signs used for markings and warnings.....                       | 91 |
| Annex H      | (informative) Guidelines on using this document.....                        | 93 |
| H.1          | Guidelines .....                                                            | 93 |
| H.2          | Examples of EH and EPM equipment.....                                       | 94 |
| Annex I      | (informative) Connection with ISO 13577 (all parts).....                    | 95 |
| Annex J      | (informative) Requirements specific to the EU and associated countries..... | 96 |
| J.1          | General.....                                                                | 96 |
| J.2          | Connection with ISO 13577 series .....                                      | 96 |
| Bibliography | .....                                                                       | 97 |
| Figure 1     | – Block diagram of a typical EH or EPM installation .....                   | 23 |
| Figure B.1   | – Maximum allowed touch and contact currents between 1 kHz to 100 kHz.....  | 79 |
| Figure B.2   | – Complex impedances of various parts of the body, 1 kHz to 6 MHz.....      | 81 |
| Figure G.1   | – Examples of marking for magnetic and electric fields.....                 | 90 |
| Figure G.2   | – Examples of marking for touch current.....                                | 90 |
| Figure G.3   | – Examples of marking for optical radiation .....                           | 91 |
| Figure J.1   | – Hierarchy of standards applicable to thermoprocessing machinery .....     | 96 |

|                                                                                      |    |
|--------------------------------------------------------------------------------------|----|
| Table 1 – Equipment, processing frequency and safety-relevant frequency limits ..... | 22 |
| Table 2 – Typical EH or EPM installation – Listing of parts and references .....     | 24 |
| Table 3 – Safety classification scheme for risks to humans .....                     | 26 |
| Table 4 – Classification of thermal protective measures .....                        | 47 |
| Table 5 – Methods for the verification of requirements .....                         | 61 |
| Table A.1 – List of hazards dealt with in this document .....                        | 73 |
| Table B.1 – Risk classification for hazards from touch currents .....                | 80 |
| Table C.1 – Risk classification for optical radiation (UV, VIS, IR) .....            | 82 |
| Table E.1 – Surface temperature limits in normal operation .....                     | 87 |
| Table G.1 – Examples of symbols and signs for use in EH or EPM installations .....   | 91 |

This document is a preview generated by EVS



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY IN INSTALLATIONS FOR ELECTROHEATING  
AND ELECTROMAGNETIC PROCESSING –****Part 1: General requirements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60519-1 has been prepared by IEC technical committee 27: Industrial electroheating and electromagnetic processing.

This sixth edition cancels and replaces the fifth edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of noise from the scope;
- b) clarification of EMC requirements;
- c) risk classification of hazards based on emission for all processing frequencies;
- d) clarification of boundaries between IEC 60519 (all parts) and ISO 13577 (all parts).

The text of this International Standard is based on the following documents:

| FDIS         | Report on voting |
|--------------|------------------|
| 27/1121/FDIS | 27/1123/RVD      |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this document, the following print types are used:

- requirements and definitions: in roman type;
- NOTES: in smaller roman type;
- **terms** used throughout this standard which have been defined in Clause 3: **in bold type**.

A list of all parts in the IEC 605019 series, published under the general title *Safety in installations for electroheating and electromagnetic processing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT** – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## INTRODUCTION

These general requirements apply to all industrial **EH** and **EPM equipment**, unless an exception is given in the Particular requirements dealing with specific equipment in other parts of the IEC 60519 series. The provisions of other parts of the IEC 60519 series that directly apply to specific types of equipment take precedence over the provisions of this document.

Annex I and Annex J provide orientation with respect to the application of ISO 13577-1 in combination with this document.

This document presumes that the installation or equipment is operated and maintained only by personnel consisting of **skilled** or **instructed persons**.

This document is intended for verifying whether the **EH** or **EPM installation** or **equipment** meets the safety requirements of this document through design, site acceptance tests, routine tests or inspection.

Annex H provides a guide on the use of this document and a list of typical industrial **EH** and **EPM** processes.

# SAFETY IN INSTALLATIONS FOR ELECTROHEATING AND ELECTROMAGNETIC PROCESSING –

## Part 1: General requirements

### 1 Scope

This part of IEC 60519 specifies the general safety requirements for industrial installations or equipment intended for **electroheating (EH)** and **electroheating** based treatment technologies as well as for **electromagnetic processing of materials (EPM)**. This document deals with the significant hazards, hazardous situations or hazardous events relevant to industrial **EH** and **EPM equipment**, as listed in Annex A, for **normal operation** and for **single fault condition** as well as under conditions of reasonably foreseeable misuse.

This document specifies the requirements intended to be met by the **manufacturer** to ensure the safety of persons and property during the complete life cycle of the equipment from design through commissioning, operation, maintenance, inspection, to decommissioning, as well as in the event of foreseeable **single fault condition** that can occur in the equipment.

The rated voltage of **EH** and **EPM equipment** can be in the range of low voltage; details are given in 4.2.

This document does not apply to equipment and appliances within the scope of

- IEC 60079 (all parts) – i.e. equipment intended for use in potentially explosive atmospheres;
- IEC 60335 (all parts) – i.e. household, commercial and similar electrical appliances, including room heating;
- IEC 60601 (all parts) – i.e. medical electrical equipment;
- IEC 60974 (all parts) – i.e. arc welding equipment;
- IEC 61010 (all parts) – i.e. equipment for laboratory use.

This document does not provide requirements for type testing.

NOTE Industrial equipment covered by this document is typically produced as a single unit or a very small number of units; such unit usually has a very high value and can cause severe harm at disintegration.

This document does not address data security and hazards arising from neglect of security.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60071-1:2006 <sup>1</sup>, *Insulation co-ordination – Part 1: Definitions, principles and rules*  
IEC 60071-1:2006/AMD1:2010

---

<sup>1</sup> A consolidated version of this publication exists, comprising IEC 60071-1:2006 and IEC 60071-1:2006/AMD1:2010.

IEC 60204-1:2016, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60204-11:2018, *Safety of machinery – Electrical equipment of machines – Part 11: Requirements for equipment for voltages above 1 000 V AC or 1 500 V DC and not exceeding 36 kV*

IEC 60228:2004, *Conductors of insulated cables*

IEC 60335-1:2010<sup>2</sup>, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60335-1:2010/AMD1:2013

IEC 60335-1:2010/AMD2:2016

IEC 60335-2-24, *Household and similar electrical appliances – Safety – Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice makers*

IEC 60335-2-89, *Household and similar electrical appliances – Safety – Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor*

IEC 60364-1:2005, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC 60364-4-41:2005<sup>3</sup>, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60364-4-41:2005/AMD1:2017

IEC 60364-4-42:2010<sup>4</sup>, *Low-voltage electrical installations – Part 4-42: Protection for safety – Protection against thermal effects*

IEC 60364-4-42:2010/AMD1:2014

IEC 60364-4-44:2007<sup>5</sup>, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60364-4-44:2007/AMD1:2015

IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-53:2001<sup>6</sup>, *Electrical installations of buildings – Part 5-53: Selection and erection of electrical equipment – Isolation, switching and control*

IEC 60364-5-53:2001/AMD1:2002

IEC 60364-5-53:2001/AMD2:2015

IEC 60364-5-54:2011, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

---

<sup>2</sup> A consolidated version of this publication exists, comprising IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013 and IEC 60335-1:2010/AMD2:2016.

<sup>3</sup> A consolidated version of this publication exists, comprising IEC 60364-4-41:2005 and IEC 60364-4-41:2005/AMD1:2017.

<sup>4</sup> A consolidated version of this publication exists, comprising IEC 60364-4-42:2010 and IEC 60364-4-42:2010/AMD1:2014.

<sup>5</sup> A consolidated version of this publication exists, comprising IEC 60364-4-44:2007, IEC 60364-4-44:2007/AMD1:2015 and IEC 60364-4-44:2007/AMD2:2018.

<sup>6</sup> A consolidated version of this publication exists, comprising IEC 60364-5-53:2001, IEC 60364-5-53:2001/AMD1:2002 and IEC 60364-5-53:2001/AMD2:2015.

IEC 60398:2015, *Installations for electroheating and electromagnetic processing – General performance test methods*

IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

IEC 60445:2017, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60825-1:2014, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60865-1:2011, *Short-circuit currents – Calculation of effects – Part 1: Definitions and calculation methods*

IEC 60909-0:2016, *Short-circuit currents in three-phase a.c. systems – Part 0: Calculation of currents*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61000-6-2:2016, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61000-6-7:2014, *Electromagnetic compatibility (EMC) – Part 6-7: Generic standards – Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations*

IEC 61010-1:2010, *Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements*

IEC 61082-1:2014, *Preparation of documents used in electrotechnology – Part 1: Rules*

IEC 61310-1:2007, *Safety of machinery – Indication, marking and actuation – Part 1: Requirements for visual, acoustic and tactile signals*

IEC 61310-2:2007, *Safety of machinery – Indication, marking and actuation – Part 2: Requirements for marking*

IEC 61310-3:2007, *Safety of machinery – Indication, marking and actuation – Part 3: Requirements for the location and operation of actuators*

IEC 61439 (all parts), *Low-voltage switchgear and controlgear assemblies*

IEC 61508-1:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61786-1:2013, *Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings – Part 1: Requirements for measuring instruments*

IEC 61786-2:2014, *Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings – Part 2: Basic standard for measurements*

IEC 61936-1:2010<sup>7</sup>, *Power installations exceeding 1 kV a.c. – Part 1: Common rules*  
IEC 61936-1:2010/AMD1:2014

IEC 62061:2005<sup>8</sup>, *Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems*  
IEC 62061:2005/AMD1:2012  
IEC 62061:2005/AMD2:2015

IEC 62271 (all parts), *High-voltage switchgear and controlgear*

IEC 62471:2006, *Photobiological safety of lamps and lamp systems*

IEC 82079-1:2012, *Preparation of instructions for use – Structuring, content and presentation – Part 1: General principles and detailed requirements*

CISPR 11:2015<sup>9</sup>, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*  
CISPR 11:2015/AMD1:2016  
CISPR 11:2015/AMD2:2019

IEEE C95.1:2005, *IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz*

IEEE C95.6:2002, *IEEE Standard for Safety Levels with Respect to Human Exposure to Electromagnetic Fields, 0–3 kHz*

ISO 3864-1:2011, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*

ISO 6385:2016, *Ergonomics principles in the design of work systems*

ISO 7000, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

ISO 7010, *Graphical symbols – Safety colours and safety signs – Safety signs used in workplaces and public areas*

ISO 12100:2010, *Safety of machinery – General principles for design – Risk assessment and risk reduction*

ISO 13577-1:2016, *Industrial furnaces and associated processing equipment – Safety – Part 1: General requirements*

ISO 13577-2:2014, *Industrial furnaces and associated processing equipment – Safety – Part 2: Combustion and fuel handling systems*

---

<sup>7</sup> A consolidated version of this publication exists, comprising IEC 61936-1:2010 and IEC 61936-1:2010/AMD1:2014.

<sup>8</sup> A consolidated version of this publication exists, comprising IEC 62061:2005, IEC 62061:2005/AMD1:2012 and IEC 62061:2005/AMD2:2015.

<sup>9</sup> A consolidated version of this publication exists, comprising CISPR 11:2015, CISPR 11:2015/AMD1:2016 and CISPR 11:2015/AMD2:2019.

ISO 13577-3:2016, *Industrial furnaces and associated processing equipment – Safety – Part 3: Generation and use of protective and reactive atmosphere gases*

ISO 13732-1:2006, *Ergonomics of the thermal environment – Methods for the assessment of human responses to contact with surfaces – Part 1: Hot surfaces*

ISO 13849-1:2015, *Safety of machinery – Safety-related parts of control systems – Part 1: General principles for design*

ISO 13850:2015, *Safety of machinery – Emergency stop function – Principles for design*

ISO 13855:2010, *Safety of machinery – Positioning of safeguards with respect to the approach speeds of parts of the human body*

ISO 13857:2008, *Safety of machinery – Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14119:2013, *Safety of machinery – Interlocking devices associated with guards – Principles for design and selection*

ISO 14120:2015, *Safety of machinery – Guards – General requirements for the design and construction of fixed and movable guards*

ISO 14159:2002, *Safety of machinery – Hygiene requirements for the design of machinery*

ISO 19353:2019, *Safety of machinery – Fire prevention and fire protection*

### **3 Terms, definitions and abbreviated terms**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### **3.1 General concepts**

##### **3.1.1**

##### **electroheating**

##### **EH**

DEPRECATED: electroheat

conversion of electric energy into heat for useful purposes

Note 1 to entry: This note applies to the French language only.

##### **3.1.2**

##### **electromagnetic processing of materials**

##### **EPM**

interaction between electromagnetic energy or forces and materials for useful purposes

Note 1 to entry: **EPM** can include but is not limited to heating.

Note 2 to entry: This note applies to the French language only.