INTERNATIONAL STANDARD

ISO 16321-1

First edition 2021-03

Eye and face protection for occupational use —

Part 1: General requirements

Exigences & Protection des yeux et du visage à usage professionnel — Partie 1: Exigences générales



Reference number ISO 16321-1:2021(E)



© ISO 2021

nentation, no part c'ical, including p'i-vuested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ntent	S	Page
Fore	eword		v
Intr	oductio	n	vi
1	Scon	e	1
2		native references	
3	Tern	is and definitions	2
4	Gene	eral requirements for protectors	2
	4.1	Ambient temperatures	
	4.2	Physiological compatibility	
	4.3	Construction and adjustment	
	4.4	Cleaning and/or disinfection	
	4.5	Headform(s)	
	4.6	Mandatory and optional requirements	3
5	Geor	netrical optical requirements for protectors	
	5.1	Field of view	
	5.2	Refractive power and prismatic power for plano lenses	
		5.2.1 Spherical and cylindrical power	
		5.2.2 Spatial deviation5.2.3 Prismatic power for unmounted plano lenses covering one eye	
		5.2.4 Prism imbalance of complete eye protectors or plano lenses covering both eye	5
	5.3	Mounted prescription lenses	
	5.5	5.3.1 Optical	
		5.3.2 Positioning	
	5.4	Single-vision ready-to-wear near-vision lenses (lenses with positive spherical power)	
	5.5	Enhanced optical performance (optional requirement)	5
6	Phys	ical optical requirements for protectors	6
	6.1	Detection of signal lights	6
	6.2	Luminous transmittance of lenses without deliberate filter action	6
	6.3	Specific requirements for different types of filter	6
		6.3.1 Ultraviolet protective filters	
		6.3.2 Infrared protective filters	
		6.3.3 Sunglare filters for occupational use	
		6.3.4 Filters for use in glass blowing	
	6.4	Uniformity of luminous transmittance and transmittance matching	.12
	6.5	Scattered light	.12
	6.6 6.7	Frame transmittanceAnti-reflective coated lenses (optional requirement)	12
7		ical and mechanical requirements for protectors	13
	7.1	Area to be protected	
		7.1.1 General 7.1.2 Area to be protected by eye protectors	
		7.1.2 Area to be protected by eye protectors7.1.3 Area to be protected by face protectors	10 10
		7.1.4 Lateral protection	10 18
	7.2	Headbands and harnesses	18
	7.2	Quality of material and surface of mounted and unmounted lenses, visors and filters	
	7.4	Basic impact level of complete protectors	
		7.4.1 Complete protectors	
		7.4.2 Failure criteria	19
		7.4.3 Protectors with inserts to carry prescription lenses	
	7.5	Resistance to thermal exposure	20
	7.6	Resistance to UV radiation	
	7.7	Resistance to corrosion	
	7.8	Resistance to ignition	21

ISO 16321-1:2021(E)

7.10 High-speed impact resistance, impact level C, D, E (optional requirement) 7.10.1 Protection at normal ambient temperatures 7.10.2 Protection at extremes of temperature 7.11 High mass impact, impact level HM (optional requirement) 7.11.1 Protection at normal ambient temperatures 7.11.2 Protection at extremes of temperature 7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	21 22 23 23 24 24 24 25 25 25 25 25
7.10.1 Protection at normal ambient temperatures 7.10.2 Protection at extremes of temperature 7.11 High mass impact, impact level HM (optional requirement) 7.11.1 Protection at normal ambient temperatures 7.11.2 Protection at extremes of temperature 7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	21 22 23 23 24 24 24 25 25 25 25 25
7.11 High mass impact, impact level HM (optional requirement) 7.11.1 Protection at normal ambient temperatures 7.11.2 Protection at extremes of temperature 7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	23 23 24 24 24 24 25 25 25 25
7.11 High mass impact, impact level HM (optional requirement) 7.11.1 Protection at normal ambient temperatures 7.11.2 Protection at extremes of temperature 7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	23 23 24 24 24 24 25 25 25 25
7.11.1 Protection at normal ambient temperatures 7.11.2 Protection at extremes of temperature 7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	23 23 24 24 24 25 25 25 25
7.12 Resistance to surface damage due to flying fine particles (optional requirement) 7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	24 24 24 25 25 25 25 25
7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	
7.13 Resistance to fogging of lenses or filters (optional requirement) 7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	
7.14 Protection against molten metals and hot solids (optional requirement) 7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	
7.15 Protection against droplets (optional requirement) 7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	
7.16 Protection against streams of liquids (Optional requirement) 7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	25 25 25 25
7.17 Protection against large dust particles (optional requirement) 7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	25 25 25
7.18 Protection against gases and fine dust (optional requirement) 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors	25 25 25
 7.19 Protection against radiant heat (optional requirement) 7.20 Chemical resistance (optional requirement) 7.21 Use in explosive atmospheres (optional requirement) Marking of protectors 	25 25
7.20 Chemical resistance (optional requirement)7.21 Use in explosive atmospheres (optional requirement)Marking of protectors	25
7.21 Use in explosive atmospheres (optional requirement)	
Marking of protectors	
8.1 General	
8.2 Mandatory markings on lenses/filters	
8.3 Mandatory markings on frames	
8.4 Optional markings on lenses/filters	28
8.5 Optional markings on frames	
8.6 Examples of markings	29
Information to be supplied by the manufacturer	29
0 Allocation of requirements, test samples and application	30
10.1 General test samples	
10.2 Test samples for prescription lenses for eye protectors	37
10.2.1 Single-vision lenses	37
10.2.2 Multifocal lenses	
10.2.3 Power-variation lenses	
10.2.4 Information to be provided by the frame manufacturer	38
nnex A (informative) Summary of mechanical impact levels in eye and face protection for sunglass, occupational and sports use	0.0
sungiass, occupational and spot is use	37
Sibliography	40
sunglass, occupational and sports use	
	7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by ISO/TC 94, *Personal safety* — *Personal protective equipment*, Subcommittee SC 6, *Eye and face protection*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 85, *Eye protective equipment*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This document cancels and replaces ISO 4849:1981, ISO 4851:1979, ISO 4852:1978 and ISO 4856:1982.

A list of all parts in the ISO 16321 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The family of documents comprised of the ISO 16321 series, the ISO 18526 series and the ISO 18527 series was developed in response to the worldwide stakeholders' demand for minimum requirements and test methods for eye and face protectors traded internationally. ISO 4007 gives the terms and a.
ous,
cupatic
sports arc
ction, use and definitions for all the various product types. The test methods are given in the ISO 18526 series, while the requirements for occupational eye and face protectors are given in the ISO 16321 series. Eve protectors for specific sports are mostly dealt with by the ISO 18527 series. A guidance document, ISO 19734, for the selection, use and maintenance of eye and face protectors is under preparation.

Eye and face protection for occupational use —

Part 1:

General requirements

1 Scope

This document specifies general requirements for eye and face protectors. These protectors are intended to provide protection for the eyes and faces of persons against one or more common occupational hazards such as impacts from flying particles and fragments, optical radiation, dusts, splashing liquids, molten metals, heat, flame, hot solids, harmful gases, vapours and aerosols.

Additional requirements for eye and face protectors used during welding and related techniques and for mesh protectors are given in ISO 16321-2 and ISO 16321-3, respectively.

This document applies to:

- all plano as well as corrective and prescription lensed protectors and components;
- those eye and face protectors used for occupational-type tasks that are performed similarly to an occupation, e.g. "do-it-yourself";
- those eye and face protectors used in educational establishments.

This document does not apply to:

- protectors specifically intended for protection against only solar radiation and used in nonoccupational environments for which the ISO 12312 series applies;
- protectors for medically prescribed applications (not occupational), e.g. eye protection for severe dry eye, tints prescribed for medical conditions;
- patient eye protectors during diagnosis or treatment (e.g. ISO/TR 22463);
- protectors for use during medical or e.g. aesthetic applications, e.g. intense light sources (ILS) for which the ISO 12609 series applies;
- protectors specifically intended for sports for which the ISO 18527 series applies;
- laser protectors;
- face protectors intended for live-working to protect against short-circuit electric arcs for which IEC 62819 applies;
- protectors intended to protect against ionizing radiation, e.g. X-rays, for which IEC 61331-3 applies.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4007, Personal protective equipment — Eye and face protection — Vocabulary

ISO/CIE 11664-1, Colorimetry — Part 1: CIE standard colorimetric observers

ISO 11664-2, Colorimetry — Part 2: CIE standard illuminants

ISO 12312-1:2013, Eye and face protection — Sunglasses and related eyewear — Part 1: Sunglasses for general use

ISO 16034:2002, Ophthalmic optics — Specifications for single-vision ready-to-wear near-vision spectacles

ISO 16321-2:2021, Eye and face protection for occupational use — Part 2: Additional requirements for protectors used during welding and related techniques

ISO 16321-3:2021, Eye and face protection for occupational use — Part 3: Additional requirements for mesh protectors

ISO 18526-1:2020, Eye and face protection — Test methods — Part 1: Geometrical optical properties

ISO 18526-2:2020, Eye and face protection — Test methods — Part 2: Physical optical properties

ISO 18526-3:2020, Eye and face protection — Test methods — Part 3: Physical and mechanical properties

ISO 18526-4, Eye and face protection — Test methods — Part 4: Headforms

ISO 21987:2017, Ophthalmic optics — Mounted spectacle lenses

ISO 80079-36:2016, Explosive atmospheres — Part 36: Non-electrical equipment for explosive atmospheres — Basic method and requirements

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4007 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 General requirements for protectors

4.1 Ambient temperatures

Protectors¹⁾ described in this document are intended for use at normal ambient temperatures (23 ± 5) °C. In order to ensure that critical aspects of protection are not compromised due to temperatures towards the extremes of the normal range of occupational environments from (-5 ± 2) °C to $(+55 \pm 2)$ °C, physical and mechanical requirements at extremes of temperature are included (sometimes optionally) in this document. These physical and mechanical requirements can also be provided by manufacturers for validation of claims for protection at temperatures below (-5 ± 2) °C and/or above $(+55 \pm 2)$ °C.

4.2 Physiological compatibility

Protectors shall be designed and manufactured in such a way that, when used under the conditions and for the purposes intended, they will not compromise the health or safety of the wearer. The risks posed by substances leaking or evaporating from the protector that can come into prolonged contact with the wearer, shall be reduced by the manufacturer to within the limits of any applicable regulatory requirement.

¹⁾ For the purposes of this document, "protector" is used as a general term for eye and/or face protectors such as, but not limited to, spectacles, goggles, face shields and eye shields.