

**ELEKTRIVALGUSTITE JA NENDETAOLISTE SEADMETE  
RAADIOHÄIRINGU-TUNNUSSUURUSTE PIIRVÄÄRTUSED  
JA MÕÕTEMEETODID**

**Limits and methods of measurement of radio  
disturbance characteristics of electrical lighting and  
similar equipment (CISPR 15:2018)**

**EESTI STANDARDI EESSÕNA****NATIONAL FOREWORD**

|                                                                                                                                                                                                                        |                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| See Eesti standard EVS-EN IEC 55015:2019+A11:2020 sisaldab Euroopa standardi EN IEC 55015:2019 ja selle muudatuse A11:2020 ingliskeelset teksti.                                                                       | This Estonian standard EVS-EN IEC 55015:2019+A11:2020 consists of the English text of the European standard EN IEC 55015:2019 and its amendment A11:2020.                                                                                    |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.<br><br>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.08.2019, muudatus A11 06.03.2020. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.<br><br>Date of Availability of the European standard is 30.08.2019, for A11 06.03.2020. |
| Muudatusega A11 lisatud või muudetud teksti algus ja lõpp on tekstis tähistatud sümbolitega <b>A11</b> <b>A11</b> .<br><br>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.                     | The start and finish of text introduced or altered by amendment A11 is indicated in the text by tags <b>A11</b> <b>A11</b> .<br><br>The standard is available from the Estonian Centre for Standardisation and Accreditation.                |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 33.100.10

**Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

**The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation**

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

## English Version

**Limits and methods of measurement of radio disturbance  
characteristics of electrical lighting and similar equipment  
(CISPR 15:2018)**

Limites et méthodes de mesure des perturbations  
radioélectriques produites par les appareils électriques  
d'éclairage et les appareils analogues  
(CISPR 15:2018)

Grenzwerte und Messverfahren für Funkstörungen von  
elektrischen Beleuchtungseinrichtungen und ähnlichen  
Elektrogeräten  
(CISPR 15:2018)

This European Standard was approved by CENELEC on 2018-06-19. Amendment A11 was approved by CENELEC on 2019-11-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard and its amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard and its Amendment A11 exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

The text of document CIS/F/733/FDIS, future edition 9 of CISPR 15, prepared by CISPR SC F "Interference relating to household appliances tools, lighting equipment and similar apparatus" of CISPR "International special committee on radio interference" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 55015:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-02-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-08-30

This document supersedes EN 55015:2013 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

## Endorsement notice

The text of the International Standard CISPR 15:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

|                            |      |                                                        |
|----------------------------|------|--------------------------------------------------------|
| CISPR/TR 16-4-3:2004       | NOTE | Harmonized as EN 55016-4-3 (not modified) <sup>1</sup> |
| IEC 60155:1993             | NOTE | Harmonized as EN 60155:1995 (not modified)             |
| IEC 60155:1993/A1:1995     | NOTE | Harmonized as EN 60155:1995/A1:1995 (not modified)     |
| IEC 60155:1993/A2:2006     | NOTE | Harmonized as EN 60155:1995/A2:2007 (not modified)     |
| IEC 61000-6-3:2006         | NOTE | Harmonized as EN 61000-6-3:2007 (not modified)         |
| IEC 61000-6-3:2006/A1:2010 | NOTE | Harmonized as EN 61000-6-3:2007/A1:2011 (not modified) |
| IEC 61347-1:2015           | NOTE | Harmonized as EN 61347-1:2015 (not modified)           |
| IEC 62776:2014             | NOTE | Harmonized as EN 62776:2015 (not modified)             |

<sup>1</sup> To be published. Stage at the time of publication: prEN 55016-4-3:2018.

**A11 Amendment A11 European foreword**

This document (EN IEC 55015:2019/A11:2020) has been prepared by CLC/TC 210 "Electromagnetic Compatibility (EMC)".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-11-27
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-11-27

This document amends EN IEC 55015:2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document. **A11**

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

**Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment**

**Limites et méthodes de mesure des perturbations radioélectriques produites par les appareils électriques d'éclairage et les appareils analogues**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE  
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

**Limits and methods of measurement of radio disturbance characteristics of  
electrical lighting and similar equipment**

**Limites et méthodes de mesure des perturbations radioélectriques produites  
par les appareils électriques d'éclairage et les appareils analogues**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.100.10

ISBN 978-2-8322-5648-0

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



This document is a preview generated by EVS

## CONTENTS

|                                                                                                                                                                                       |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| FOREWORD .....                                                                                                                                                                        | 7  |
| 1 Scope .....                                                                                                                                                                         | 9  |
| 2 Normative references .....                                                                                                                                                          | 10 |
| 3 Terms, definitions and abbreviated terms .....                                                                                                                                      | 11 |
| 3.1 General .....                                                                                                                                                                     | 11 |
| 3.2 General terms and definitions .....                                                                                                                                               | 11 |
| 3.3 Terms and definitions related to equipment .....                                                                                                                                  | 12 |
| 3.4 Terms and definitions related to interfaces and ports .....                                                                                                                       | 16 |
| 3.5 Abbreviated terms .....                                                                                                                                                           | 18 |
| 4 Limits .....                                                                                                                                                                        | 20 |
| 4.1 General .....                                                                                                                                                                     | 20 |
| 4.2 Frequency ranges .....                                                                                                                                                            | 20 |
| 4.3 Limits and methods for the assessment of wired network ports .....                                                                                                                | 21 |
| 4.3.1 Electric power supply interface .....                                                                                                                                           | 21 |
| 4.3.2 Wired network interfaces other than power supply .....                                                                                                                          | 21 |
| 4.4 Limits and methods for the assessment of local wired ports .....                                                                                                                  | 22 |
| 4.5 Limits and methods for the assessment of the enclosure port .....                                                                                                                 | 23 |
| 4.5.1 General .....                                                                                                                                                                   | 23 |
| 4.5.2 Frequency range 9 kHz to 30 MHz .....                                                                                                                                           | 23 |
| 4.5.3 Frequency range 30 MHz to 1 GHz .....                                                                                                                                           | 24 |
| 5 Application of the limits .....                                                                                                                                                     | 25 |
| 5.1 General .....                                                                                                                                                                     | 25 |
| 5.2 Identification of the interfaces subject to test .....                                                                                                                            | 25 |
| 5.3 Application of limits to the interfaces .....                                                                                                                                     | 26 |
| 5.3.1 General .....                                                                                                                                                                   | 26 |
| 5.3.2 Conducted disturbance requirements for the wired network port .....                                                                                                             | 26 |
| 5.3.3 Conducted disturbance requirements for local wired ports .....                                                                                                                  | 26 |
| 5.3.4 Radiated disturbance requirements for the enclosure port .....                                                                                                                  | 27 |
| 5.3.5 Multiple interfaces of the same type .....                                                                                                                                      | 27 |
| 5.3.6 Interfaces that can be categorised as multiple types of ports .....                                                                                                             | 27 |
| 6 Product specific limit application requirements .....                                                                                                                               | 28 |
| 6.1 General .....                                                                                                                                                                     | 28 |
| 6.2 Passive EUT .....                                                                                                                                                                 | 28 |
| 6.3 Rope lights .....                                                                                                                                                                 | 28 |
| 6.3.1 General .....                                                                                                                                                                   | 28 |
| 6.3.2 Requirements for rope lights .....                                                                                                                                              | 28 |
| 6.4 Modules .....                                                                                                                                                                     | 29 |
| 6.4.1 General .....                                                                                                                                                                   | 29 |
| 6.4.2 Modules having multiple applications .....                                                                                                                                      | 29 |
| 6.4.3 Internal modules .....                                                                                                                                                          | 29 |
| 6.4.4 External modules .....                                                                                                                                                          | 30 |
| 6.4.5 Single capped self-ballasted lamps .....                                                                                                                                        | 30 |
| 6.4.6 Double-capped self-ballasted lamps, double-capped lamp adapters,<br>double-capped semi-luminaires and double-capped retrofit lamps used<br>in fluorescent lamp luminaires ..... | 30 |
| 6.4.7 ELV lamps .....                                                                                                                                                                 | 30 |

|                     |                                                                                                             |    |
|---------------------|-------------------------------------------------------------------------------------------------------------|----|
| 6.4.8               | Single-capped semi-luminaires .....                                                                         | 30 |
| 6.4.9               | Independent igniters .....                                                                                  | 31 |
| 6.4.10              | Replaceable starters for fluorescent lamps .....                                                            | 31 |
| 7                   | Operating and test conditions of the EUT .....                                                              | 31 |
| 7.1                 | General.....                                                                                                | 31 |
| 7.2                 | Switching .....                                                                                             | 31 |
| 7.3                 | Supply voltage and frequency .....                                                                          | 31 |
| 7.4                 | Rated lamp load and light regulation .....                                                                  | 32 |
| 7.5                 | Operating modes .....                                                                                       | 32 |
| 7.6                 | Ambient conditions.....                                                                                     | 32 |
| 7.7                 | Lamps.....                                                                                                  | 32 |
| 7.7.1               | Type of lamps used in lighting equipment .....                                                              | 32 |
| 7.7.2               | Ageing times.....                                                                                           | 32 |
| 7.8                 | Stabilization times.....                                                                                    | 32 |
| 7.9                 | Operation and loading of wired interfaces .....                                                             | 33 |
| 7.9.1               | General .....                                                                                               | 33 |
| 7.9.2               | Interface intended for a continuous signal or data transmission .....                                       | 33 |
| 7.9.3               | Interface not intended for a continuous signal or data transmission .....                                   | 33 |
| 7.9.4               | Load .....                                                                                                  | 33 |
| 8                   | Methods of measurement of conducted disturbances .....                                                      | 33 |
| 8.1                 | General.....                                                                                                | 33 |
| 8.2                 | Measurement instrumentation and methods .....                                                               | 33 |
| 8.3                 | Electrical power supply interface disturbance measurement.....                                              | 34 |
| 8.4                 | Disturbance measurement of wired network interfaces other than power supply.....                            | 34 |
| 8.5                 | Local wired port disturbance measurement .....                                                              | 35 |
| 8.5.1               | Electrical power supply of ELV lamps .....                                                                  | 35 |
| 8.5.2               | Other than electrical power supply of ELV lamps .....                                                       | 35 |
| 9                   | Methods of measurement of radiated disturbances .....                                                       | 35 |
| 9.1                 | General.....                                                                                                | 35 |
| 9.2                 | Intentional wireless transmitters.....                                                                      | 36 |
| 9.3                 | Measurement instrumentation and methods .....                                                               | 36 |
| 9.3.1               | General .....                                                                                               | 36 |
| 9.3.2               | LLAS radiated disturbance measurement 9 kHz to 30 MHz .....                                                 | 36 |
| 9.3.3               | Loop antenna radiated disturbance measurement 9 kHz to 30 MHz .....                                         | 37 |
| 9.3.4               | Radiated disturbance measurement 30 MHz to 1 GHz .....                                                      | 37 |
| 10                  | Compliance with this document .....                                                                         | 38 |
| 11                  | Measurement uncertainty .....                                                                               | 38 |
| 12                  | Test report.....                                                                                            | 38 |
| Annex A (normative) | Product specific application notes referring to particular measurement set-ups or operating conditions..... | 43 |
| A.1                 | Single-capped self-ballasted lamps .....                                                                    | 43 |
| A.1.1               | Arrangement for conducted disturbance measurements .....                                                    | 43 |
| A.1.2               | Arrangement for radiated disturbance measurements .....                                                     | 43 |
| A.2                 | Semi-luminaires .....                                                                                       | 43 |
| A.3                 | Rope lights .....                                                                                           | 43 |
| A.3.1               | Preparation of the EUT .....                                                                                | 43 |
| A.3.2               | Arrangement for conducted disturbance measurements .....                                                    | 44 |

|                       |                                                                                                                                                                           |    |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A.3.3                 | Arrangement for radiated disturbance measurements .....                                                                                                                   | 44 |
| A.4                   | Double-capped lamp adapters, double-capped self-ballasted lamps, double-capped semi-luminaires and double-capped retrofit lamps used in fluorescent lamp luminaires ..... | 44 |
| A.4.1                 | For application in linear luminaires with electromagnetic controlgear .....                                                                                               | 44 |
| A.4.2                 | For application in linear luminaires with electronic controlgear .....                                                                                                    | 44 |
| A.4.3                 | For application in other than linear luminaires .....                                                                                                                     | 44 |
| A.4.4                 | Measurement methods .....                                                                                                                                                 | 44 |
| A.5                   | ELV lamps .....                                                                                                                                                           | 45 |
| A.5.1                 | Conducted disturbance test .....                                                                                                                                          | 45 |
| A.5.2                 | Radiated disturbance tests .....                                                                                                                                          | 45 |
| A.6                   | Independent igniters .....                                                                                                                                                | 45 |
| Annex B (normative)   | Test arrangements for conducted disturbance measurements .....                                                                                                            | 52 |
| B.1                   | General .....                                                                                                                                                             | 52 |
| B.2                   | Arrangement of cables connected to interfaces of wired network ports .....                                                                                                | 52 |
| B.2.1                 | Arrangements of electric power supply cables .....                                                                                                                        | 52 |
| B.2.2                 | Arrangement of other than electric power supply cables .....                                                                                                              | 52 |
| B.3                   | Arrangement of cables connected to interfaces of local wired ports .....                                                                                                  | 53 |
| B.3.1                 | General .....                                                                                                                                                             | 53 |
| B.3.2                 | Cables of local-wired ports indirectly connected to a network .....                                                                                                       | 53 |
| B.3.3                 | Cables of local-wired ports other than the type mentioned in B.3.2 .....                                                                                                  | 53 |
| B.3.4                 | Power-supply cables of an ELV lamp .....                                                                                                                                  | 54 |
| B.3.5                 | Arrangement of measurement probes .....                                                                                                                                   | 54 |
| B.4                   | Loading and termination of cables .....                                                                                                                                   | 54 |
| B.5                   | Luminaires .....                                                                                                                                                          | 54 |
| B.6                   | Modules .....                                                                                                                                                             | 55 |
| Annex C (normative)   | Test arrangements for radiated disturbance measurements .....                                                                                                             | 59 |
| C.1                   | General .....                                                                                                                                                             | 59 |
| C.2                   | Arrangements of electric power supply cables .....                                                                                                                        | 59 |
| C.3                   | Arrangement of cables other than electric power supply cables .....                                                                                                       | 59 |
| C.4                   | Arrangements of EUT, auxiliary equipment and associated equipment .....                                                                                                   | 59 |
| C.4.1                 | General .....                                                                                                                                                             | 59 |
| C.4.2                 | EUT arrangements for table-top, wall-mounted or ceiling-mounted applications .....                                                                                        | 59 |
| C.4.3                 | EUT arrangements for floor-standing and pole-mounted applications .....                                                                                                   | 59 |
| C.5                   | Loading and termination of cables .....                                                                                                                                   | 59 |
| Annex D (informative) | Examples of application of limits and test methods .....                                                                                                                  | 63 |
| D.1                   | General .....                                                                                                                                                             | 63 |
| D.2                   | Case 1: Power controlgear with remote battery connection .....                                                                                                            | 63 |
| D.2.1                 | EUT description .....                                                                                                                                                     | 63 |
| D.2.2                 | Interfaces, ports and limits .....                                                                                                                                        | 63 |
| D.3                   | Case 2: Universal presence and light detector .....                                                                                                                       | 64 |
| D.3.1                 | EUT description .....                                                                                                                                                     | 64 |
| D.3.2                 | Interfaces, ports and limits .....                                                                                                                                        | 64 |
| D.4                   | Case 3: Driver with three load interfaces .....                                                                                                                           | 66 |
| D.4.1                 | EUT description .....                                                                                                                                                     | 66 |
| D.4.2                 | Interfaces, ports and limits .....                                                                                                                                        | 66 |
| D.5                   | Case 4: Ethernet powered OLED .....                                                                                                                                       | 68 |
| D.5.1                 | EUT description .....                                                                                                                                                     | 68 |

|                       |                                                                                                                                                                                                                                 |    |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| D.5.2                 | Interfaces, ports and limits.....                                                                                                                                                                                               | 68 |
| D.6                   | Case 5: Stand-alone occupancy-daylight sensor .....                                                                                                                                                                             | 68 |
| D.6.1                 | EUT description .....                                                                                                                                                                                                           | 68 |
| D.6.2                 | Interfaces, ports and limits.....                                                                                                                                                                                               | 69 |
| Annex E (informative) | Statistical considerations in the determination of EMC compliance of mass-produced products .....                                                                                                                               | 70 |
| E.1                   | General.....                                                                                                                                                                                                                    | 70 |
| E.2                   | Test method based on a general margin to the limit .....                                                                                                                                                                        | 70 |
| E.3                   | Test method based on the non-central t-distribution .....                                                                                                                                                                       | 71 |
| E.3.1                 | Practical implementation by using frequency sub-ranges .....                                                                                                                                                                    | 71 |
| E.3.2                 | Frequency sub-ranges .....                                                                                                                                                                                                      | 72 |
| E.3.3                 | Data distortion occurring at a sub-range boundary .....                                                                                                                                                                         | 73 |
| E.4                   | Test method based on the binomial distribution.....                                                                                                                                                                             | 73 |
| E.5                   | Application of larger sample size.....                                                                                                                                                                                          | 74 |
| Annex ZA (normative)  | Normative references to international publications with their corresponding European publications .....                                                                                                                         | 75 |
| <b>A11</b>            | Annex ZZ (informative) Relationship between this European standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered <b>A11</b> .....                                                    | 77 |
| Bibliography          | .....                                                                                                                                                                                                                           | 78 |
| Figure 1              | – EMC-ports of an EUT .....                                                                                                                                                                                                     | 18 |
| Figure 2              | – Generic depiction of the definitions of test-, ancillary-, auxiliary- and associated equipment w.r.t. EUT and the test/measurement environment (definitions given in CISPR 16-2-3) .....                                      | 20 |
| Figure 3              | – EUT and its physical interfaces .....                                                                                                                                                                                         | 40 |
| Figure 4              | – Decision process on the application of limits to the EUT.....                                                                                                                                                                 | 41 |
| Figure 5              | – Example of a host system with different types of modules .....                                                                                                                                                                | 42 |
| Figure A.1            | – Reference luminaire for double-capped lamp adapter, double-capped self-ballasted lamp, double-capped semi-luminaire and double-capped retrofit lamp used in linear fluorescent lamp luminaires (see A.4.1).....               | 46 |
| Figure A.2            | – Conical metal housing for single capped lamps (see A.1.1).....                                                                                                                                                                | 47 |
| Figure A.3            | – Arrangements for conducted disturbance measurements from non-restricted ELV lamps (see A.5.1).....                                                                                                                            | 48 |
| Figure A.4            | – Arrangements for conducted disturbance measurements from restricted ELV lamps (see A.5.1) .....                                                                                                                               | 49 |
| Figure A.5            | – Hose-clamp reference luminaire for self-ballasted lamps with a GU10 bayonet cap (see A.1.1) .....                                                                                                                             | 50 |
| Figure A.6            | – Support plate for arranging long cables and rope lights (see 9.3.2, Clauses A.3 and B.3) .....                                                                                                                                | 51 |
| Figure B.1            | – Circuit for measuring conducted disturbances from a luminaire (Figure B.1a), an internal/mounted/replaceable module (Figure B.1b) and a single capped self-ballasted or independent non-gas-discharge lamp Figure B.1c) ..... | 56 |
| Figure B.2            | – Circuit for measuring conducted disturbances from an external module .....                                                                                                                                                    | 57 |
| Figure B.3            | – Measuring arrangements for conducted disturbances (see Clause B.5).....                                                                                                                                                       | 58 |
| Figure C.1            | – EUT arrangement of ceiling-, wall-mounted and table-top applications during the radiated (OATS, SAC or FAR) disturbance measurement .....                                                                                     | 60 |
| Figure C.2            | – EUT arrangement of floor-standing and pole-mounted applications during the radiated (OATS, SAC or FAR) disturbance measurement.....                                                                                           | 61 |

|                                                                                                                                               |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure C.3 – Example of arrangement of a luminaire during the radiated (OATS, SAC or FAR) disturbance measurement .....                       | 61 |
| Figure C.4 – Example of arrangement of an internal module during the radiated (OATS, SAC or FAR) disturbance measurement .....                | 62 |
| Figure C.5 – Example of arrangement of an external module during the radiated (OATS, SAC or FAR) disturbance measurement .....                | 62 |
| Figure D.1 – Case 1 EUT .....                                                                                                                 | 63 |
| Figure D.2 – Case 2 EUT .....                                                                                                                 | 65 |
| Figure D.3 – Case 3 EUT .....                                                                                                                 | 67 |
| Figure D.4 – Case 4 EUT .....                                                                                                                 | 68 |
| Figure D.5 – Case 5 EUT .....                                                                                                                 | 69 |
| Figure E.1 – Illustration of difficulties in case the maximum value of the disturbance is at the boundary of a sub-range .....                | 73 |
| Table 1 – Disturbance voltage limits at the electric power supply interface .....                                                             | 21 |
| Table 2 – Disturbance voltage limits at wired network interfaces other than power supply .....                                                | 21 |
| Table 3 – Disturbance current limits at wired network interfaces other than power supply .....                                                | 22 |
| Table 4 – Disturbance voltage limits of local wired ports: electrical power supply interface of non-restricted ELV lamps .....                | 22 |
| Table 5 – Disturbance voltage limits at local wired ports: local wired ports other than electrical power supply interface of ELV lamp .....   | 23 |
| Table 6 – Disturbance current limits at local wired ports: local wired ports other than electrical power supply interface of ELV lamp .....   | 23 |
| Table 7 – Maximum EUT dimension that can be used for testing using LLAS with different diameters .....                                        | 24 |
| Table 8 – LLAS radiated disturbance limits in the frequency range 9 kHz to 30 MHz .....                                                       | 24 |
| Table 9 – Loop antenna radiated disturbance limits in the frequency range 9 kHz to 30 MHz for equipment with a dimension > 1,6 m .....        | 24 |
| Table 10 – Radiated disturbance limits and associated measurement methods in the frequency range 30 MHz to 1 GHz .....                        | 25 |
| Table 11 – Overview of standardized conducted disturbance measurement methods .....                                                           | 34 |
| Table 12 – Overview of standardized radiated disturbance measurement methods .....                                                            | 36 |
| Table D.1 – Case 1: Summary of interfaces, applicable ports and limits .....                                                                  | 64 |
| Table D.2 – Case 2 – Application 1: Summary of interfaces, applicable ports and limits .....                                                  | 65 |
| Table D.3 – Case 2 – Application 2: Summary of interfaces, applicable ports and limits .....                                                  | 66 |
| Table D.4 – Case 3: Summary of interfaces, applicable ports and limits .....                                                                  | 67 |
| Table D.5 – Case 4: Summary of interfaces, applicable ports and limits .....                                                                  | 68 |
| Table D.6 – Case 5: Summary of interfaces, applicable ports and limits .....                                                                  | 69 |
| Table E.1 – General margin to the limit for statistical evaluation .....                                                                      | 71 |
| Table E.2 – Sample size and corresponding $k$ factor in a non-central t-distribution .....                                                    | 72 |
| Table E.3 – Application of the binomial distribution .....                                                                                    | 73 |
| Table ZZ.1 — Correspondence between this European standard and the Essential Requirements set out in Directive 2014/30/EU [2014 OJ L96] ..... | 77 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

# **LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 15 has been prepared by subcommittee CIS/F: Interference relating to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

This ninth edition cancels and replaces the eighth edition published in 2013 and its Amendment 1:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) full editorial revision and restructuring;
- b) the restriction to mains and battery operation is deleted in the scope;
- c) radiated disturbance limits in the frequency range 300 MHz to 1 GHz have been introduced;
- d) the load terminals limits and the CDNE (alternative to radiated emissions) limits have changed;

- e) deletion of the insertion-loss requirements and the associated Annex A;
- f) introduction of three basic ports: wired network ports, local wired ports and the enclosure port;
- g) introduction of a more technology-independent approach;
- h) replacement of Annex B (CDNE) by appropriate references to CISPR 16-series of standards;
- i) modified requirements for the metal holes of the conical housing;
- j) new conducted disturbance measurement method for GU10 self-ballasted lamp;
- k) addition of current probe measurement method and limits for various types of ports (in addition to voltage limits and measurement methods);
- l) introduction of the term 'module' (instead of independent auxiliary) and requirements for measurement of modules using a host (reference) system;
- m) modified specifications for stabilization times of EUTs;
- n) for large EUT (> 1,6 m), addition of the magnetic field measurement method using a 60 cm loop antenna at 3 m distance (method from CISPR 14-1) as an alternative to the 3 m and 4 m LAS.

The text of this International Standard is based on the following documents:

|                |                  |
|----------------|------------------|
| FDIS           | Report on voting |
| CIS/F/733/FDIS | CIS/F/736/RVD    |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



# LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

## 1 Scope

This document applies to the emission (radiated and conducted) of radiofrequency disturbances from:

- lighting equipment (3.3.16);
- the lighting part of multi-function equipment where this lighting part is a primary function;

NOTE 1 Examples are lighting equipment with visible-light communication, entertainment lighting.

- UV and IR radiation equipment for residential and non-industrial applications;
- advertising signs;

NOTE 2 Examples are neon tube advertising signs.

- decorative lighting;
- emergency signs.

Excluded from the scope of this document are:

- components or modules intended to be built into lighting equipment and which are not user-replaceable;

NOTE 3 See CISPR 30 (all parts) for built-in controlgear.

- lighting equipment operating in the ISM frequency bands (as defined in Resolution 63 (1979) of the ITU Radio Regulation);
- lighting equipment for aircraft and airfield facilities (runways, service facilities, platforms);
- video signs;
- installations;
- equipment for which the electromagnetic compatibility requirements in the radio-frequency range are explicitly formulated in other CISPR standards, even if they incorporate a built-in lighting function.

NOTE 4 Examples of exclusions are:

- equipment with built-in lighting devices for display back lighting, scale illumination and signaling;
- SSL-displays;
- range hoods, refrigerators, freezers;
- photocopiers, projectors;
- lighting equipment for road vehicles (in scope of CISPR 12).

The frequency range covered is 9 kHz to 400 GHz. No measurements need to be performed at frequencies where no limits are specified in this document.

Multi-function equipment which is subjected simultaneously to different clauses of this document and/or other standards need to meet the provisions of each clause/standard with the relevant functions in operation.

For equipment outside the scope of this document and which includes lighting as a secondary function, there is no need to separately assess the lighting function against this document, provided that the lighting function was operative during the assessment in accordance with the applicable standard.

NOTE 5 Examples of equipment with a secondary lighting function can be range hoods, fans, refrigerators, freezers, ovens and TV with ambient lighting.

The radiated emission requirements in this document are not intended to be applicable to the intentional transmissions from a radio transmitter as defined by the ITU, nor to any spurious emissions related to these intentional transmissions.

Within the remainder of this document, wherever the term "lighting equipment" or "EUT" is used, it is meant to be the electrical lighting and similar equipment falling in the scope of this document as specified in this clause.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility*

IEC 60050-845:1987, *International Electrotechnical Vocabulary – Chapter 845: Lighting*

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60598-1:2014, *Luminaires – Part 1: General requirements and tests*  
IEC 60598-1:2014/AMD1:2017

IEC 60921, *Ballasts for tubular fluorescent lamps – Performance requirements*

IEC 61000-4-20:2010, *Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides*

IEC 61195, *Double-capped fluorescent lamps – Safety specifications*

IEC 62504:2014, *General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions*

CISPR 16-1-1:2015, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-1-2:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements*

CISPR 16-1-4:2010, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements*

CISPR 16-1-4:2010/AMD1:2012

CISPR 16-1-4:2010/AMD2:2017

CISPR 16-2-1:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements*

CISPR 16-2-1:2014/AMD1:2017

CISPR 16-2-3:2016, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements*

CISPR 16-4-2:2011, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Measurement instrumentation uncertainty*

CISPR 16-4-2:2011/AMD1:2014

CISPR TR 30-1:2012, *Test method on electromagnetic emissions – Part 1: Electronic control gear for single- and double-capped fluorescent lamps*

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

ISO/IEC 17025:2005<sup>2</sup>, *General requirements for the competence of testing and calibration laboratories*

### 3 Terms, definitions and abbreviated terms

#### 3.1 General

For the purposes of this document, the terms and definitions given in IEC 60050-161, IEC 62504, IEC 60050-845 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.2 General terms and definitions

##### 3.2.1

##### **base of the luminaire**

mounting surface of the luminaire in normal use, usually the side opposite of the optical window

##### 3.2.2

##### **clock frequency**

fundamental frequency of any signal used in the EUT excluding those generated inside an integrated circuit (IC) and which are solely used inside the same IC without being accessible outside that IC, and excluding those used exclusively for radio transmission or radio receiving functions

<sup>2</sup> This edition was replaced by ISO/IEC 17025:2017 but the listed edition applies.