Hot rolled flat steel bars for general purposes - Dimensions and tolerances on shape and dimensions

Hot rolled flat steel bars for general purposes -Dimensions and tolerances on shape and dimensions



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN
10058:2004 sisaldab Euroopa standardi
EN 10058:2003 ingliskeelset teksti.

Käesolev dokument on jõustatud 28.01.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 10058:2004 consists of the English text of the European standard EN 10058:2003.

This document is endorsed on 28.01.2004 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This European Standard specifies the nominal dimensions and the tolerances on dimensions and shape of hot-rolled steel flat bars for general purposes. This Standard is not applicable for spring leaves, see EN 10092-1

Scope:

This European Standard specifies the nominal dimensions and the tolerances on dimensions and shape of hot-rolled steel flat bars for general purposes. This Standard is not applicable for spring leaves. see EN 10092-1

ICS 77.140.60

Võtmesõnad: acceptance testing, flat, flat rolled products, form tolerances, hot rolled, limit deviations, measurement, metal bars, properties, specification (approval), specifications, steel grades, steels, strips, structural steels, tolerances (measurement)

Hinnagrupp E

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 10058

October 2003

ICS 77.140.60

English version

Hot rolled flat steel bars for general purposes - Dimensions and tolerances on shape and dimensions

Plats en acier laminés à chaud pour usages généraux -Dimensions et tolérances sur la forme et les dimensions Warmgewalzte Flachstäbe aus Stahl für allgemeine Verwendung - Maße, Formtoleranzen und Grenzabmaße

This European Standard was approved by CEN on 12 September 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

3011	ents		page
	6 .		
rew			
5.1 5.2 5.3 5.4 5.5	Thickness (t)	nape	6 6
	Thickness and width Length Straightness		8 8
iblio	graphy		10

Foreword

This document (EN 10058:2003) has been prepared by Technical Committee ECISS/TC 11 "Structural steel sections and hot rolled steel bars for engineering use - Dimensions and tolerances", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2004, and conflicting national standards shall be withdrawn at the latest by April 2004.

This European Standard replaces:

EURONORM 58-78 Hot rolled flats for general purposes.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, SOR OR OR OR OR OR OR OF THE STATE OF THE ST Switzerland and the United Kingdom.

1 Scope

This European Standard specifies the nominal dimensions and the tolerances on dimensions and shape of hot-rolled steel flat bars for general purposes.

This standard is not applicable to spring leaves, see EN 10092-1.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 10079:1992, Definition of steel products.

EN 10088-1, Stainless steels — Part 1: List of stainless steels.

3 Terms and definitions

For the purposes of this European Standard the terms and definitions given in EN 10079:1992 apply.

4 Designation

The designation of hot-rolled steel flat bars shall comprise:

- the term " flat bar";
- the number of this European Standard (EN 10058);
- dimensions in mm (width x thickness x length (M, F or E, see Table 3));
- the number of the quality standard and the steel name or steel number of the ordered steel.

EXAMPLE

Flat bar EN 10058 - 20x5x6000M

steel EN 10025 - S235JR

5 Dimensions

Hot rolled flat bars for general purposes complying with this European Standard shall be delivered with the specified dimensions range given in Table 1 and illustrated in Figure 1. The preferred dimensions are presented in Table 1.

NOTE For manufacturing reasons the corners are not sharp.