Konstruktsioonilaagrid. Osa 7: Sfäärilised ja silindrilised PTFE laagrid

Structural bearings - Part 7: Spherical and cylindrical PTFE bearings



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 1337- 7:2004 sisaldab Euroopa standardi EN 1337-7:2004 ingliskeelset teksti.	This Estonian standard EVS-EN 1337- 7:2004 consists of the English text of the European standard EN 1337-7:2004.
Käesolev dokument on jõustatud 27.07.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 27.07.2004 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.

Käsitlusala: This European Standard deals with the requirements for the design and manufacture of spherical and cylindrical PTFE bearings. The requirements and properties of the curved sliding surfaces are included in EN 1337-2. Spherical and cylindrical bearings with an included angle $2 q > 60^{\circ}$ and $2 q > 75^{\circ}$ respectively are beyond the scope of this European Standard. (see Figure 6).	Scope: This European Standard deals with the requirements for the design and manufacture of spherical and cylindrical PTFE bearings. The requirements and properties of the curved sliding surfaces are included in EN 1337-2. Spherical and cylindrical bearings with an included angle $2 q > 60^{\circ}$ and $2 q > 75^{\circ}$ respectively are beyond the scope of this European Standard. (see Figure 6).
ICS 91.010.30	
Võtmesõnad:	

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN 1337-7

March 2004

ICS 91.010.30

Supersedes EN 1337-7:2000

English version

Structural bearings - Part 7: Spherical and cylindrical PTFE bearings

Appareils d'appui structuraux - Partie 7: Appareils d'appui cylindriques sphériques comportant du PTFE


Lager im Bauwesen - Teil 7: Kalotten- und Zylinderlager mit PTFE

This European Standard was approved by CEN on 2 January 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	þ	age
Forew	ord	3
Introdu	uction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions, symbols and abbreviations	5
4	Requirements	9
5	Material properties	9
6	Design requirements	
7	Manufacturing, assembly and tolerances	12
8	Conformity evaluation	12
Annex	A (informative) Method for calculating the eccentricities in spherical and cylindrical PTFE bearings	13
Annex	B (informative) Reduced area for curved sliding surfaces	15
Annex	ZA (informative) Provisions for the CE marking of cylindrical and spherical PTFE bearings (with or without flat sliding elements) under the EU Construction Products Directive	18

Foreword

This document (EN 1337-7:2004) has been prepared by Technical Committee CEN /TC 167, "Structural bearings", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2004, and conflicting national standards shall be withdrawn at the latest by September 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative annex ZA, which is an integral part of this document.

Annexes A and B are informative.

This document supersedes EN 1337-7:2000.

.rings This European Standard EN 1337 "Structural bearings", consists of the following 11 Parts:

- Part 1: General design rules
- Part 2: Sliding elements
- Part 3: Elastomeric bearings
- Part 4: Roller bearings
- Part 5: Pot bearings
- Part 6: Rocker bearings
- Part 7: Spherical and cylindrical PTFE bearings
- Part 8: Guide bearings and restrain bearings
- Part 9: Protection
- Part 10: Inspection and maintenance
- Part 11: Transport, storage and installation

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This standard considers a minimum operating temperature of -35°C.

An extension down to -40°C will be considered in a future amendment.

<text> Applications beyond the range of temperature given in clause 1 need special consideration not covered by this standard. Characteristics, requirements and test procedures given in this standard do not apply in such cases.

1 Scope

This European Standard deals with the requirements for the design and manufacture of spherical and cylindrical PTFE bearings. The requirements and properties of the curved sliding surfaces are included in EN 1337-2. Spherical and cylindrical bearings with an included angle 2 θ > 60° and 2 θ > 75° respectively are beyond the scope of this European Standard. (see Figure 6).

For the purpose of controlling the degree of freedom the bearings may be combined with flat sliding elements and guides according to EN 1337-2:2004 and restraining rings as per 6.3.4.

Cylindrical bearings are susceptible to unexpected moments about the transverse axis of the cylindrical surface.

Additional limitation of application to be taken into consideration is given in clause 1 of EN 1337-2:2004.

2 Normative references

This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 1337-1:2000, Structural bearings - Part 1: General design rules

EN 1337-2:2004, Structural bearings - Part 2: Sliding elements

prEN 1337-5:1996, Structural bearings - Part 5: Pot bearings

3 Terms and definitions, symbols and abbreviations.

3.1 Terms and definitions

For the purposes of this European Standard, the following terms and definitions apply.

3.1.1

backing plate

metallic component which supports sliding materials

3.1.2

cylindrical PTFE bearing

bearing consisting of a backing plate with a convex cylindrical surface (rotational element) and a backing plate with a concave cylindrical surface between which a PTFE sheet and the mating material form a curved sliding surface (see Figure 1). Cylindrical PTFE bearings are also used in combination with flat sliding elements and guides to form free or guided bearings (see Figure 2)

NOTE Numbers in brackets in Figures 1 and 2 refer to the examples shown in Figure 1 of EN 1337-1:2000.