

**Liming materials - Determination of product effect on
soil pH - Soil incubation method**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14984:2016 sisaldab Euroopa standardi EN 14984:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 14984:2016 consists of the English text of the European standard EN 14984:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.07.2016.	Date of Availability of the European standard is 13.07.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 65.080

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Liming materials - Determination of product effect on soil pH - Soil incubation method

Amendements minéraux basiques - Détermination de
l'effet d'un produit sur le pH d'un sol - Méthode par
incubation du sol

Kalkdünger - Bestimmung des Produkteinflusses auf
den Boden-pH-Wert - Bodeninkubationsverfahren

This European Standard was approved by CEN on 19 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 Principle	9
4.1 General.....	9
4.2 Method A.....	9
4.3 Method B.....	9
5 Method A.....	10
5.1 Reagents and materials.....	10
5.1.1 Reference soil,	10
5.1.2 Reference liming material (RLM),.....	10
5.1.3 Water,	10
5.2 Apparatus.....	10
5.2.1 Temperature-controlled room,.....	10
5.2.2 pH meter,.....	10
5.2.3 Beakers,	10
5.2.4 Pots,.....	10
5.2.5 Volumetric spoons,.....	10
5.2.6 Magnetic stirrer	10
5.2.7 Balance,.....	10
5.2.8 Precision balance,	10
5.2.9 Test sieves,.....	11
5.3 Sampling of products and sample preparation.....	11
5.4 Procedure.....	11
5.4.1 Preparation of the standard soil.....	11
5.4.2 Test portions.....	11
5.4.3 Preparation of pots.....	11
5.4.4 Incubation.....	12
5.4.5 pH measurements.....	12
5.5 Expression of results.....	12
5.6 Precision.....	14
5.6.1 General.....	14
5.6.2 Repeatability.....	14
5.6.3 Reproducibility	15
6 Method B.....	17
6.1 Reagents and materials.....	17
6.1.1 Standard soil,.....	17
6.1.2 Alternative standard soils,.....	18
6.1.3 Reference liming material,	18
6.1.4 Water,	18
6.2 Apparatus.....	18
6.2.1 Temperature-controlled room,.....	18

6.2.2	pH meter,	18
6.2.3	Beakers,	19
6.2.4	Pots,	19
6.2.5	Volumetric spoons,	19
6.2.6	Magnetic stirrer,	19
6.2.7	Balance,	19
6.2.8	Precision balance,	19
6.2.9	Test sieves,	19
6.3	Sampling of products and sample preparation	19
6.4	Procedure	19
6.4.1	Preparation of the standard soil	19
6.4.2	Test portions	20
6.4.3	Preparation of pots	20
6.4.4	Incubation	21
6.4.5	pH measurements	21
6.5	Expression of results	21
6.5.1	pH measurements	21
6.5.2	Soil-lime efficiency data	21
6.6	Precision	22
6.6.1	General	22
6.6.2	Repeatability	22
6.6.3	Reproducibility	23
7	Test report	26
Annex A (informative) Variations to the test methods		27
A.1	General	27
A.2	Variations	27
A.2.1	Different measurement periods	27
A.2.2	Supply of different amounts	27
A.2.3	Soil different from the standard soil	27
A.2.4	Different incubation temperature	28
A.2.5	Additional measurements	28
Annex B (normative) Determination of moisture at full soil water holding capacity		29
Bibliography		31

European foreword

This document (EN 14984:2016) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14984:2006.

The following changes have been made to the former edition:

- a) effective neutralizing value by incubation (*ENVI*) added as alternative way for the expression of results;
- b) Formula for calculation of *ENVI* for method A added;
- c) Formula for calculation of *ENVI* for method B added;
- d) editorially revised.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The chemical methods for determining the neutralizing value (NV) (see EN 12945) and the reactivity (see EN 13971 and EN 16357) of liming materials are not always appropriate indicators for any material claimed to have a liming effect in the soil, particularly materials with a high organic matter content.

The biological mineralization of organic matter contained in some products can, in the field, have an effect on pH, which cannot be quantified by the chemical methods.

The two methods described in this document overcome these problems.

Both methods characterize products through their effect on the pH of a soil under controlled, standard conditions, and establish the efficiency of products when applied to a standard soil.

Method A specifies a reference soil with tight characteristics with respect to pH range before incubation, cation exchange capacity (CEC), mass fraction of organic carbon, and mass fraction of particles finer than 0,002 mm (clay).

Method B can apply the same reference soil as Method A, but also allows alternative standard soils with a wider content of particles finer than 0,002 mm (clay), and a wider range of mass fraction of organic matter. Clay and organic matter are the decisive reactants to a liming material

However, attention is drawn to the limitations of these methods. They are laboratory methods carried out under controlled conditions and care should be taken when applying the results to field conditions. The quality of incorporation of the liming material into the soil and the eventual need to break down the product agglomerates, together with the soil and climate conditions, can affect the results. Nevertheless, these methods allow a comparison of the potential neutralizing effect of liming products under optimum and reproducible conditions.

1 Scope

This document specifies two methods (method A and method B) of measuring the effect of the addition of any material claimed to have a liming effect on the soil, using the same basic principles.

Method A measures the changes to the soil pH resulting from the addition of any material claimed to have a liming effect on a standard soil, measured over a period of one month.

Method B assesses the efficiency of any material claimed to have a liming effect, using a range of defined soils and measured over a period of up to 2,5 years.

The methods are not applicable to mineral products coarser than 6,3 mm for method A or 20 mm for method B, determined according to EN 12948.

NOTE These methods allow comparison of products under controlled climatic conditions but do not replace field experiments.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-1, *Fertilizers and liming materials - Sampling and sample preparation - Part 1: Sampling*

EN 1482-3, *Fertilizers and liming materials — Sampling and sample preparation — Part 3: Sampling of static heaps*

EN 12048, *Solid fertilizers and liming materials - Determination of moisture content - Gravimetric method by drying at (105 +/- 2)°C (ISO 8190:1992 modified)*

EN 12049, *Solid fertilizers and liming materials - Determination of moisture content - Gravimetric method by drying under reduced pressure (ISO 8189:1992 modified)*

EN 12945, *Liming materials - Determination of neutralizing value - Titrimetric methods*

EN 12948, *Liming materials - Determination of size distribution by dry and wet sieving*

EN 13040, *Soil improvers and growing media - Sample preparation for chemical and physical tests, determination of dry matter content, moisture content and laboratory compacted bulk density*

EN ISO 3696, *Water for analytical laboratory use - Specification and test methods (ISO 3696)*

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3310-2, *Test sieves — Technical requirements and testing — Part 2: Test sieves of perforated metal plate*

ISO 10390:2005, *Soil quality — Determination of pH*

ISO 11272, *Soil quality — Determination of dry bulk density*

ISO 11277, *Soil quality — Determination of particle size distribution in mineral soil material — Method by sieving and sedimentation*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

ISO 14235, *Soil quality — Determination of organic carbon by sulfochromic oxidation*

NF X31-130, *Soil quality — Chemical methods — Determination of the cationic exchange capacity (CEC) and extractable cations (buffered at pH = 7, Metson method)*¹⁾

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

efficiency

ability of a liming material to react in soil or solution within a specified time

Note 1 to entry: In this document, efficiency is calculated as mentioned in 6.5.2.

3.2

internal peak values approach

crediting fine fractions of a product or other highly reactive materials for 100 % efficiency in soil when reaching maximum pH value

Note 1 to entry: This efficiency is maintained even if pH later drops due to soil microbial counteraction (acidification).

Note 2 to entry: For further clarification see Figure 1 and Figure 2.




Figure 1 — Soil pH versus weeks of soil incubation

¹⁾ No international buffered method is available at pH = 7. As soon as an International Standard is available for cation exchange capacity buffered at pH = 7, it will replace the NF X 31-130.