

Textiles - Methods for determination of certain aromatic amines derived from azo colorants - Part 1: Detection of the use of certain azo colorants accessible with and without extracting the fibres (ISO 14362-1:2017)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 14362-1:2017 sisaldab Euroopa standardi EN ISO 14362-1:2017 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 14362-1:2017 consists of the English text of the European standard EN ISO 14362-1:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.02.2017.	Date of Availability of the European standard is 08.02.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 59.060.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Textiles - Methods for determination of certain aromatic amines derived from azo colorants - Part 1: Detection of the use of certain azo colorants accessible with and without extracting the fibres (ISO 14362-1:2017)

Textiles - Méthodes de détermination de certaines amines aromatiques dérivées de colorants azoïques - Partie 1: Détection de l'utilisation de certains colorants azoïques accessibles avec ou sans extraction (ISO 14362-1:2017)

Textilien - Verfahren für die Bestimmung gewisser aromatischer Amine aus Azofarbstoffen - Teil 1: Nachweis der Verwendung gewisser Azofarbstoffe mit und ohne Extraktion der Fasern (ISO 14362-1:2017)

This European Standard was approved by CEN on 21 December 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 14362-1:2017) has been prepared by Technical Committee ISO/TC 38 "Textiles" in collaboration with Technical Committee CEN/TC 248 "Textiles and textile products" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017, and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14362-1:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 14362-1:2017 has been approved by CEN as EN ISO 14362-1:2017 without any modification.

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General	1
5 Principle	3
6 Safety precautions	3
7 Reagents	3
8 Apparatus	4
9 Test specimen sampling and preparation	6
9.1 General	6
9.2 Textile article	6
9.3 Fibre composition	6
9.4 Case of the fibre blends	7
9.5 Coloured materials with pigments	7
9.6 Colours	7
9.6.1 General	7
9.6.2 Case of colour gathering	7
9.6.3 Preparation of the three colour test specimen	8
10 Procedure	8
10.1 Colorant extraction for disperse dyes with xylene	8
10.2 Textiles coloured with pigments and/or dyed with colorants other than disperse dyes	8
10.3 Reductive cleavage	8
10.4 Separation and concentration of the amines	8
10.5 Amine detection and quantification	9
10.5.1 Detection of aniline and 1,4-phenylenediamine (indicators of 4-aminoazobenzene)	9
10.5.2 In relation to quantification equipment / other sources of false positive results	9
10.6 Check procedure	10
10.6.1 General	10
10.6.2 Calibration using internal standard (quantification performed by gas chromatography)	10
10.6.3 Calibration without internal standard	11
10.6.4 Amine recovery	11
11 Evaluation	11
11.1 General	11
11.2 Calculation of amine in the sample	12
11.3 Reliability of the method	12
12 Test report	12
Annex A (informative) Chromatographic analyses	13
Annex B (informative) Reliability of the method	17
Annex C (informative) Assessment guide — Interpretation of analytical results	19
Annex D (informative) Explanatory table of dyestuffs used in various textile materials	25
Annex E (informative) Procedure for liquid/liquid extraction without diatomaceous earth	26
Annex F (normative) Colorants — Methods for determination of certain aromatic amines	29
Annex G (informative) Pigments	30

Bibliography	32
---------------------------	-----------

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by the European Committee Standardization (CEN) Technical Committee CEN/TC 248, *Textiles and textile products*, in collaboration with ISO Technical Committee TC 38, *Textiles*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 14362-1 cancels and replaces ISO 24362-1:2014, which has been technically revised.

The following is a list of the major technical changes between this edition and ISO 24362-1:2014:

- addition of a new [Clause 3](#) and renumbered;
- changes to [Clause 5](#) "Principle," where the combined method has been removed as it had been found that results were not accurate in certain cases;
- changes to [Clause 9](#) "Test specimen sampling and preparation" to be more explanatory;
- changes to [Clause 10](#) "Procedure" to improve the method, including using xylene as substitute for chlorobenzene (reasons: lower toxicity and lower adverse environmental effect of xylene);
- extension of [Annex C](#) "Assessment guide — Interpretation of analytical results" to give examples for false-positive results, suggested procedures and suggested comments in test report;
- addition of [Annex G](#) "Pigments."

A list of all parts in the ISO 14362 series can be found on the ISO website.

Textiles — Methods for determination of certain aromatic amines derived from azo colorants —

Part 1:

Detection of the use of certain azo colorants accessible with and without extracting the fibres

1 Scope

This document describes a method to detect the use of certain azo colorants that may not be used in the manufacture or treatment of certain commodities made of textile fibres and that are accessible to reducing agent with and without extraction.

Azo colorants accessible to reducing agent without extraction are those used to colour with pigments or to dye

- cellulosic fibres (e.g. cotton, viscose),
- protein fibres (e.g. wool, silk), and
- synthetic fibres (e.g. polyamide, acrylic).

Azo colorants accessible with extraction are those used to dye man-made fibres with disperse dyes. The following man-made fibres can be dyed with disperse dyes: polyester, polyamide, acetate, triacetate, acrylic and chlorofibre.

The method is relevant for all coloured textiles, e.g. dyed, printed and coated textiles.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 General

Certain azo colorants may release, by reductive cleavage of azo group(s), one or more of the following aromatic amines.