

**Copper and copper alloys - Copper plate, sheet and strip
for electrical purposes**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13599:2014 sisaldab Euroopa standardi EN 13599:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 13599:2014 consists of the English text of the European standard EN 13599:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.01.2014.	Date of Availability of the European standard is 08.01.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 77.150.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Copper and copper alloys - Copper plate, sheet and strip for electrical purposes

Cuivre et alliages de cuivre - Plaques, tôles et bandes en cuivre pour usages électriques

Kupfer und Kupferlegierungen - Platten, Bleche und Bänder aus Kupfer für die Anwendung in der Elektrotechnik

This European Standard was approved by CEN on 3 November 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Designations	5
4.1 Material	5
4.2 Material condition	5
4.3 Product	5
5 Ordering information	6
6 Requirements	8
6.1 Composition	8
6.2 Mechanical properties	8
6.3 Bending characteristics	8
6.4 Electrical properties	8
6.5 Freedom from hydrogen embrittlement	8
6.6 Dimensions and tolerances	9
6.7 Edgewise curvature c.....	9
6.8 Surface condition.....	9
7 Sampling	9
7.1 General.....	9
7.2 Analysis	9
7.3 Mechanical and electrical tests	10
8 Test methods.....	10
8.1 Analysis	10
8.2 Tensile test	10
8.3 Hardness test	10
8.4 Bend test.....	10
8.5 Electrical resistivity test.....	11
8.6 Hydrogen embrittlement test	11
8.7 Retests	12
8.8 Rounding of results	12
9 Declaration of conformity and inspection documentation.....	12
9.1 Declaration of conformity	12
9.2 Inspection documentation	12
10 Marking, packaging, labelling.....	12
Annex A (informative) Characteristics of coppers for electrical purposes.....	19
A.1 General grouping of copper types	19
A.2 General characteristics	19
A.3 Particular characteristics	19
Bibliography	21

Foreword

This document (EN 13599:2014) has been prepared by Technical Committee CEN/TC 133 "Copper and copper alloys", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13599:2002.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 2 "Rolled flat products" to revise the following standard:

EN 13599:2002, *Copper and copper alloys — Copper plate, sheet and strip for electrical purposes*

The products specified in this European Standard are those which are especially suitable for electrical purposes, i.e. with specified electrical properties. Copper plate, sheet and strip for general purposes are specified in EN 1652.

This is one of a series of European Standards for copper products for electrical purposes. Other copper products are specified as follows:

EN 13600, *Copper and copper alloys — Seamless copper tubes for electrical purposes*

EN 13601, *Copper and copper alloys — Copper rod, bar and wire for general electrical purposes*

EN 13602, *Copper and copper alloys — Drawn, round copper wire for the manufacture of electrical conductors*

EN 13604, *Copper and copper alloys — Products of high conductivity copper for electronic tubes, semiconductor devices and vacuum applications*

EN 13605, *Copper and copper alloys — Copper profiles and profiled wire for electrical purposes*

In comparison with EN 13599:2002, the following significant changes were made:

- a) Table 2, Cu-FRHC, other elements – content has been modified and a new footnote "d" has been added;
- b) the normative references have been updated.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the composition, property requirements including electrical properties, and tolerances on dimensions and form for copper plate, sheet and strip for electrical purposes with thicknesses from 0,05 mm up to and including 25 mm and widths from 10 mm up to and including 1 250 mm.

The sampling procedures and the methods of test for verification of conformity to the requirements of this European Standard are also specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1655, *Copper and copper alloys - Declarations of conformity*

EN 1976, *Copper and copper alloys - Cast unwrought copper products*

EN 10204, *Metallic products - Types of inspection documents*

EN ISO 2626, *Copper - Hydrogen embrittlement test (ISO 2626)*

EN ISO 6507-1, *Metallic materials - Vickers hardness test - Part 1: Test method (ISO 6507-1)*

EN ISO 6892-1, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)*

EN ISO 7438, *Metallic materials - Bend test (ISO 7438)*

ISO 1811-2, *Copper and copper alloys — Selection and preparation of samples for chemical analysis — Part 2: Sampling of wrought products and castings*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 3.1**
plate
flat rolled product of rectangular cross-section with uniform thickness greater than 10 mm
- 3.2**
sheet
flat rolled product of rectangular cross-section with uniform thickness from 0,2 mm up to and including 10 mm, supplied in straight lengths, usually with sheared or sawn edges
- Note 1 to entry: The thickness does not exceed one tenth of the width.
- 3.3**
strip
flat rolled product of rectangular cross-section with uniform thickness from 0,05 mm up to and including 5,0 mm manufactured in coil and supplied in as sheared coils, traverse wound coils or cut to length, usually with slit edges

Note 1 to entry: The thickness does not exceed one tenth of the width.