500 CUMPA

Surface active agents - Determination of cloud point of non-ionic surface active agents obtained by condensation of ethylene oxide

Surface active agents - Determination of cloud point of non-ionic surface active agents obtained by condensation of ethylene oxide



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

_					
	Käesolev Eesti standard EVS-EN	This Estonian standard EVS-EN			
	1890:2006 sisaldab Euroopa standardi EN	1890:2006 consists of the English text of			
	1890 2006 indiskeelset teksti	the European standard EN 1890:2006			
		This descent is an demonder of 07,0000			
Kaesolev dokument on joustatud		I his document is endorsed on 31.07.2006			
31.07.2006 ja selle kohta on avaldatud		with the notification being published in the			
teade Eesti standardiorganisatsiooni		official publication of the Estonian national			
ametlikus väljaandes.		standardisation organisation.			
		5			
Standard on kättesaadav Eesti		The standard is available from Estonian			
standard on Ratiobadday Looti		standardication organization			
L	stanuaruiorganisatsioonist.	Stanuaruisation organisation.			
	Käsitlusala:	Scope:			
	This document specifies methods for the	This document specifies methods for the			
	determination of the cloud point of	determination of the cloud point of			
	solutions of non-ionic surface active	solutions of non-ionic surface active			
	agents obtained by the reaction of	agents obtained by the reaction of			
	athylene exide with a hydronhobic hase	athylong gyide with a hydrophobic base			
	surgione oxide with a hydrophobic base				
	molecule.	molecule.			

ICS 71.100.40

Võtmesõnad: cloud point, ethylene oxide, measurements, non-ionic surfactants, surfactants, tests

102000 00000

2

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN 1890

June 2006

ICS 71.100.40

Supersedes EN 1890:1999

English Version

Surface active agents - Determination of cloud point of non-ionic surface active agents obtained by condensation of ethylene oxide

Agents de surface - Détermination du point de trouble des agents de surface non ioniques obtenus par condensation d'oxydes d'éthylène

Grenzflächenaktive Stoffe - Bestimmung des Trübungspunktes nichtionischer, durch Anlagerung von Ethylenoxid hergestellter grenzflächenaktive Stoffe

This European Standard was approved by CEN on 18 May 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Forewo	ord		
Introdu	iction		4
1	Scope		5
2	Normative references		5
3	Terms and Definitions		5
4	Principle		6
5	Reagents		6
6	Apparatus		6
7	Preparation and storage of sa	mples	7
8	Procedure		7
9	Expression of results		9
10	Precision		9
11	Test report		9
Bibliog	raphy		
		,O.	
			6
			47
			0
			Q
			0.
			-0
			0.
2			

Foreword

This document (EN 1890:2006) has been prepared by Technical Committee CEN/TC 276 "Surface active agents", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2006, and conflicting national standards shall be withdrawn at the latest by December 2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1890:1999.

The main changes are:

- the purity of Butyldigycol was changed to correspond to commercially available products;
- the apparatus was simplified.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

Solutions of non-ionic surface active agents obtained by the reaction of ethylene oxide with a hydrophobic base molecule, in water or in mixtures of water and organic solvents become turbid at a given temperature as the temperature increases and finally separate into two liquid phases. The process is reversible and the system becomes homogeneous again upon cooling. The temperature at which the solution becomes clear upon cooling is determined as the "cloud point". This temperature is characteristic for a particular surfactant. This temperature increases with the amount of ethylene oxide chemically combined in the surfactant molecule for a given composition of solvents.

This phenomenon is not limited to ethoxylated surfactants and the cloud point can be determined also for other non-ionic compounds.

The knowledge of the cloud point of non-ionic surfactants obtained by the reaction of ethylene oxide with hydrophobic bases is important for their use. For a given base molecule, the cloud point is indeed a simple measure of the amount of the combined ethylene oxide. Moreover, the cloud point suggests directly the temperature at which many functional surfactant properties change dramatically. The curve of cloud point versus degree of ethoxylation is asymptotic; therefore molecules containing high amounts of ethylene oxide show only small differences in their cloud point. In these cases the cloud point loses its significance.

1 Scope

This document specifies methods for the determination of the cloud point of solutions of non-ionic surface active agents obtained by the reaction of ethylene oxide with a hydrophobic base molecule.

This document primarily applies to surfactants obtained by reaction of ethylene oxide with hydrophobic base molecules, such as fatty alcohols, fatty acids, long-chain alkylphenols, fatty amines, fatty acid esters of sugar derivatives among other ethoxylated non-ionic surfactants, which are by far the most commonly used.

NOTE Other non-ionic surfactants containing other structural units, such as propylene oxide-ethylene oxide block copolymers, have distinctive behaviours that make the determination of the cloud point more difficult. This leads sometimes to a continuous turbidity over a temperature range of several degrees or even to the occurrence of two cloud points at significantly different temperatures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 862:1995, Surface active agents - Vocabulary - Trilingual version (ISO 862:1984/Cor 1:1993).

EN ISO 3696, Water for analytical laboratory use - Specification and test methods (ISO 3696:1987).

ISO 607, Surface active agents and detergents – Methods of sample division.

3 Terms and Definitions

For the purposes of this document, the terms and definitions given in EN ISO 862:1995 and the following apply.

3.1

cloud temperature

temperature above which aqueous solutions of certain non-ionic surface active agents become heterogeneous by the separation into two liquid phases (coacervation) [EN ISO 862:1995]

NOTE 1 The value of the cloud temperature depends on the concentration of the solution.

NOTE 2 The temperature at which the system becomes homogeneous upon cooling is called "temperature of clarification". The cloud temperature and the temperature of clarification do not need to coincide for reasons concerned with the measurement procedure. However, for practical reasons, the temperature of clarification is conventionally called the "cloud point".

3.2

cloud point

critical lower phase-separation temperature (lower consolute temperature) above which the system is a cloudy solution and a further temperature rise results in two immiscible phases that are in equilibrium

NOTE 1 The cloud point is measured as the temperature falls.

NOTE 2 The cloud point depends on the number of ethylene oxide units linked to the base molecule and on their statistical distribution. It is also very sensitive to the presence of electrolytes and other organic substances in the aqueous solution. Therefore it should operate under well established conditions.

3.3

temperature of clarification

temperature at which the mixture of two liquid phases of aqueous solution of certain non-ionic surface active agents exhibiting a cloud temperature, becomes homogeneous on cooling [EN ISO 862:1995]

NOTE The temperature of clarification is often determined as "cloud point".