INTERNATIONAL STANDARD

ISO 265-1

First edition 1988-12-15



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Pipes and fittings of plastics materials —
Fittings for domestic and industrial waste pipes —
Basic dimensions: Metric series —

Part 1:

Unplasticized poly(vinyl chloride) (PVC-U)

Tubes et raccords en matières plastiques — Raccords pour canalisations d'évacuations domestiques et industrielles — Dimensions de base: Série métrique —

Partie 1: Poly(chlorure de vinyle) non plastifié (PVC-U)

Foreword

ISO (the International Organization to Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical Committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 265-1 was prepared by Technical Committee ISO/TC 138, Plastics pipes, fittings and valves for the transport of fluids.

This first edition of ISO 265-1 cancels and replaces ISO/R 265: 1962, the scope of which has been revised to apply to fittings with spigot ends, socket fittings, and socket fittings with curved (swept) entries made of unplasticized poly(vinyl chloride) (P)C-U).

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies latest edition, unless otherwise stated.

Pipes and fittings of plastics materials — Fittings for domestic and industrial waste pipes — Basic dimensions: Metric series —

Part 1:

Unplasticized poly(vipyl chloride) (PVC-U)

1 Scope and field of application

This part of ISO 265 specifies the series of diameters and the formulae for calculation of the dimensions common to the main types of fittings with spigot ends, socket fittings, and socket fittings with curved (swept) entries of unplasticized poly(vinyl chloride) (PVC-U) for domestic and industrial waste pipes, regardless of the method of manufacture (with the exception of fittings fabricated from pipes) and of the composition.

It does not give all the dimensions which are required to manufacture the fittings. These dimensions will be the subject of future International Standards specifying the socket length, spigot length, etc.

It covers types and sizes of fittings and should be used as a guide for manufacturers and users, and as a basis for specific standards.

It may later be extended to include other types and sizes of fittings, when increasing use of plastics materials for piping makes this necessary.

Extension to include other types of fittings should be made by observing the principles laid down in this part of ISO 265.

The laying lengths (z lengths) given in this part of ISO 265 are intended to assist in the design of moulds, and are not intended to be used for quality control purposes.

NOTE — ISO 265-2 will deal with fittings made of other plastics materials.

2 References

ISO 161-1, Thermoplastics pipes for the transport of fluids — Nominal outside diameters and nominal pressures — Part 1: Metric series.

ISO 3633, Unplasticized poly(vinyl chloride) (PVC-U) pipes and fittings for soil and waste discharge (low and high temperature) systems inside buildings — Specifications. 1)

ISO 8283-1, Plastics pipes and fittings — Dimensions of sockets and spigots for discharge systems inside buildings — Part 1: Unplasticized poly(vinyl chloride) (PVC-U) and chlorinated poly(vinyl chloride) (PVC-C). 1)

¹⁾ At present at the stage of draft.

ISO 265-1: 1988 (E)

Section one: Socket fittings with spigot end

3 Scope

This section specifies the series of diameters and the dimensions common to the main types of fittings with spigot ends.

4 Diameters of fittings

The nominal diameters of a fitting correspond to and are designated by the nominal outside diameters of the pipes for which they are designed. In the case of reduced branches and reducers, the designation includes both diameters, the greater diameter at the spigot end being given first.

The nominal diameters of fittings shall be selected from the following values:

However, if supplementary diameters should the necessary, these shall be taken from the diameter series given in ISO 161-1.

5 Angles

For elbows, the nominal angles (α) shall be 15°, 22 $_{1/2}^{\circ}$, 30°, 45°, 67 $_{1/2}^{\circ}$ or 87 $_{1/2}^{\circ}$ to 88 $_{1/2}^{\circ}$.

For branches and double branches, the nominal angles (α) shall be 45°, 67 1/2° or 87 1/2° to 88 1/2°.

6 Laying lengths

Laying lengths (z) are designated as follows:

"pipe to pipe": when the axes of the openings in the fitting concerned are parallel;

"pipe to axis": when the axes of the openings in the fitting are not parallel.

The z dimensions are given in clause 7.

The laying length on the socket side is defined as the distance between the point of intersection of the axes and the position taken up by the spigot when fully inserted into the socket.

The laying length on the spigot side is defined as the distance between the point of intersection of the axes and the position taken up by the mouth of the socket when the spigot is fully inserted into the socket.

The laying length of a fitting without any intersection of the axes is defined as the distance between the end of the spigot fully inserted into the socket of the fitting and the mouth of the socket into which the spigot end of the fitting is fully inserted.

The minimum laying lengths (z) shall be calculated using the formulae given in figures 1 to 4. As a guide, the z values given in tables 1 to 3 have been calculated using the series B wall thicknesses according to ISO 3633 and the angle $\beta=15^{\circ}$. The z values for fittings of other wall thicknesses or angle β should be calculated similarly.

7 Dimensions of fittings

The various types of fittings are designated by their nominal diameters and angles given in tables 1, 2 and 3.

The figures given in this section cover the following fittings:

elbows (figure 1);

branches and double branches (figures 2 and 3):

- coentric reducers (figure 4).

The values in tables 1, 2 and 3 have been rounded to the nearest whole number (values ending in ",5" have been rounded up).

Dimensions D and are in accordance with ISO 3633 and ISO 8283-1.