International Standard



433

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION-MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ-ORGANISATION INTERNATIONALE DE NORMALISATION

Conveyor belts - Branding

Courroies transporteuses - Marquage

First edition - 1982-04-01

UDC 621.867.2:006.063

Descriptors: belts, conveyor belts, marking.

Ref. No. ISO 433-1982 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 433 was developed by Technical Committee ISO/TC 41, *Pulleys and belts (including veebelts)*, and was circulated to the member bodies in May 1980.

It has been approved by the member bodies of the following countries:

Australia Ireland South Africa, Rep. of Austria Italy Spain United Kingdom Canada Japan China Netherlands **USA** France Norway **USSR** Germany, F. R. Poland Yugoslavia India Romania

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Denmark Sweden

This International Standard cancels and replaces ISO Recommendation R 433-1965, of which it constitutes a technical revision.

Conveyor belts — Branding

1 Scope and field of application

This International Standard specifies the characteristics of branding of conveyor belts as:

- indications to be marked;
- dimensions of the marks;
- position of the marks.

2 References

ISO 283, Full thickness tensile strength and elongation of conveyor belts — Specifications and method of test.

ISO 284, Conveyor belts — Electrical conductivity — Specification and method of test.

ISO/R 340, Flame resistance of conveyor belts — Specifications and method of test.¹⁾

ISO 3166, Codes for the representation of names of countries.

3 Definitions

- **3.1 full width belting**: Conveyor belting originally made to the width at which it is intended to be installed.
- **3.2** slab belting: Conveyor belting made in a wide slab for slitting into the width at which it will be installed.

4 Indications to be marked

The indications to be marked are shown below, in the order in which they appear in the marking:

4.1 The standard value of the **breaking strength** at full thickness, in the longitudinal direction, expressed in newtons per millimetre determined according to ISO 283.

4.2 A letter identifying the **basic property**, in accordance with the following codes :

Letter	Basic property	Corresponding ISO standard
F	Flame resistance with and	ISO 340
	without cover	
J	Flame resistance with	ISO 340
	covers	
E	Electrical conductivity	ISO 284
	(static electricity)	
S	Flame resistance with and	ISO 340
	without covers and elec-	ISO 284
	trical conductivity (static	
	electricity)	
K	Flame resistance with	ISO 340
	covers and electrical	ISO 284
-4/	conductivity (static	
	electricity)	

- **4.3** The last two figures of the year of manufacture.
- **4.4** A letter (or letters) identifying the manufacturer in his own country. Below these letters, and without requirements as to dimensions, the manufacturer's country (see ISO 3166).
- **4.5** These indications may be supplemented by not more than five characters not standardized, intended to complete the identification of the belts (serial number of the belt length for example). If provision is made for applying a national standard, its number may be written below or alongside the other marks, without requirements as to dimensions.

5 Dimensions and position of marks

5.1 Dimension of marks

Height: 20 to 80 mm

Depth of impression: for belts of not less than 2 mm cover thickness: 1,5 mm maximum.

¹⁾ At present at the stage of draft. (Revision of ISO/R 340-1963.)