Communication cables - Specifications for test methods - Part 1-8: Electrical test methods - Attenuation

Communication cables - Specifications for test methods - Part 1-8: Electrical test methods - Attenuation



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 50289-1-8:2002 sisaldab Euroopa standardi EN 50289-1-8:2001 ingliskeelset teksti.

Käesolev dokument on jõustatud 15.10.2002 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 50289-1-8:2002 consists of the English text of the European standard EN 50289-1-8:2001.

This document is endorsed on 15.10.2002 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This Part 1-8 of EN 50289 details the test methods to determine the attenuation of the finished cables used in analogue and digital communication systems by using the transmission measurement method. It is to be read in conjunction with Part 1-1 of EN 50289, which contains essential provisions for its application.

Scope:

This Part 1-8 of EN 50289 details the test methods to determine the attenuation of the finished cables used in analogue and digital communication systems by using the transmission measurement method. It is to be read in conjunction with Part 1-1 of EN 50289, which contains essential provisions for its application.

ICS 33.120.20

Võtmesõnad: analog signals, attenuations, cables, communication cables, damping, definition, definitions, digital, digital signals, electric cables, electrical engineering, electrical testing, insertion loss, marking, measuring techniques, specification, telecommunication, testing

EUROPEAN STANDARD

EN 50289-1-8

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2001

ICS 33.120.20

English version

Communication cables Specifications for test methods Part 1-8: Electrical test methods Attenuation

Câbles de communication -Spécifications des méthodes d'essai Partie 1-8: Méthodes d'essais électriques -Affaiblissement Kommunikationskabel -Spezifikationen für Prüfverfahren Teil 1-8: Elektrische Prüfverfahren -Dämpfung

This European Standard was approved by CENELEC on 2001-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by SC 46XC, Multicore, Multipair and Quad Data communication cables, of Technical Committee CENELEC TC 46X, Communication cables.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50289-1-8 on 2001-03-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2002-04-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2004-04-01

This European Standard has been prepared under the European Mandate M/212 given to CENELEC by the European Commission and the European Free Trade Association. A CONCINCTURE OF THE CONCINCTURE

Contents

1	Scope4
2	Normative references4
3	Definitions4
4	Test method for insertion loss5
	4.1 Test Equipment
5	Expression of test results6
	5.1 Expression
6	Test report7
	2
	O,

1 Scope

Part 1-8 of EN 50289 details the test methods to determine attenuation of finished cables used in analogue and digital communication systems.

It is to be read in conjunction with Part 1-1 of EN 50289, which contains essential provisions for its application.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 50289-1-1	2001	Communication cables – Specifications for tests methods Part 1-1: Electrical test methods – General requirements
EN 50289-1-11	2001	Communication cables - Specifications for test methods Part 1-11: Electrical test methods - Characteristic impedance, input impedance, return loss
EN 50290-1-21)	-	Communication cables Part 1-2: Definitions

3 Definitions

For the purposes of this standard, the definitions of EN 50290-1-1 apply in addition to the following ones.

3.1

cable attenuation

the attenuation of a sinusoidal wave along the cable (independent of the connecting hardware) can be derived from an open/short measurement as described in EN 50289-1-11

$$\alpha \bullet L = 8,686/2 \times \operatorname{arctanh} \left[\frac{2A}{(1+A^2) \times \cos(B)} \right]$$
 in dB

$$A = \sqrt{\frac{|Z_s|}{|Z_o|}} \tag{2}$$

$$B = \frac{1}{2}(\varphi_{s} - \varphi_{0}) \tag{3}$$

1) At draft stage