

Flexible sheets for waterproofing - Determination of thickness and mass per unit area - Part 2: Plastics and rubber sheets for roof waterproofing

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 1849-2:2019 sisaldab Euroopa standardi EN 1849-2:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 1849-2:2019 consists of the English text of the European standard EN 1849-2:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.07.2019.	Date of Availability of the European standard is 10.07.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 91.100.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

## Flexible sheets for waterproofing - Determination of thickness and mass per unit area - Part 2: Plastics and rubber sheets for roof waterproofing

Feuilles souples d'étanchéité - Détermination de l'épaisseur et de la masse surfacique - Partie 2 : Feuilles d'étanchéité de toiture plastiques et élastomères

Abdichtungsbahnen - Bestimmung der Dicke und der flächenbezogenen Masse - Teil 2: Kunststoff- und Elastomerbahnen für Dachabdichtungen

This European Standard was approved by CEN on 22 April 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword.....	3
Introduction .....	4
1 <b>Scope</b> .....	5
2 <b>Normative references</b> .....	5
3 <b>Terms and definitions</b> .....	5
4 <b>Sampling</b> .....	7
5 <b>Determination of thickness</b> .....	8
5.1 <b>Principle</b> .....	8
5.2 <b>Apparatus</b> .....	8
5.2.1 <b>Mechanical measuring device</b> .....	8
5.2.2 <b>Optical measuring device</b> .....	8
5.3 <b>Test specimens</b> .....	8
5.4 <b>Procedure</b> .....	9
5.4.1 <b>Mechanical measurement</b> .....	9
5.4.2 <b>Optical measurement</b> .....	10
5.5 <b>Expression of results</b> .....	10
6 <b>Determination of mass per unit area</b> .....	10
6.1 <b>Principle</b> .....	10
6.2 <b>Apparatus</b> .....	10
6.3 <b>Test specimens</b> .....	10
6.4 <b>Procedure</b> .....	10
6.5 <b>Expression of results</b> .....	10
7 <b>Test report</b> .....	10
<b>Annex A (informative) Example of the cut cross-section of a fleece backed membrane</b> .....	12

## European foreword

This document (EN 1849-2:2019) has been prepared by Technical Committee CEN/TC 254 "Flexible sheets for waterproofing", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2020, and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1849-2:2009.

Compared with EN 1849-2:2009 the following changes have been made in EN 1849-2:2019:

- the "overall thickness" and "effective thickness" has been replaced by:
  - mechanical effective thickness ( $d_{\text{effm}}$ );
  - optical effective thickness ( $d_{\text{effo}}$ );
  - mechanical overall thickness ( $d_{\text{m}}$ );
  - optical overall thickness ( $d_{\text{o}}$ );
- Figure 1 and Figure 2 have been replaced by new Figure 1 a-d;
- Table 1 in 5.3 has been removed;
- Figure 3 has been updated;
- a new Figure 2 has been introduced in 5.2.1;
- Figure A.1 has been replaced by a new one.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This European Standard is intended for characterisation of plastic and rubber sheets as manufactured or supplied before use. This test method relates exclusively to products or to their components where appropriate, and not to waterproofing membrane systems composed of such products and installed in the works.

This test is intended to be used in conjunction with European Standard "Definition and Characteristics" for plastic and rubber sheets for roof waterproofing (EN 13956).

This document is a preview generated by EVS

## 1 Scope

This document specifies methods for the determination of the thickness and mass per unit area of plastic and rubber sheets for roof waterproofing.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13416, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Rules for sampling*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### **surface texture**

textured pattern on one or both surfaces of the sheet together creating a difference between the effective and overall thickness not exceeding 0,15 mm

Note 1 to entry: See Figure 1 a) key 8.

### 3.2

#### **surface profile (surface structure)**

raised area on the surface of the sheet creating a difference between the effective and overall thickness exceeding 0,15 mm

Note 1 to entry: See Figure 1 c) key 9.

### 3.3

#### **mechanical effective thickness ( $d_{\text{effm}}$ )**

thickness of the sheet providing the waterproofing measured with a mechanical measuring device

### 3.4

#### **backing**

layer of woven or non-woven fabric of synthetic or mineral fibres or other materials, fixed to the bottom of the sheet

Note 1 to entry: See Figure 1 b) key 7.

### 3.5

#### **optical effective thickness ( $d_{\text{effo}}$ )**

thickness of the sheet providing the waterproofing measured with an optical measuring device