Soil quality - Determination of selected organotin compounds - Gas-chromatographic method (ISO 23161:2018)



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 23161:2018 sisaldab Euroopa standardi EN ISO 23161:2018 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 23161:2018 consists of the English text of the European standard EN ISO 23161:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.11.2018.	Date of Availability of the European standard is 21.11.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

#### ICS 13.080.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE

## **EN ISO 23161**

EUROPÄISCHE NORM

November 2018

ICS 13.080.10

Supersedes EN ISO 23161:2011

#### **English Version**

# Soil quality - Determination of selected organotin compounds - Gas-chromatographic method (ISO 23161:2018)

Qualité du sol - Dosage d'une sélection de composés organostanniques - Méthode par chromatographie en phase gazeuse (ISO 23161:2018) Bodenbeschaffenheit - Bestimmung ausgewählter Organozinnverbindungen - Gaschromatographisches Verfahren (ISO 23161:2018)

This European Standard was approved by CEN on 31 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### **European foreword**

This document (EN ISO 23161:2018) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Test methods for environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 23161:2011.

According to the CEN-CENFLEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 23161:2018 has been approved by CEN as EN ISO 23161:2018 without any modification.

Con	Contents				
Forew	ord			v	
1	Scope			1	
2	Norm	ative re	ferences	2	
3			finitions		
4					
5					
5	5.1		1		
	5.2		als		
	5.3		rds		
	5.4		ation of reagents and solutions		
		5.4.1	General requirements		
		5.4.2	Blank solution		
		5.4.3	Aqueous calibration solutions (multicomponent solution of organotin compounds in water)		
		5.4.4	Methanolic potassium hydroxide solution	7	
		5.4.5	Acetate buffer solution		
		5.4.6	Solvent mixture	7	
		5.4.7	Derivatization agent	7	
	5.5	Clean-u	ıp	7	
		5.5.1	General requirements	7	
		5.5.2	Silica gel for the clean-up column		
		5.5.3	Aluminium oxide for the clean-up column	7	
		5.5.4	Clean-up column	7	
		5.5.5	Eluent for extract cleaning with silica gel		
		5.5.6	Eluent for extract cleaning with aluminium oxide		
6	Appai	ratus		8	
7	Proce	dure		9	
	7.1	Sampli	ng and sample pretreatment	9	
	7.2	Sample	extraction	9	
		7.2.1		9	
		7.2.2	Acidic extraction and derivatization of an aliquot	10	
		7.2.3	Alkaline treatment and <i>in situ</i> derivatization		
		7.2.4	Separate determination of TTBT in the field-moist sample		
	7.3	Clean-u	ip of the extract		
		7.3.1	General		
		7.3.2	Silica and aluminium oxide clean-up	11	
	7.4		ination of dry mass		
	7.5		rement	11	
		7.5.1	Gas chromatographic separation	11	
		7.5.2	Detection and identification		
8					
9	Recov	ery rate	s of the internal standard compounds	13	
10	Quant	tificatio	n	14	
11			results		
12			O *		
13	Test r	eport		15	
Annex	A (info	ormative	) Information about the procedure	16	
			Additional clean-up procedures	18	

#### EVS-EN ISO 23161:2018

nnex C (informative) Information about typical instrumen	tal conditions 20
nex D (informative) Information about GC-MS identification	
nex E (informative) Performance data	
bliography	36
(0)	
	9,
	'O
	Q.
	6.
	\'/_
	(0)
	0.

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 3, *Chemical methods and soil characteristics*.

This second edition cancels and replaces the first edition (ISO 23161:2009), which has been technically revised.

The main changes compared to the previous edition are as follows:

- note in <u>Clause 1</u> (converted to normal text) and <u>Table 2</u> have been moved to <u>Clause 4</u>;
- former Note 4 in <u>Clause 4</u> has been changed to normal text and moved above Note 1;
- other pretreatment procedures allowed in Clause 4 and in 7.1;
- former second sentence in <u>5.5.5</u> has been changed to Note;
- storage conditions has been changed to be consistent with ISO 5667-15;
- the Bibliography has been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

# Soil quality — Determination of selected organotin compounds — Gas-chromatographic method

WARNING — Persons using this document should be familiar with usual laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

IMPORTANT — It is absolutely essential that tests, conducted in accordance with this document, be carried out by suitably qualified staff. It can be noted whether, and to what extent, particular problems will require the specification of additional boundary conditions.

#### 1 Scope

This document specifies a gas-chromatographic method for the identification and quantification of organotin compounds (OTCs) in soils as specified in <u>Table 1</u>.

This document is also applicable to samples from sediments, sludges and wastes (soil-like materials).

The working range depends on the detection technique used and the amount of sample taken for analysis.

The limit of quantification for each compound is about  $10 \mu g/kg$ .

 $R_n Sn(4-n)+$ R n Name Acronym Organotin cationsa BuSn3+ Monobutyltin cation Butyl 1 MBT Bu<sub>2</sub>Sn<sup>2+</sup> 2 Butvl Dibutyltin cation DBT Bu<sub>3</sub>Sn+ Butyl 3 Tributyltin cation TBT OcSn3+ Monooctyltin cation Octyl 1 MOT Oc2Sn2+ Octyl 2 Dioctyltin cation DOT Ph<sub>3</sub>Sn<sup>+</sup> Phenyl 3 Triphenyltin cation **TPhT** Cv<sub>3</sub>Sn+ Cyclohexyl 3 Tricyclohexyltin cation TCvTPeralkylated organotin Butyl TTBT Bu<sub>4</sub>Sn Tetrabutyltin 4 Organotin compounds are measured after derivatization.

Table 1 — Organotin compounds

Organotin cations can only be determined in accordance with this document after derivatization. The anionic part bound to the organotin cation is mainly dependent on the chemical environment and is not determined using this method. The peralkylated organotin compounds behave in a completely different way from their parent compounds. Tetraalkylated organotin compounds which are already peralkylated, such as tetrabutyltin, are determined directly without derivatization.

The properties such as particle size distribution, water content and organic matter content of the solids to be analysed using this document vary widely. Sample pretreatment is designed adequately with respect to both the properties of the organotin compounds and the matrix to be analysed.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 11465, Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method

ISO 16720, Soil quality — Pretreatment of samples by freeze-drying for subsequent analysis

ISO 22892, Soil quality — Guidelines for the identification of target compounds by gas chromatography and mass spectrometry

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### organotin compound

substance containing 1 to 4 Sn-C bonds

Note 1 to entry: The number of Sn-C bonds is a measure for the degree of substitution.

#### 3.2

#### organotin cation

part of the organotin compound (3.1) that contains all Sn-C bonds and is formally charged

#### 3.3

#### organotin cation derivatives

non-dissociated tetrasubstituted organotin compounds which are produced by derivatization

### 3.4

#### solid

soil, sediment, sludge and waste (soil-like material)

#### 4 Principle

For the ionic and the non-ionic organotin compounds (see <u>Table 1</u>), a different sample pretreatment and sample preparation are necessary. For the determination of organotin cations, laboratory samples are pretreated by freeze drying and grinding. This procedure enables to achieve homogeneity of the sample. The determination of non-ionic TTBT cannot be carried out with freeze-dried materials due to evaporation losses; thus, it shall be determined in the field-moist sample. Organotin cations can only be determined after derivatization, whereas TTBT is already peralkylated and can be determined without derivatization (see the flowchart in <u>Figure 1</u>).