

INTERNATIONAL STANDARD

ISO
8062

Second edition
1994-04-01

Castings — System of dimensional tolerances and machining allowances

*Pièces moulées — Système de tolérances dimensionnelles et
surépaisseurs d'usinage*



Reference number
ISO 8062:1994(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 8062 was prepared by Technical Committee ISO/TC 3, *Limits and fits*.

This second edition cancels and replaces the first edition (ISO 8062:1984), which has been technically revised.

Annexes A, B and C of this International Standard are for information only.

© ISO 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Introduction

This International Standard relates to a system of tolerance grades and machining allowance grades for cast metals and their alloys.

The tolerance specified for a casting may determine the casting method. It is therefore recommended, before the design or the order is finalized, that the customer liaise with the foundry to discuss

- a) the proposed casting design and accuracy required;
- b) machining requirements;
- c) method of casting;
- d) the number of castings to be manufactured;
- e) the casting equipment involved;
- f) any special requirements, for instance, datum target systems, individual dimensional tolerances, geometrical tolerances, fillet radii tolerances and individual machining allowances;
- g) whether any other standard is more appropriate for the casting.

NOTE 1 Further investigation on metallic permanent moulds (gravity- and low-pressure), pressure die castings and investment castings should be carried out.

Because the dimensional accuracy of a casting is related to production factors, tolerance grades which can be achieved for various methods and metals are described in annex A for

- a) long series and mass production, where development, adjustment and maintenance of casting equipment make it possible to achieve close tolerances;
- b) short series and single production.

Information on typical required machining allowance grades is given in annex B.

This document is a preview generated by EVS

This page intentionally left blank

Castings — System of dimensional tolerances and machining allowances

1 Scope

This International Standard specifies a system of tolerance grades and required machining allowance grades for the dimensions of castings. It is applicable to the dimensions of cast metals and their alloys produced by various casting manufacturing processes [but see also Introduction g) and clause 5].

This International Standard applies both to general tolerances and/or required machining allowances given on a drawing and to individual tolerances and/or required machining allowances which are shown immediately following a specific dimension (see clause 11).

The system specified applies when the foundry provides the pattern or die equipment or accepts responsibility for proving it.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 286-1:1988, *ISO system of limits and fits — Part 1: Bases of tolerances, deviations and fits*.

ISO 1302:1992, *Technical drawings — Method of indicating surface texture*.

3 Definitions

For the purposes of this International Standard, the following definitions apply.

3.1 basic dimension: Dimension of a raw casting before machining (see figure 1), the necessary machining allowance being included (see figure 2).




Figure 1 — Drawing indications (see clause 4)