

Soil, waste, treated biowaste and sludge -
Determination of loss on ignition

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15935:2021 sisaldab Euroopa standardi EN 15935:2021 ingliskeelset teksti.	This Estonian standard EVS-EN 15935:2021 consists of the English text of the European standard EN 15935:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.08.2021.	Date of Availability of the European standard is 11.08.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.030.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Soil, waste, treated biowaste and sludge - Determination of
loss on ignition

Sols, déchets, biodéchets traités et boues -
Détermination de la perte au feu

Boden, Abfall, behandelter Bioabfall und Schlamm -
Bestimmung des Glühverlusts

This European Standard was approved by CEN on 4 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions.....	5
4 Principle	5
5 Interferences and sources of errors.....	6
6 Apparatus	6
7 Procedure	6
7.1 Preservation	6
7.2 Pretreatment.....	6
7.3 Determination.....	7
7.4 Samples containing a high content of volatile or organic substances or undried samples.....	7
8 Calculation and expression of results	8
8.1 Loss on ignition, based on dry mass according to EN 15934 (7.3).....	8
8.2 Loss on ignition, based on undried sample (7.4)	9
8.3 Residue on ignition	9
9 Performance characteristics.....	9
10 Test report.....	9
Annex A (informative) Performance characteristics	10
Bibliography	12

European foreword

This document (EN 15935:2021) has been prepared by Technical Committee CEN/TC 444 “Environmental characterization of solid matrices”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2022, and conflicting national standards shall be withdrawn at the latest by February 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15169:2007 and EN 15935:2012.

The following technical modifications have been made:

- two existing standards have been combined;
- the scope defines more sample types;
- the criteria for the heating time are specified.

This document specifies a method for the determination of the loss on ignition (LOI) at 550 °C of sediment, sludge, treated biowaste, soil and waste and combines the methods previously described in EN 15935:2012 and EN 15169.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The method described in this document has been developed from EN 15169 (derived from EN 12879), which was prepared by CEN/TC 292 "Characterization of waste" and from EN 15935:2012, which was prepared by CEN/TC 400 "Horizontal standards in the field of sludge, biowaste and soil".

This document specifies a method for the determination of the loss on ignition (LOI) at 550 °C of sediment, sludge, treated biowaste, soil and waste and combines the methods previously described in EN 15935:2012 and EN 15169. Both dried and undried samples which are pretreated prior to determination can be used. The determination is ended after a predefined timeframe or when constant mass is reached.

This document is applicable and validated for several types of matrices as indicated in Table 1 (see also Annex A for the results of the validation).

Table 1 — Matrices for which this document is applicable and validated

Matrix	Materials used for validation
Sludge	Municipal sludge
Biowaste	Compost, Fresh Compost
Soil	Sludge amended soil, Agricultural soil
Waste	Contaminated soil, Dredged sludge (sediment), Nickel sludge

1 Scope

This document specifies a method for the determination of the loss on ignition (LOI) at 550 °C. The dry matter is determined according to EN 15934.

This method applies to the determination of loss on ignition of sediment, sludge, treated biowaste, soil and waste.

NOTE The loss on ignition is often used as an estimate for the content of organic matter in the sample. Inorganic substances or decomposition products (e.g. H₂O, CO₂, SO₂, O₂) are released or absorbed and some inorganic substances are volatile under the reaction conditions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15934, *Sludge, treated biowaste, soil and waste - Calculation of dry matter fraction after determination of dry residue or water content*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

loss on ignition

LOI

mass fraction lost by incineration of a dried sample to constant mass (3.3) at a specified temperature

3.2

residue on ignition

mass fraction remaining after incineration of a dried sample to constant mass (3.3) at a specified temperature

3.3

constant mass

mass obtained when the change in mass during a further period of heating of 1 h is within 0,5 % (m/m) or 2 mg, whatever is greater

4 Principle

A weighed test portion is incinerated in a furnace to constant mass at (550 ± 25) °C. The difference in mass before and after the ignition process is used to calculate the loss on ignition.

The determination is performed on a dried sample or directly on the undried sample including a drying step or by referring to the dry matter.