

Electric cables - Accessories - Material characterisation -- Part 3: Fingerprinting for heat shrinkable components for medium voltage applications from 3,6/6 (7,2) kV up to 20,8/36 (42) kV

Electric cables - Accessories - Material characterisation -- Part 3: Fingerprinting for heat shrinkable components for medium voltage applications from 3,6/6 (7,2) kV up to 20,8/36 (42) kV

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-HD 631.3 S1:2008 sisaldab Euroopa standardi HD 631.3 S1:2008 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 19.08.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 24.07.2008.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-HD 631.3 S1:2008 consists of the English text of the European standard HD 631.3 S1:2008.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 19.08.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 24.07.2008.</p> <p>The standard is available from Estonian standardisation organisation.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ICS 29.035.20, 29.060.20

Võtmesõnad:

Standardite reprodutseerimis- ja levitamisoigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Electric cables -
Accessories -
Material characterisation -
Part 3: Fingerprinting for heat shrinkable components
for medium voltage applications from 3,6/6 (7,2) kV up to 20,8/36 (42) kV**

Câbles électriques -
Accessoires -
Caractérisation des matériaux -
Partie 3: Essais d'identification
des composants thermorétractables
pour les applications moyenne tension
de 3,6/6 (7,2) kV à 20,8/36 (42) kV

Kabel und isolierte Leitungen -
Garnituren -
Materialcharakterisierung -
Teil 3: Fingerprint-Prüfungen
für wärmeschrumpfende Komponenten
für Mittelspannungsanwendungen
von 3,6/6 (7,2) kV bis 20,8/36 (42) kV

This Harmonization Document was approved by CENELEC on 2008-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for implementation of this Harmonization Document at national level.

Up-to-date lists and bibliographical references concerning such national implementations may be obtained on application to the Central Secretariat or to any CENELEC member.

This Harmonization Document exists in three official versions (English, French, German).

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This Harmonization Document was prepared by a task force under the direction of WG 11 of CENELEC TC 20, Electric cables.

As agreed at the Bruges meeting (June 2007), the text of the draft was submitted to the formal vote and was approved by CENELEC as HD 631.3 S1 on 2008-06-01.

The following dates were fixed:

- latest date by which the existence of the HD has to be announced at national level (doa) 2008-12-01
- latest date by which the HD has to be implemented at national level by publication of a harmonized national standard or by endorsement (dop) 2009-06-01
- latest date by which the national standards conflicting with the HD have to be withdrawn (dow) 2011-06-01

HD 631 will have 4 parts:

Part 1: Fingerprinting and type tests for resinous compounds

Part 2: Fingerprinting and type tests for heat shrinkable components for low voltage applications

Part 3: Fingerprinting for heat shrinkable components for medium voltage applications from 3,6/6 (7,2) kV up to 20,8/36 (42) kV

Part 4: Fingerprinting for cold shrinkable components for low and medium voltage applications up to 20,8/36 (42) kV

Fingerprinting of sealant components which are delivered as non heat shrinkable items, but that have an important interfacing role, is under consideration.

NOTE It has been assumed in the preparation of this document that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

WARNING This Harmonization Document calls for the use of substances and/or procedures that may be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Contents

1	Scope	4
2	Normative references.....	4
3	Terms and definitions	4
4	Fingerprinting	6
4.1	General	6
4.2	Sampling	6
4.3	Preparation and conditioning.....	6
4.4	Tests.....	6
4.5	Test report	6
	Annex A (informative) Health and safety.....	8
	Annex B (normative) Dimensions after full recovery.....	9
	Figure B.1	9
	Table 1 – Test methods and requirements.....	7

This document is a preview generated by EVS

1 Scope

This Harmonization Document specifies the test methods and requirements for fingerprinting (as defined in 3.12) of heat shrinkable components intended to be used in cable accessories for medium voltage, as defined in HD 629.1 and HD 629.2.

Fingerprinting of materials does not have a mandatory link to type testing of accessories. It shall be regarded as a stand-alone test, but may be carried out in combination with the accessory type tests.

Component basic functions can be: conductive, stress control or stress grading, insulating, oil barrier, anti-tracking, external protection and sealing. Components are supplied as single layer items or as multi-layer items.

NOTE Information on health and safety is given in Annex A.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

HD 629.1	Test requirements on accessories for use on power cables of rated voltage from 3,6/6 (7,2) kV up to 20,8/36 (42) kV - Part 1: Cables with extruded insulation
HD 629.2	Test requirements on accessories for use on power cables of rated voltage from 3,6/6 (7,2) kV up to 20,8/36 (42) kV - Part 2: Cables with impregnated paper insulation
EN ISO 1183 series	Plastics - Methods for determining the density of non-cellular plastics (ISO 1183 series)
EN ISO 11358	Plastics - Thermogravimetry (TG) of polymers - General principles (ISO 11358)
IEC 60050-461	International Electrotechnical Vocabulary (IEV) - Chapter 461: Electric cables
ISO 11357-3	Plastics - Differential scanning calorimetry (DSC) - Part 3: Determination of temperature and enthalpy of melting and crystallization

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply together with those given in IEC 60050-461.

3.1

heat shrinkable

property of a polymeric component previously expanded to recover to its original shape when heated above an appropriate temperature

3.2

heat shrinkable components

expanded polymeric extruded tubings or moulded parts (single or multi-layer), which undergo thermally activated recovery when heated