RIPPFASSAADID. TOOTESTANDARD

Curtain walling - Product standard



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13830:2015+A1:2020 sisaldab Euroopa standardi EN 13830:2015+A1:2020 ja selle paranduse AC:2022 ingliskeelset teksti.	This Estonian standard EVS-EN 13830:2015 +A1:2020 consists of the English text of the European standard EN 13830:2015+A1:2020 and its corrigendum AC:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.05.2020.	Date of Availability of the European standard is 27.05.2020.
Parandusega AC lisatud või muudetud teksti algus ja lõpp on tekstis tähistatud sümbolitega (AC).	The start and finish of text introduced or altered by corrigendum AC is indicated in the text by tags AC (AC).
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.060.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2020

ICS 91.060.10

Supersedes EN 13830:2015

English Version

Curtain walling - Product standard

Façades rideaux - Norme de produit

Vorhangfassaden - Produktnorm

EN 13830:2015+A1

This European Standard was approved by CEN on 7 February 2015 and includes Amendment 1 approved by CEN on 7 October 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Conte	ents	Page
-	ean foreword	
Introd	uction	7
1	Scope	ç
_		
2	Normative references	8
3	Terms, definitions and abbreviated terms	12
3.1	Definitions	
3.2	Abbreviations used in this standard	1 4
4	Product characteristics	14
4.1	Reaction to fire (of components, when relevant)	
4.2	Fire resistance	
4.3	Fire propagation (to upper levels)	
4.4	Watertightness	
4.5	Resistance to its own dead load	
4.6	Wind load resistance	
4.7	Resistance to snow load (only for elements subjected to snow load)	
4.8	Impact resistance	16
4.8.1	General	
4.8.2	Internal	16
4.8.3	External	16
4.9	Resistance to live horizontal loads at sill level	
4.10	Seismic resistance	16
4.10.1	General	16
	Safety in use	
4.10.3	Serviceability (where specially required)	17
4.11	Thermal shock resistance	17
4.12	Direct airborne sound insulation	
4.13	Flanking sound transmission	
4.14	Thermal transmittance	
4.15	Air permeability	
4.16	Water vapour permeability	
	Radiation properties	
	Durability	
	General	
	Durability of watertightness	
	Durability of thermal transmittance	
4.18.4	Durability of air permeability	
5	Testing, assessment and sampling methods	1
5.1	Sampling	18
5.1.1	General	
5.1.2	Sequence of testing	
5.2	Reaction to fire (of components, when relevant)	
5.3	Fire resistance	
5.4	Fire propagation (to upper levels)	20
5.5	Watertightness	
5.6	Resistance to its own dead load	
5.7	Wind load resistance	2.0

5.8	Resistance to snow load (only for elements subject to snow load)	21
5.9	Impact resistance	
5.10	Resistance to live horizontal loads at sill level	
5.11	Seismic resistance	
	Safety in use	
	Serviceability (where specially required)	
5.12	Direct airborne sound insulation	
5.13	Flanking sound transmission	
5.14	Thermal transmittance	
5.15	Air permeability	
5.16	Radiation properties	
5.17	DurabilityGeneral	
	Durability of watertightness	
	Durability of thermal transmittance	
	Durability of air permeability	
6	Assessment and verification of constancy of performance (AVCP)	
6.1	General	
6.2	Type testing	
6.2.1	General	
6.2.2	Test samples, testing and compliance criteria	
6.2.3 6.2.4	Test reports Cascading determination of the product type results	
6.3	Factory production control (FPC)	
6.3.1	General	
6.3.2		
6.3.3	RequirementsProduct specific requirements	31
6.3.4	Initial inspection of factory and of FPC	32
6.3.5	Continuous surveillance of FPC (only for curtain walling kits covered by AVCP	
	system 1)	
6.3.6	Procedure for modifications	33
6.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity	33
Annon	A (informative) Resistance to actions: guidance on the use of Eurocodes	
	Introduction of the annex	
A.1	Scope of the annex	37
A.2		
A.3	Symbols and abbreviations in the annex	
A.4	Definition and principle	
A.4.1	General	
A.4.2	Classes of consequence	39
A.4.3	Curtain walling kit operating as safety barrier	39
A.4.4	Loaded area "A"	39
A.4.5	System redundancy	
A.5	Requirements	
A.6	Actions	
	Dead load action	

A.6.2	Wind action	41
A.6.3	Actions for curtain walling serving as parapets	42
A.7	Assumptions related the combinations of actions	43
A.7.1	General	43
A.7.2	Combinations of actions: generalities	44
Annex	B 🗿 (normative) Seismic resistance	48
B.1	General principles	48
B.1.1	Required performance limits	48
B.1.2	Factors affecting seismic performance	48
B.2	Assessment of seismic serviceability limit	48
B.3	Assessment of seismic safety limit	49
B.4	Seismic movement regime	49
B.4.1	General	
B.4.2	Principles	50
B.4.3	Test apparatus	
B.4.4	Test procedure	50
Annex	C (normative) Selection, preparation, mounting and fixing of test specimen for reaction to fire tests of curtain walling and field of direct application	55
C.1	General	
C.2	EN ISO 11925-2:2010 (Single flame test)	56
C.2.1	Profile	56
C.2.2	Infill	58
C.2.3	Sealing between infill and profile	58
C.2.4	Organic coating/top layers	60
C.3	Mounting and fixing for EN 13238 (SBI-test)	
C.4	EN ISO 1182 (Non-combustibility test)	61
C.5	EN ISO 1716 (Determination of the heat of combustion)	62
C.6	Field of direct application	62
Annex	D (normative) Characteristics and range of direct application	63
D.1	General	
D.2	Selection of a representative test specimen	70
Annex	E 🔄 (informative) Characteristics and performances of curtain walling kit	73
Annex	F 🔄 (informative) Interchangeability between characteristics and components	75
Annex	G (A) (informative) Basic approach to durability	77
Annex	ZA (informative) (A) Relationship to this European Standard with Regulation (EU) No.305/2011 (When applying this standard as a harmonized standard under Regulation (EU) No. 305/2011, manufacturers and Member States are obliged by this regulation to use this Annex) (A)	70
	are uniged by this regulation to use this alliex; 🔠	/ 9

ZA.3 Assignment of AVCP tasks		A.2 IA1) System of Assessment and Verification of Constancy of Performance (AVCP) (A1
Bibliography	8	
To the second se	8	ibliography
This of Oralian San San San San San San San San San S	8	ibliography

European foreword

This document (EN 13830:2015+A1:2020) has been prepared by Technical Committee CEN/TC 33 "Doors, windows, shutters, building hadware and curtain walling", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2020, and conflicting national standards shall be withdrawn at the latest by February 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 7 October 2019.

This document supersedes A EN 13830:2015 A.

The start and finish of text introduced or altered by amendment is indicated in the text by tags 🗗 街.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive, see informative Annexe ZA, which is an integral part of this document.

The new revision extends the scope to sloping parts included in the curtain walling kit and clarifies the exclusion of the following products:

- "Patent glazing" (glazed sloping roofs) kits;
- Roof glazing constructions;
- Façades made of precast concrete panels as part of the wall (see EN 14992).

Here below the list the most important changes compared with the previous version EN 13830:2003:

- new characteristics were added;
- new annexes were introduced, particularly the one for the range of direct application of characteristics (extension rules);
- the durability was dealt in details in A Annex G (A);
- updated Clause 6 and Annex ZA with the provisions of the EU Construction Product Regulation No. 305/2011.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, North Macedonia, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard specifies the technical characteristics of curtain walling kit and includes a systematic framework of requirements, test methods and compliance criteria to allow the product to fulfil with it.

Curtain walling kit might not be completed in all respects within a manufacturing area, and some kit ad b. abricate

Commonweis ad branchism Control of the control of components could be supplied separately on site. Curtain walling kit could be also preassembled in plant(s) as prefabricated units.

1 Scope

This European Standard specifies requirements of curtain walling kit intended to be used as a building envelope to provide weather resistance, safety in use and energy economy and heat retention and provides test/assessments/calculation methods and compliance criteria of the related performances.

The curtain walling kit covered by this standard should fulfil its own integrity and mechanical stability but does not contribute to the load bearing or stability of the main building structure, and could be replaced independently of it.

This standard applies to curtain walling kit ranging from a vertical position to $\pm 15^{\circ}$ from the vertical. Any sloping parts should be contained within the curtain walling kit.

This standard is applicable to the whole of the curtain walling kits, including the fixings.

Curtain walling according to this standard is intended to be used as part of the building envelope.

This European Standard does not include:

- "Patent glazing" (glazed sloping roofs) kits;
- Roof glazing constructions;
- Façades made of precast concrete panels as part of the wall (see EN 14992).
- NOTE 1 Precast concrete panels may be used in curtain walling kits as infill panels.
- NOTE 2 Durability of structural sealed glazing infills is not covered by this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 410, Glass in building - Determination of luminous and solar characteristics of glazing

EN 1096-2, Glass in building - Coated glass - Part 2: Requirements and test methods for class A, B and S coatings

EN 1096-3, Glass in building - Coated glass - Part 3: Requirements and test methods for class C and D coatings

EN 1096-4, Glass in building - Coated glass - Part 4: Evaluation of conformity/Product standard

EN 1279-1, Glass in Building - Insulating glass units - Part 1: Generalities, dimensional tolerances and rules for the system description

EN 1279-2, Glass in building - Insulating glass units - Part 2: Long term test method and requirements for moisture penetration

EN 1279-3, Glass in building - Insulating glass units - Part 3: Long term test method and requirements for gas leakage rate and for gas concentration tolerances

EN 1279-4, Glass in building - Insulating glass units - Part 4: Methods of test for the physical attributes of edge seals

EN 1279-5, Glass in building - Insulating glass units - Part 5: Evaluation of conformity

EN 1364-3, Fire resistance tests for non-loadbearing elements - Part 3: Curtain walling - Full configuration (complete assembly)

EN 1364-4, Fire resistance tests for non-loadbearing elements - Part 4: Curtain walling - Part configuration

EN 1991-1-1, Eurocode 1: Actions on structures - Part 1-1: General actions - Densities, self-weight, imposed loads for buildings

EN 1991-1-3, Eurocode 1 - Actions on structures - Part 1-3: General actions - Snow loads

EN 1991-1-4, Eurocode 1: Actions on structures - Part 1-4: General actions - Wind actions

EN 1998-1:2004, Eurocode 8: Design of structures for earthquake resistance - Part 1: General rules, seismic actions and rules for buildings

EN 12152, Curtain walling - Air permeability - Performance requirements and classification

EN 12153, Curtain walling - Air permeability - Test method

EN 12154, Curtain walling - Watertightness - Performance requirements and classification

EN 12155, Curtain walling - Watertightness - Laboratory test under static pressure

EN 12179, Curtain walling - Resistance to wind load - Test method

EN 12354-1, Building Acoustics - Estimation of acoustic performance of buildings from the performance of elements - Part 1: Airborne sound insulation between rooms

EN 12365-1, Building hardware - Gasket and weatherstripping for doors, windows, shutters and curtain walling - Part 1: Performance requirements and classification

EN 12365-4, Building hardware - Gasket and weatherstripping for doors, windows, shutters and curtain walling - Part 4: Recovery after accelerated ageing test method

EN 12412-2, Thermal performance of windows, doors and shutters - Determination of thermal transmittance by hot box method - Part 2: Frames

EN 12600:2002, Glass in building - Pendulum test - Impact test method and classification for flat glass

EN 12758, Glass in building - Glazing and airborne sound insulation - Product descriptions and determination of properties

EN 13022-1, Glass in building - Structural sealant glazing - Part 1: Glass products for structural sealant glazing systems for supported and unsupported monolithic and multiple glazing

EN 13022-2, Glass in building - Structural sealant glazing - Part 2: Assembly rules

EN 13050, Curtain Walling - Watertightness - Laboratory test under dynamic condition of air pressure and water spray

EN 13116, Curtain walling - Resistance to wind load - Performance requirements

EN 13119, Curtain walling - Terminology

EN 13162, Thermal insulation products for buildings - Factory made mineral wool (MW) products - Specification

EN 13163, Thermal insulation products for buildings - Factory made expanded polystyrene (EPS) products - Specification

EN 13164, Thermal insulation products for buildings - Factory made extruded polystyrene foam (XPS) products - Specification

EN 13165, Thermal insulation products for buildings - Factory made rigid polyurethane foam (PU) products - Specification

EN 13166, Thermal insulation products for buildings - Factory made phenolic foam (PF) products - Specification

EN 13167, Thermal insulation products for buildings - Factory made cellular glass (CG) products - Specification

EN 13168, Thermal insulation products for buildings - Factory made wood wool (WW) products - Specification

EN 13169, Thermal insulation products for buildings - Factory made expanded perlite board (EPB) products - Specification

EN 13170, Thermal insulation products for buildings - Factory made products of expanded cork (ICB) - Specification

EN 13171, Thermal insulation products for buildings - Factory made wood fibre (WF) products - Specification

EN 13238, Reaction to fire tests for building products - Conditioning procedures and general rules for selection of substrates

EN 13363-1, Solar protection devices combined with glazing - Calculation of solar and light transmittance - Part 1: Simplified method

EN 13363-2, Solar protection devices combined with glazing - Calculation of total solar energy transmittance and light transmittance - Part 2: Detailed calculation method

EN 13501-1, Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests

EN 13501-2, Fire classification of construction products and building elements - Part 2: Classification using data from fire resistance tests, excluding ventilation services

EN 13823, Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item

EN 14019, Curtain Walling - Impact resistance - Performance requirements

EN 14509, Self-supporting double skin metal faced insulating panels - Factory made products - Specifications

EN 15434, Glass in building - Product standard for structural and/or ultra-violet resistant sealant (for use with structural sealant glazing and/or insulating glass units with exposed seals)

EN 15651-1, Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 1: Sealants for facade elements

A) EN 16612, Glass in building - Determination of the lateral load resistance of glass panes by calculation (A)

EN 15651-2, Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 2: Sealants for glazing

EN ISO 717-1, Acoustics - Rating of sound insulation in buildings and of building elements - Part 1: Airborne sound insulation (ISO 717-1)

EN ISO 1182, Reaction to fire tests for products - Non-combustibility test (ISO 1182)

EN ISO 1716, Reaction to fire tests for products - Determination of the gross heat of combustion (calorific value) (ISO 1716)

EN ISO 8339, Building construction - Sealants - Determination of tensile properties (Extension to break) (ISO 8339)

EN ISO 8340, Building construction - Sealants - Determination of tensile properties at maintained extension (ISO 8340)

EN ISO 9046, Building construction - Jointing products - Determination of adhesion/cohesion properties of sealants at constant temperature (ISO 9046)

EN ISO 9047, Building construction - Jointing products - Determination of adhesion/cohesion properties of sealants at variable temperatures (ISO 9047)

EN ISO 10140-1, Acoustics - Laboratory measurement of sound insulation of building elements - Part 1: Application rules for specific products (ISO 10140-1)

EN ISO 10140-2, Acoustics - Laboratory measurement of sound insulation of building elements - Part 2: Measurement of airborne sound insulation (ISO 10140-2)

EN ISO 10140-3, Acoustics - Laboratory measurement of sound insulation of building elements - Part 3: Measurement of impact sound insulation (ISO 10140-3)

EN ISO 10140-4, Acoustics - Laboratory measurement of sound insulation of building elements - Part 4: Measurement procedures and requirements (ISO 10140-4)

EN ISO 10140-5, Acoustics - Laboratory measurement of sound insulation of building elements - Part 5: Requirements for test facilities and equipment (ISO 10140-5)

EN ISO 10590, Building construction - Sealants - Determination of tensile properties of sealants at maintained extension after immersion in water (ISO 10590)

EN ISO 10591, $Building\ construction\ -\ Sealants\ -\ Determination\ of\ adhesion/cohesion\ properties\ of\ sealants\ after\ immersion\ in\ water\ (ISO\ 10591)$

EN ISO 10848-1, Acoustics - Laboratory measurement of the flanking transmission of airborne and impact sound between adjoining rooms - Part 1: Frame document (ISO 10848-1)

EN ISO 10848-2, Acoustics - Laboratory measurement of the flanking transmission of airborne and impact sound between adjoining rooms - Part 2: Application to light elements when the junction has a small influence (ISO 10848-2)

EN ISO 11600, Building construction - Jointing products - Classification and requirements for sealants (ISO 11600)

EN ISO 11925-2:2010, Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2:2010)

EN ISO 12567-1, Thermal performance of windows and doors - Determination of thermal transmittance by the hot-box method - Part 1: Complete windows and doors (ISO 12567-1)

EN ISO 12631, Thermal performance of curtain walling - Calculation of thermal transmittance (ISO 12631)

3 Terms, definitions and abbreviated terms

3.1 Definitions

For the purposes of this document, the terms and definitions given in EN 1279-1, EN 13022-1, EN 13022-2, EN 13119, EN 15434 and the following apply.

3.1.1

curtain walling

part of the building envelope made of a framework usually consisting of horizontal and vertical profiles, connected together and anchored to the supporting structure of the building, and containing fixed and/or openable infills, which provides all the required functions of an internal or external wall or part thereof, but does not contribute to the load bearing or the stability of the structure of the building. Curtain walling is designed as a self-supporting construction which transmits dead-loads, imposed loads, environmental load (wind, snow, etc) and seismic load to the main building structure

3.1.2

curtain walling kit

defined set of components and/or assemblies that when installed on a building, form curtain walling

3.1.3

double skin curtain walling

type of curtain walling kit comprising inner and outer skins and an air cavity, the whole designed as an integrated system fulfilling the functions of the curtain walling kit

3.1.4

curtain walling system

defined set of components from which a curtain walling kit may be created for subsequent installation on a building. It can give rise to one or more different kits

3.1.5

curtain walling kit of similar design

curtain walling kit in which the replacement of components (e.g. glazing, hardware, gaskets and sealants), and/or a change of material specification and/or dimensional change of profile section and/or methods and means of assembly which will not adversely affect the classification and/or declared value of a performance characteristic