Industrial networks - Coexistence of wireless systems - Part 2: Coexistence management



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62657-2:2022 sisaldab Euroopa standardi EN IEC 62657-2:2022 ingliskeelset teksti.

This Estonian standard EVS-EN IEC 62657-2:2022 consists of the English text of the European standard EN IEC 62657-2:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.07.2022.

Date of Availability of the European standard is 29.07.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 25.040.40, 33.040, 35.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 62657-2

July 2022

ICS 25.040.40; 33.040; 35.100

Supersedes EN 62657-2:2017; EN 62657-2:2017/A1:2019

English Version

Industrial networks - Coexistence of wireless systems - Part 2: Coexistence management (IEC 62657-2:2022)

Réseaux industriels - Coexistence des systèmes sans fil -Partie 2: Gestion de coexistence (IEC 62657-2:2022) Industrielle Kommunikationsnetze – Koexistenz von Funksystemen - Teil 2: Koexistenz-Management (IEC 62657-2:2022)

This European Standard was approved by CENELEC on 2022-07-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65C/1163/FDIS, future edition 3 of IEC 62657-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62657-2:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-04-14 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2025-07-14 document have to be withdrawn

This document supersedes EN 62657-2:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62657-2:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158 (series) NOTE Harmonized as EN 61158 (series)

IEC 61158-2:2014 NOTE Harmonized as EN 61158-2:2014 (not modified)

IEC 61360 (series) NOTE Harmonized as EN 61360 (series)

IEC 61784-1 NOTE Harmonized as EN IEC 61784-1

IEC 61784-2 NOTE Harmonized as EN IEC 61784-2

IEC 61918:2018 NOTE Harmonized as EN IEC 61918:2018 (not modified) +A11:2019

IEC 62591:2016 NOTE Harmonized as EN 62591:2016 (not modified)

IEC 62601 NOTE Harmonized as EN 62601

IEC 62657 (series) NOTE Harmonized as EN 62657 (series)

IEC 62657-3 NOTE Harmonized as EN IEC 62657-3

IEC 62734:2014 NOTE Harmonized as EN 62734:2015 (not modified)

IEC 62890:2020 NOTE Harmonized as EN IEC 62890:2020 (not modified)



Edition 3.0 2022-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Coexistence of wireless systems – Part 2: Coexistence management

Réseaux industriels – Coexistence des systèmes sans fil – Partie 2: Gestion de coexistence





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 3.0 2022-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Coexistence of wireless systems – Part 2: Coexistence management

Réseaux industriels – Coexistence des systèmes sans fil – Partie 2: Gestion de coexistence

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.040.40; 33.040; 35.100

ISBN 978-2-8322-0973-8

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

F	DREWO	RD	7
IN	TRODU	ICTION	9
1	Scop	e	11
2	Norm	native references	11
3	Term	s, definitions, abbreviated terms and conventions	12
	3.1	Terms and definitions	
	3.2	Abbreviated terms	
	3.3	Conventions	
4		istence concept in industrial automation	
	4.1	Overview	
	4.2	Objective	
	4.3	Necessity to implement a coexistence management	
	4.4	Interference potential	
	4.5	Ancillary conditions	
	4.6	Requirements to wireless devices for support of coexistence management	
	4.7	Concepts	
	4.7.1		
	4.7.2		
	4.7.3		
	4.8	Best practices to achieve coexistence	
	4.9	Coexistence conceptual model	
	4.10	Coexistence management and selection of a wireless solution	
	4.11	Coexistence management system	
5		istence management parameters	
Ū	5.1	General	44
	5.1.1		
	5.1.2		
	5.2	Adjacent channel selectivity	
	5.3	Antenna gain	
	5.4	Antenna radiation pattern	
	5.5	Antenna type	45
	5.6	Communication availability	46
	5.7	Communication reliability	
	5.8	Bit rate of physical link	
	5.9	Blocked frequency list	46
	5.10	Centre frequency	
	5.11	Area of operation	
	5.12	Communication load	
	5.13	Cut-off frequency	· A
	5.14	Data throughput	
	5.15	Distance between wireless devices	
	5.16	Duty cycle	
	5.17	Dwell time	
	5.17	Equivalent isotropic radiated power	
	5.19	Equivalent radiated power	
	5.20	Frequency band	
	5.25		

5.21	Frequency bandwidth	54
5.22	Frequency channel	55
5.23	Frequency hopping sequence	55
5.24	Future expansion plan	56
5.25	Geographical dimension of the plant	56
5.26	Infrastructure device	56
5.27	Initiation of data transmission	56
5.28	Interference type	56
5.29	Intervisibility	57
5.30	ISM application	57
5.31	Length of user data per transfer interval	57
5.32	Limitation from neighbours of the plant	
5.33	Maximum number of retransmissions	
5.34	Mechanism for adaptivity	
5.35	Medium access control mechanism	
5.36	Medium utilization factor	
5.37	Message	
5.38	Modulation	59
5.39	Natural environmental condition	
5.40	Network topology	
5.41	Number of consecutive lost messages	
5.42	Object movement	
5.43	Operating time between failures	
5.44	Message loss ratio	
5.45	Position of wireless devices	
5.46	Power spectral density	
5.47	Purpose of the automation application	
5.48	Receiver blocking	
5.49	Receiver maximum input level	
5.50	Receiver sensitivity	62
5.51	Regional radio regulations	
5.52	Relative movement	
5.53	Response time	
5.54	Security level	
5.55	Spatial coverage of the wireless communication system	
5.56	Spatial extent of the application	
5.57	Spurious response	
5.58	Survival time	
5.59	Total radiated power	
5.60	Transfer interval	
5.61	Transmission gap	
5.62	Transmission time	
5.63	Transmitter output power	
5.64	Transmitter sequence	
5.65	Transmitter spectral mask	
5.66	Update time	
5.67	Wireless device density	
5.68	Wireless device type information	
5.69	Wireless communication solution density	73

	5.70	Wireless technology or standard	73
6	Coex	istence management information structures	73
	6.1	General	73
	6.2	General plant characteristic	75
	6.2.1	• General	75
	6.2.2	General plant characteristic	75
	6.2.3	Passive environmental influences	76
	6.2.4	Active environmental influences	76
	6.3	Application communication requirements	
	6.3.1	Overview	
	6.3.2	3	
	6.3.3		
	6.4	Wireless system type and wireless device type	
	6.4.1	Overview	
	6.4.2		
	6.4.3		
	6.5	Wireless solution	
	6.5.1	Overview	
	6.5.2		
	6.5.3		
-	6.6	Application related characteristic parameters	
7		istence management process	
	7.1	General	
	7.1.1	Overview	
	7.1.2		
	7.1.3		
	7.1.4		
	7.2 7.2.1	Establishment of a coexistence management system	
	7.2.1	•	
	7.2.2		
	7.2.3		90
	7.3	Maintaining coexistence management system	91
	7.4	Phases of a coexistence management process	
	7.4.1	Investigation phase	
	7.4.2		
	7.4.3		
	7.4.4		
8		istence parameter templates	
		yhy	
	- 3 P		
E:	aure 1	- Issues of consideration	21
		- Applications using frequency spectrum	31
		- Progression of expense to achieve coexistence corresponding to the	20
	-	n classes	
	_	- Separation of wireless systems according to frequency and time	
		- Coexistence conceptual model	
Fi	gure 6 -	- Flow chart of the coexistence conceptual model	42

Figure 7 – Selection of a wireless system in the coexistence management process	43
Figure 8 – Communication load in case of two wireless devices	48
Figure 9 – Communication load in the case of several wireless devices	49
Figure 10 – Cut-off frequencies derived from maximum power level	50
Figure 11 – Distance of the wireless devices	51
Figure 12 – Duty cycle	52
Figure 13 – Maximum dwell time	53
Figure 14 – Power spectral density of an IEEE 802.15.4 system	61
Figure 15 – Communication cycle, application event interval and machine cycle	65
Figure 16 – Transmission gap	66
Figure 17 – Example of the density functions of transmission time	67
Figure 18 – Example of the distribution functions of transmission time	68
Figure 19 – Transmitter sequence	70
Figure 20 - Transmitter spectral mask of an IEEE 802.15.4 system	71
Figure 21 – Example of distribution functions of the update time	72
Figure 22 – Principle for use of coexistence parameters	75
Figure 23 – Parameters to describe the general plant characteristic	75
Figure 24 – Parameters to describe application communication requirements	78
Figure 25 – Parameters to describe wireless system type and device type	79
Figure 26 – Example of power spectral density and transmitter spectral mask	81
Figure 27 – Example of medium utilization in time and frequency	82
Figure 28 – Parameters to describe a wireless communication solution	83
Figure 29 – Planning of a wireless system in the coexistence management process	95
Figure 30 – Implementation and operation of a wireless system in the coexistence	
management process	98
	0.6
Table 1 – Example of a classification of application communication requirements	
Table 2 – Application profile dependent observation time values	52
Table 3 – Parameter options for frequency channel	55
Table 4 – Theracting of the characteristics	/ 4
Table 5 – List of parameters used to describe the general plant characteristic	
Table 6 – List of parameters used to describe the passive environmental influences	
Table 7 – List of parameters used to describe the active environmental influences	
Table 8 – List of parameters used to describe the interference type	/ /
Table 9 – List of parameters used to describe the requirements influencing the characteristic of wireless solutions	78
Table 10 – List of characteristic parameters	79
Table 11 – List of parameters used to describe the wireless system type	80
Table 12 – List of parameters used to describe the transmitter of a wireless device type	82
Table 13 – List of parameters used to describe the receiver of a wireless device type	83
Table 14 – List of parameters used to describe a wireless solution	
Table 15 – List of general parameters used to describe the wireless device solution	
Table 16 – List of parameters used to describe the transmitter of a wireless device	
solution	85

Table 18 – List of relevant characteristic parameters of wireless solutions	solution	85
Table 19 – List of relevant statistical values of characteristic parameters		
Table 20 – Template used to describe the general plant characteristic		
Table 21 – Template used to describe the application communication requirements		
Table 22 – Template used to describe the wireless system type		
Table 23 – Template used to describe a wireless device type		
Table 25 – Template used to describe a wireless device solution		
Table 26 – Template used to describe the relevant characteristic parameters of wireless solutions	Table 24 – Template used to describe the wireless system solution	103
wireless solutions	Table 25 – Template used to describe a wireless device solution	104
parameters	Table 26 – Template used to describe the relevant characteristic parameters of wireless solutions	104
Table 28 – Template used to describe an interference type	Table 27 – Template used to describe the relevant statistical values of characteristic	
	parameters	105
So o coling of the of the office of the offi	Table 28 – Template used to describe an interference type	105
		5

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL NETWORKS -**COEXISTENCE OF WIRELESS SYSTEMS -**

Part 2: Coexistence management

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62657-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2017 and Amendment 1: 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) change the main part of the title from: Industrial communication networks - Wireless communication networks Industrial networks - Coexistence of wireless systems
- b) alignment of some definitions and specifications of coexistence parameters in order to
- facilitate their future inclusion in the IEC Common Data Dictionary (IEC CDD) maintained by the IEC;

TO STATE OF THE ST

c) alignment of some definitions and specifications to be consistent to the new Part 3 and Part 4.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/XX/FDIS	65C/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all the parts of the IEC 62657 series, under the general title *Industrial networks – Coexistence of wireless systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The overall market for wireless communication solutions spans a range of diverse applications, with differing performance and functional requirements. Within this overall market, the industrial automation domain could include:

- process automation, covering for example the following industry branches:
 - oil and gas, refining,
 - chemical,
 - pharmaceutical,
 - mining,
 - pulp & paper,
 - water & wastewater,
 - steel,
- · electric power such as:
 - power generation (for example wind turbine),
 - power transmission and distribution (grid),
- factory automation, covering for example the following industry branches:
 - food and beverage,
 - automotive,
 - machinery,
 - semiconductor.

Industrial automation requirements for wireless communication systems are different from those of, for example, the telecommunications, commercial and consumer markets. These industrial automation requirements are identified and provided in IEC 62657-1.

Industrial premises can contain a variety of wireless communication technologies and other sources of radio emissions.

This document is intended for designers and persons responsible for production and process plants, system integrators and mechanical engineers having to integrate and start up wireless systems in machines and plants, and producers of industrial wireless solutions. In particular, it is intended to motivate exchange of information between automation and radio engineers.

Many wireless industrial automation applications are also located in physical environments over which the operator/owner can exert control. That is, within a physical facility where the presence and operation of all radio emitting devices are under the control of a single entity. This allows wireless management strategies to be employed which are not feasible for equipment installed in public or other unmanaged areas.

In industrial automation, many different wireless communication systems can operate in the same premises. Examples of these communication systems are IEC 62591 (WirelessHART®1), IEC 62601 (WIA-PA) and IEC 62734 (ISA100.11a). All these communication systems use IEEE 802.15.4 [28]² for the process automation applications. Other examples of wireless communication systems are specified in IEC 61784-1 and IEC 61784-2 CPs that use IEEE 802.11 [25] and IEEE 802.15.1 [26] for factory automation applications. Different to wired fieldbuses, the wireless communication devices can interfere with others on the same premises or environment, disturbing each other. Other sources of radio energy in these bands, often at high energy levels, include radiated process heating, plastic welding, plasma lamps, and microwave irradiation devices.

Clearly, without a means to manage the coexistence of these varied emitters, it would be problematic to ensure that wireless systems meet the time-criticality and other performance requirements of industrial automation.

This document describes the management of independent radio sources that use the same transmission medium. The management within a wireless communication system is not the subject of this document. It is assumed that the standard of a wireless system regulates it, for example by a medium access control mechanism.

The IEC 62657 series has four parts:

- Part 1: Wireless communication requirements and spectrum considerations
- Part 2: Coexistence management
- Part 3: Formal description of the automated coexistence management and application guidance
- Part 4: Coexistence management with central coordination of wireless applications

IEC 62657-1 provides general requirements for industrial automation and spectrum considerations that are the basis for industrial communication solutions. This document specifies the coexistence management of wireless devices to ensure predicable performance. It is intended to facilitate harmonization of future adjustments to international, national, and local regulations.

This document provides the coexistence management concept and process. Based on the coexistence management process, a predictable assuredness of coexistence can be achieved for a given spectrum with certain application requirements. This document describes principles to manage the potential mutual interference that might occur due to the operation of multiple wireless devices in a plant.

This document provides guidance to the users of wireless systems on selection and proper use of wireless systems. To provide suitable wireless devices to the market, it also serves vendors in describing the behaviors of wireless devices to build wireless systems matching the application requirements.

This document is based on analyses of a number of International Standards, which focus on specific technologies. The intention of this document is not to invent new parameters but to use already defined ones and to be technology independent.

WirelessHART is the registered trade name of the FieldComm Group, see www.fieldcommgroup.org. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

Numbers in square brackets refer to the bibliography.

INDUSTRIAL NETWORKS – COEXISTENCE OF WIRELESS SYSTEMS –

Part 2: Coexistence management

1 Scope

This part of IEC 62657:

- specifies the fundamental assumptions, concepts, parameters, and procedures for wireless communication coexistence:
- specifies coexistence parameters and how they are used in an application requiring wireless coexistence;
- provides guidelines, requirements, and best practices for wireless communication's availability and performance in an industrial automation plant; it covers the life-cycle of wireless communication coexistence;
- helps the work of all persons involved with the relevant responsibilities to cope with the
 critical aspects at each phase of life-cycle of the wireless communication coexistence
 management in an industrial automation plant. Life-cycle aspects include: planning, design,
 installation, implementation, operation, maintenance, administration and training;
- provides a common point of reference for wireless communication coexistence for industrial automation sites as a homogeneous guideline to help the users assess and gauge their plant efforts;
- deals with the operational aspects of wireless communication coexistence regarding both the static human/tool-organization and the dynamic network self-organization.

This document provides a major contribution to national and regional regulations. It does not exempt devices from conforming to all requirements of national and regional regulations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62657-1:2017, Industrial communication networks – Wireless communication networks – Wireless communication requirements and spectrum considerations

IEC 62657-4, Industrial networks – Coexistence of wireless systems – Part 4: Coexistence management with central coordination of wireless applications

IEC 62443 (all parts), Industrial communication networks - Network and system security