

Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62196-1:2022 sisaldab Euroopa standardi EN IEC 62196-1:2022 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 62196-1:2022 consists of the English text of the European standard EN IEC 62196-1:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.11.2022.	Date of Availability of the European standard is 18.11.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 29.120.30, 43.120

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Plugs, socket-outlets, vehicle connectors and vehicle inlets -  
Conductive charging of electric vehicles - Part 1: General  
requirements  
(IEC 62196-1:2022)

Fiches, socles de prise de courant, prises mobiles de  
véhicule et socles de connecteurs de véhicule - Charge  
conductive des véhicules électriques - Partie 1: Exigences  
générales  
(IEC 62196-1:2022)

Stecker, Steckdosen, Fahrzeugkupplungen und  
Fahrzeugstecker - Konduktives Laden von  
Elektrofahrzeugen - Teil 1: Allgemeine Anforderungen  
(IEC 62196-1:2022)

This European Standard was approved by CENELEC on 2022-11-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)	EN IEC 60695-2-11	-
IEC 60695-10-2	-	Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test method	-	-
IEC 60947-3	2020	Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units	EN IEC 60947-3	2021
IEC 60947-5-1	-	Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices	EN 60947-5-1	-
IEC 61032	1997	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998
IEC 61058-1	2016	Switches for appliances - Part 1: General requirements	EN IEC 61058-1	2018
IEC 61851-1	2017	Electric vehicle conductive charging system - Part 1: General requirements	EN IEC 61851-1	2019
IEC 61851-23	— <sup>1</sup>	Electric vehicle conductive charging system - Part 23: DC electric vehicle supply equipment	EN IEC 61851-23	— <sup>2</sup>
IEC 62196-2	2022	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories	-	-
IEC 62196-3	2022	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers	-	-
ISO 1456	-	Metallic and other inorganic coatings - Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium	EN ISO 1456	-
ISO 2081	-	Metallic and other inorganic coatings - Electroplated coatings of zinc with supplementary treatments on iron or steel	EN ISO 2081	-

<sup>1</sup> Second edition under preparation. Stage at the time of publication: IEC PRVC 61851-23:2022.

<sup>2</sup> Under preparation. Stage at the time of publication: prEN IEC 61851-23:2020.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 2093	-	Electroplated coatings of tin; Specification and test methods	-	-
ISO 4521	-	Metallic and other inorganic coatings - Electrodeposited silver and silver alloy coatings for engineering purposes - Specification and test methods	EN ISO 4521	2008

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –  
Part 1: General requirements**

**Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule – Charge conductive des véhicules électriques –  
Partie 1: Exigences générales**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –  
Part 1: General requirements**

**Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule – Charge conductive des véhicules électriques –  
Partie 1: Exigences générales**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.30; 43.120

ISBN 978-2-8322-1101-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



# CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions .....	11
4 General .....	21
4.1 General requirements .....	21
4.2 Components .....	21
4.2.1 Ratings.....	21
4.2.2 Mechanical assembly.....	21
4.2.3 Current-carrying parts of incorporated components.....	21
4.2.4 Electrical connections.....	21
4.3 General notes on tests.....	22
5 Ratings.....	23
5.1 Preferred rated operating voltage ranges .....	23
5.2 Preferred rated currents.....	23
5.2.1 General .....	23
5.2.2 Rated current for signal or control purposes .....	24
5.2.3 Accessories not suitable for making and breaking an electrical circuit under load .....	24
5.2.4 Accessories suitable for, or not suitable for, making and breaking an electrical circuit under load .....	24
6 Connection between the power supply and the electric vehicle .....	24
6.1 Interfaces.....	24
6.2 Basic interface .....	24
6.3 DC interface.....	24
6.4 Combined interface.....	24
7 Classification of accessories.....	25
7.1 According to purpose .....	25
7.2 According to the method of connecting the conductors.....	25
7.3 According to serviceability .....	25
7.4 According to electrical operation .....	25
7.5 According to interface .....	25
7.6 According to locking facilities .....	25
7.7 According to interlock facilities.....	25
7.8 According to the presence of shutter(s).....	25
8 Marking .....	25
9 Dimensions.....	28
10 Protection against electric shock .....	29
10.1 General.....	29
10.2 Accessories with shutters.....	29
10.3 Contact sequencing and order of contact insertion and withdrawal.....	32
10.4 Misassembly .....	33
11 Size and colour of protective earthing and neutral conductors .....	33
12 Provisions for earthing.....	34

13	Terminals .....	36
13.1	Common requirements .....	36
13.2	Screw type terminals .....	38
13.3	Mechanical tests on terminals .....	40
14	Interlocks .....	43
14.1	Accessories with interlock .....	43
14.2	Accessories with integral switching device .....	48
14.3	Control circuit devices and switching elements .....	48
14.4	Pilot contacts and auxiliary circuits .....	48
15	Resistance to ageing of rubber and thermoplastic material .....	48
16	General construction .....	49
17	Construction of EV socket-outlets – General .....	53
18	Construction of EV plugs and vehicle connectors .....	53
19	Construction of vehicle inlets .....	54
20	Degrees of protection .....	54
21	Insulation resistance and dielectric strength .....	56
22	Breaking capacity .....	57
23	Normal operation .....	60
23.1	Mechanical, electrical, and thermal stresses and contaminants .....	60
23.2	Load endurance test .....	60
23.3	No-load endurance test .....	61
23.4	Lid springs .....	62
24	Temperature rise .....	62
25	Flexible cables and their connection .....	64
25.1	Strain relief .....	64
25.2	Requirements for EV plugs and vehicle connectors .....	64
25.2.1	Non-rewirable EV plugs and vehicle connectors .....	64
25.2.2	Rewirable EV plugs and vehicle connectors .....	64
25.3	EV plugs and vehicle connectors provided with a flexible cable .....	65
26	Mechanical strength .....	67
26.1	General .....	67
26.2	Ball impact .....	68
26.3	Drop test .....	69
26.4	Flexing test .....	70
26.5	Cable gland test .....	72
26.6	Shutters .....	73
26.7	Insulated end caps .....	73
26.7.1	General .....	73
26.7.2	Insulated end caps – Change of temperature test .....	74
26.7.3	Insulated end caps – Pull test .....	74
27	Screws, current-carrying parts and connections .....	74
28	Creepage distances, clearances and distances through sealing compound .....	77
29	Resistance to heat and to fire .....	78
30	Corrosion and resistance to rusting .....	79
31	Conditional short-circuit current .....	80
31.1	General .....	80

31.2	Ratings and test conditions .....	80
31.3	Test circuit .....	81
31.4	Calibration .....	84
31.5	Test procedure .....	84
31.6	Behaviour of the equipment under test .....	85
31.7	Acceptance conditions .....	85
32	Electromagnetic compatibility .....	85
32.1	Immunity .....	85
32.2	Emission .....	85
33	Vehicle drive over .....	85
34	Thermal cycling .....	86
34.1	General .....	86
34.2	Initial temperature rise test .....	86
34.3	Thermal cycling test .....	86
34.4	Final temperature rise test .....	86
35	Humidity exposure .....	87
35.1	General .....	87
35.2	Initial temperature rise test .....	87
35.3	Humidity test .....	87
35.4	Final temperature rise test .....	87
36	Misalignment .....	87
36.1	General .....	87
36.2	Samples .....	88
36.3	Misalignment test .....	88
37	Contact endurance test .....	90
37.1	Equipment .....	90
37.2	Test sequence .....	91
37.3	Compliance .....	92
	Bibliography .....	94
	Figure 1 – Diagram showing the use of the accessories .....	12
	Figure 2 – Lug terminals .....	16
	Figure 3 – Mantle terminals .....	16
	Figure 4 – Pillar terminals .....	17
	Figure 5 – Saddle terminals .....	18
	Figure 6 – Screw-type terminals .....	19
	Figure 7 – Stud terminals .....	20
	Figure 8 – Test piston .....	28
	Figure 9 – Gauge "A" for checking shutters .....	31
	Figure 10 – Gauge "B" for checking shutters .....	32
	Figure 11 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section .....	39
	Figure 12 – Equipment test arrangement .....	41
	Figure 13 – Apparatus for checking the withdrawal force .....	46
	Figure 14 – Verification of the latching device .....	47
	Figure 15 – Circuit diagrams for breaking capacity and normal operation tests .....	59

Figure 16 – Points of measurement.....	64
Figure 17 – Apparatus for testing the cable anchorage .....	66
Figure 18 – Ball impact test .....	68
Figure 19 – Arrangement for mechanical strength test for EV plugs and vehicle connectors .....	70
Figure 20 – Apparatus for flexing test .....	72
Figure 21 – Diagram of the test circuit for the verification of short-circuit current withstand of two-pole equipment on a single-phase AC or DC.....	82
Figure 22 – Diagram of the test circuit for the verification of short-circuit current withstand of three-pole equipment .....	83
Figure 23 – Diagram of the test circuit for the verification of short-circuit current withstand of four-pole equipment .....	84
Figure 24 – Overview of the mechanical load test .....	89
Figure 25 – Application of external mechanical load (mounted according to Figure 24) .....	89
Figure 26 – Temperature rise criteria under external mechanical load.....	90
Figure 27 – Forced-air circulating oven .....	90
Figure 28 – Thermal cycling.....	92
Figure 29 – Pass/fail based on temperature rise criteria.....	93
Table 1 – Size for conductors .....	34
Table 2 – Short-time test currents .....	35
Table 3 – Values for flexing under mechanical load test.....	42
Table 4 – Value for terminal pull test.....	43
Table 5 – Withdrawal force with respect to ratings .....	47
Table 6 – Cable length used to determine pull force on retaining means .....	50
Table 7 – Test voltage for dielectric strength test.....	57
Table 8 – Breaking capacity .....	60
Table 9 – Normal operation.....	61
Table 10 – Test current and nominal cross-sectional areas of copper conductors for temperature rise test.....	63
Table 11 – Pull force and torque test values for cable anchorage.....	67
Table 12 – Summary of mechanical tests .....	67
Table 13 – Impact energy for ball impact test.....	69
Table 14 – Mechanical load flexing test .....	71
Table 15 – Torque test values for glands .....	73
Table 16 – Pulling force on insulated end caps .....	74
Table 17 – Tightening torque for verification of mechanical strength of screw-type terminals.....	75

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE  
INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –****Part 1: General requirements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62196-1 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) deletion of references to universal AC and DC interfaces;
- b) additional requirements for contact materials and plating;
- c) changes to the temperature rise test to include additional points of measurement;
- d) additional tests for accessories to address thermal stresses and stability, mechanical wear and abuse, and exposure to contaminants;

e) relocation of information and requirements for DC charging to IEC 62196-3.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23H/499/FDIS	23H/503/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 62196 series, published under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles*, can be found on the IEC website.

Subsequent parts of IEC 62196 deal with the requirements of particular types of accessories. The clauses of those particular requirements supplement or modify the corresponding clauses in this document.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type*;
- notes: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

IEC 61851 (all parts) specifies requirements for electric vehicle (EV) conductive charging systems.

IEC 62196 (all parts) specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in the IEC 61851 series.

Some charging can be achieved by direct connection from an electric vehicle to standard socket-outlets connected to a supply network (mains or electrical grid).

Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits.

IEC 62196 (all parts) covers the mechanical, electrical and performance requirements for plugs, socket-outlets, vehicle connectors and vehicle inlets for the connection between the EV supply equipment and the electric vehicle.

The IEC 62196 series consists of the following parts:

- Part 1: General requirements, comprising clauses of a general character.
- Part 2: Dimensional compatibility and interchangeability requirements for AC pin and contact-tube accessories.
- Part 3: Dimensional compatibility and interchangeability requirements for DC and AC/DC pin and contact-tube vehicle couplers.
- Part 3-1: Vehicle connector, vehicle inlet and cable assembly intended to be used with a thermal management system for DC charging.
- Part 4<sup>1</sup>: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube accessories for Class II or Class III applications.
- Part 6: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube couplers for applications using a system of protective electrical separation.

---

<sup>1</sup> Pending publication.

# PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

## Part 1: General requirements

### 1 Scope

This part of IEC 62196 is applicable to EV plugs, EV socket-outlets, vehicle connectors, vehicle inlets, herein referred to as "accessories", and to cable assemblies for electric vehicles (EV) intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding:

- 690 V AC 50 Hz to 60 Hz, at a rated current not exceeding 250 A;
- 1 500 V DC at a rated current not exceeding 800 A.

These accessories and cable assemblies are intended to be installed by instructed persons (IEV 195-04-02) or skilled persons (IEV 195-04-01) only.

These accessories and cable assemblies are intended to be used for circuits specified in IEC 61851 (all parts), which operate at different voltages and frequencies, and which can include extra-low voltage and communication signals.

These accessories and cable assemblies are intended to be used at an ambient temperature between  $-30\text{ }^{\circ}\text{C}$  and  $+40\text{ }^{\circ}\text{C}$ .

NOTE 1 In some countries, other requirements can apply.

NOTE 2 In the following country,  $-35\text{ }^{\circ}\text{C}$  applies: SE.

NOTE 3 The manufacturer can enlarge the temperature range on the condition that the specified range information is provided.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this document are intended for use in electric vehicle supply equipment in accordance with IEC 61851 (all parts).

This document does not apply to standard plug and socket-outlets used for mode 1 and mode 2 according to IEC 61851-1:2017, 6.2.

NOTE 4 In the following countries, mode 1 is not allowed: UK, US, CA, SG.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*



IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60228:2004, *Conductors of insulated cables*

IEC 60245-4, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 4: Cords and flexible cables*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*

IEC 60269-2, *Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K*

IEC 60309-4:2021, *Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes – Part 4: Switched socket-outlets with or without interlock*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method*

IEC 60947-3:2020, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 60947-5-1, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61058-1:2016, *Switches for appliances – Part 1: General requirements*

IEC 61851-1:2017, *Electric vehicle conductive charging system – Part 1: General requirements*

IEC 61851-23:—<sup>2</sup>, *Electric vehicle conductive charging system – Part 23: DC electric vehicle supply equipment*

<sup>2</sup> Second edition under preparation. Stage at the time of publication: IEC PRVC 61851-23:2022.

IEC 62196-2:2022, *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories*

IEC 62196-3:2022, *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers*

ISO 1456, *Metallic and other inorganic coatings – Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium*

ISO 2081, *Metallic and other inorganic coatings – Electroplated coatings of zinc with supplementary treatments on iron or steel*

ISO 2093, *Electroplated coatings of tin – Specification and test methods*

ISO 4521:2008, *Metallic and other inorganic coatings – Electrodeposited silver and silver alloy coatings for engineering purposes – Specification and test methods*

### **3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE 1 Where the terms "voltage" and "current" are used, they imply root mean square (RMS) values, unless otherwise specified.

NOTE 2 The application of accessories is shown in Figure 1.