

MAANTEESÕIDUKID

Mootorsõidukite ja haagisveokite mõõtmed

Terminid ja määratlused

Road vehicles

Dimensions of motor vehicles and towed vehicles

Terms and definitions

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

<p>Käesolev Eesti standard EVS-ISO 612:2004 "Maanteesõidukid. Mootorsõidukite ja haagisveokite mõõtmed. Terminid ja määratlused" sisaldb rahvusvahelise standardi ISO 612:1978 "Road vehicles - Dimensions of motor vehicles and towed vehicles - Terms and definitions" identset ingliskeelset teksti.</p> <p>Standardi avaldamise korraldas Eesti Standardikeskus.</p> <p>Standard EVS-ISO 612:2004 on kinnitatud Eesti Standardikeskuse 24.08.2004 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teataja 2004. aasta septembrikuu numbris.</p> <p>Standard on kätesaadav Eesti Standardikeskusest.</p>	<p>This Estonian Standard EVS-ISO 612:2004 consists of the identical English text of the International Standard ISO 612:1978 "Road vehicles - Dimensions of motor vehicles and towed vehicles - Terms and definitions".</p> <p>Estonian standard is published by the Estonian Centre for Standardisation.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 24.08.2004 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian Centre for Standardisation.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Käsitleusala

Standard määratleb mootorsõidukite ja haagisveokite (haagiste) mõõtmetega seoses olevad terminid.

See ei käsitle mõõtmismeetodeid, tulemuste teadasaamiseks kasutatavaid seadiseid ega nõutavat täpsust või määratletud mõõtmete suurusjärku.

ICS 01.040.43 Maanteesõidukite ehitus (sõnavara); 43.020 Maanteesõidukite üldküsimused

Standardite reproduutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse poolt antud kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 612 was developed by Technical Committee ISO/TC 22, *Road vehicles*, and was circulated to the member bodies in November 1976.

It has been approved by the member bodies of the following countries:

Austria	Iran	New Zealand
Brazil	Italy	Poland
Bulgaria	Japan	Romania
France	Korea, Dem. P. Rep. of	South Africa, Rep. of
Germany	Korea, Rep. of	Spain
Hungary	Mexico	Sweden
India	Netherlands	Switzerland

The member bodies of the following countries expressed disapproval of the document on technical grounds:

Australia
Belgium
United Kingdom

This International Standard cancels and replaces ISO Recommendation R 612-1967, of which it constitutes a technical revision.

	CONTENTS	Page
1	Scope	1
2	Field of application	1
3	References	1
4	General	1
5	Definition of the longitudinal median plane (of the vehicle)	2
6	Terms and definitions of dimensions of motor vehicles and towed vehicles	3
6.1	Vehicle length	3
6.2	Vehicle width	4
6.3	Vehicle height (unladen)	4
6.4	Wheel space	5
6.5	Track	6
6.6	Front overhang	6
6.7	Rear overhang	6
6.8	Ground clearance	7
6.9	Ramp angle	7
6.10	Approach angle	7
6.11	Departure angle	7
6.12	Height of chassis above ground (commercial vehicles)	8
6.13	Maximum usable length of chassis behind cab (vehicle with cab)	8
6.14	Bodywork length	8
6.15	Maximum internal dimensions of body (commercial vehicles)	9
6.16	Drawgear length	9
6.17	Drawbar length	10
6.18	Position of towing attachment	10
6.19	Fifth wheel lead	11
6.20	Height of coupling face	11
6.21	Distance between towing device and front end of towing vehicle	12

This document is a preview generated by EVS

6.22 Rear tractor clearance radius of semi-trailer	12
6.23 Front fitting radius of semi-trailer	12
6.24 Camber angle	12
6.25 Kingpin inclination	13
6.26 Kingpin offset	13
6.27 Toe-in.	13
6.28 Castor.	14
6.29 Vertical clearance	14
6.30 Lift	14
6.31 Turning locks.	14
6.32 Turning clearance circles	15

This document is a preview generated by EVS

Road vehicles – Dimensions of motor vehicles and towed vehicles – Terms and definitions

1 SCOPE

This International Standard defines terms relating to dimensions of motor vehicles and towed vehicles.

It does not deal with methods of measurement, the units used in reporting the results or the accuracy required or the order of magnitude of the dimensions defined.

NOTE – Other terms, definitions and symbols are given in the following International Standards :

ISO 3877/I, *Tyres, valves and tubes – List of equivalent terms* –
Part I : Tyres.

ISO 3877/II, *Tyres, valves and tubes – List of equivalent terms* –
Part II : Tyres valves.

ISO 3877/III, *Tyres, valves and tubes – List of equivalent terms* –
Part III : Tubes.

ISO 3911, *Wheels/rims – Nomenclature, designation, marking, and units of measurement*.

ISO 4131, *Road vehicles – Dimensional symbols for passenger cars*.¹⁾

ISO 4223/I, *Definitions of some terms used in the tyre industry* –
Part I : Pneumatic tyres.

2 FIELD OF APPLICATION

The provisions of this International Standard apply to motor vehicles and towed vehicles as defined in ISO 3833 (terms 3.1 and 3.2).

This International Standard does not cover road vehicles such as motorcycles and mopeds, or other vehicles, such as agricultural tractors, which are only incidentally used for the carriage of persons or goods by road or for towing on the road vehicles used for the carriage of persons or goods.

3 REFERENCES

ISO 1176, *Road vehicles – Weights – Vocabulary*.

ISO 1726, *Road vehicles – Mechanical coupling between tractors and semi-trailers – Interchangeability*.

ISO 3833, *Road vehicles – Types – Terms and definitions*.

ISO 4130, *Road vehicles – Three-dimensional reference system and fiducial marks*.¹⁾

4 GENERAL

Unless otherwise stated with regard to one or more of the items mentioned below, it should be understood that :

- a) the supporting surface is horizontal; lengths and widths are measured in the horizontal plane, and heights in the vertical plane;
- b) the total weight of the vehicle is the maximum authorized total weight (see ISO 1176), the load being distributed according to the manufacturer's instructions;
- c) the tyres are inflated to the pressure corresponding to the maximum authorized total weight of the vehicle;
- d) the vehicle is stationary; its doors and windows are closed, and its wheels and articulated elements are in positions corresponding to movements in a straight line;
- e) the vehicle is new from the factory and normally equipped;
- f) all wheels of the vehicle are resting on the ground;
- g) the expression "mid-plane of the wheel", that occurs in a number of definitions, designates the plane equidistant from the inner edges of the rim.

¹⁾ At present at the stage of draft.