

**UKSED, VÄRAVAD JA AVATAVAD AKNAD.
TOOTESTANDARD, TOODETE OMADUSED.
TULEPÜSIVUS JA/VÕI SUITSUPIDAVUS**

**Pedestrian doorsets, industrial, commercial, garage
doors and openable windows - Product standard,
performance characteristics - Fire resisting and/or
smoke control characteristics**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16034:2014 sisaldab Euroopa standardi EN 16034:2014 ingliskeelset teksti.	This Estonian standard EVS-EN 16034:2014 consists of the English text of the European standard EN 16034:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.10.2014.	Date of Availability of the European standard is 01.10.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.220.50, 91.060.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 13.220.50; 91.060.50

English Version

**Pedestrian doorsets, industrial, commercial, garage doors and
openable windows - Product standard, performance
characteristics - Fire resisting and/or smoke control
characteristics**

Blocs-portes pour piétons, portes et fenêtres industrielles,
commerciales et de garage - Norme de produit,
caractéristiques de performance - Caractéristiques de
résistance au feu et/ou d'étanchéité aux fumées

Türen, Tore und Fenster - Produktnorm,
Leistungseigenschaften - Feuer- und/oder
Rauchschutzeigenschaften

This European Standard was approved by CEN on 7 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	6
1.1 General.....	6
1.2 Exclusions	7
2 Normative references	7
3 Terms and definitions	8
4 Products characteristics	9
4.1 Resistance to fire (for fire compartmentation uses)	9
4.2 Smoke control (only for applications where limitation of smoke spread is required)	9
4.3 Ability to release	9
4.4 Self-closing (only for self-closing fire resistant and/or smoke control doorsets and/or openable windows).....	9
4.5 Durability	9
5 Testing, assessment and sampling methods	12
5.1 Resistance to fire (for fire compartmentation uses)	12
5.2 Smoke control (only for applications where limitation of smoke spread is required)	12
5.3 Ability to release	12
5.4 Durability	12
6 Assessment and verification of constancy of performance - AVCP	12
6.1 General.....	12
6.2 Type testing.....	12
6.3 Factory production control (FPC)	15
7 Marking, labelling and packaging	19
Annex A (normative) Pre-test conditioning	20
A.1 General.....	20
A.2 Before the resistance to fire test.....	20
A.3 Before the smoke control test	21
A.4 Self-closing test	21
Annex B (informative) Installation provisions	23
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	24
ZA.1 Scope and relevant characteristics	24
ZA.2 Procedure for AVCP of fire resisting and/or smoke control doorsets and /or openable windows.....	25
ZA.3 CE marking and labelling	29
Bibliography	32

Foreword

This document (EN 16034:2014) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015 and conflicting national standards shall be withdrawn at the latest by October 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports basic work requirements of Regulation (EU) 305/2011.

For relationship with Regulation (EU) 305/2011, see informative Annex ZA which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is one of a series of standards covering windows and pedestrian doorsets, industrial, commercial and garage doors and gates.

This European Standard covers only fire resisting and/or smoke control characteristics including the ability to release and self-closing, further product characteristics are covered in the relevant harmonized European Product Standards EN 14351-1, prEN 14351-2, EN 13241-1 and EN 16361.

Figure 1 explains the relation between the standards, where the grey lines show the relationship of other harmonized product standards to EN 16034 (requirements additional to fire resistance and smoke control characteristics) and the black lines explain the relationship to fire resistance and smoke control test, classification and extended application of test results standards.

For the purposes of this European Standard the term 'doorset' and 'openable window' is used as a general term unless clearly stated.




Figure 1 — Relationship between various standards

1 Scope

1.1 General

This European Standard identifies material independent, safety and performance requirements applicable to all fire resisting and/or smoke control products intended to be used in fire and/or smoke compartmentation and/or escape routes, which are either:

- industrial, commercial and/or garage doorsets, rolling shutters or operable fabric curtains intended for the installation in areas in the reach of persons and for which the main intended uses are giving safe access for goods and vehicles accompanied or driven by persons, or
- rolling shutters or operable fabric curtains used in retail premises which are mainly provided for the access of persons rather than vehicles or goods, or
- pedestrian doorsets and/or openable windows and/or inspection hatches which are hinged or sliding, intended for the installation in areas in the reach of persons, and for which the main intended uses are giving safe access for persons

and which are manually or power operated and:

- opening and self closing as a normal mode of operation, or
- normally held open but self closing in case of fire or smoke, or
- normally maintained locked in the closed position (e. g. service access/inspection doorsets),

and completed:

- with building hardware,
- with or without any side panel(s), flush over panel(s) and/or transom panel(s) (with or without glazing) and contained within a single perimeter frame for inclusion in a single aperture,
- with or without any vision panel(s) in the door leaf or leave(s),
- with or without any seals (e.g. for smoke control, fire resistance, draught, acoustic or weather characteristics).

Product characteristics covered in EN 13241-1, EN 14351-1, prEN 14351-2 or EN 16361 will not compromise the fire resistance and/or smoke control characteristics of a fire resisting and/or smoke control product.

NOTE 1 Requirements included in EN 14351-1, prEN 14351-2, EN 13241-1 or EN 16361 might be relevant for the products covered by this standard.

This standard also provides indications on the product modifications not affecting the performances of the concerned products.

NOTE 2 The requirements and rules for variations (regarding the direct and extended field of applications) of fire resistance and/or smoke control doorsets are given in the EN 15269 series and EN 1634-1 and EN 1634-3, supported by, e.g. EN 16035.

1.2 Exclusions

This European Standard does not cover:

- fixed windows, glazed side panels and/or overpanels, which are not an integral part of a doorset and/or openable window;
- door assemblies produced with components from several sources where there is no single identified manufacturer or legal entity who will take responsibility for them;
- operation in environments where the electromagnetic disturbances are outside the range of those specified in EN 61000-6-3;
- radio operating devices fitted to doorsets and/or openable windows; where such items are fitted, the relevant ETSI standards should be applied in addition.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 179:2008, *Building hardware — Emergency exit devices operated by a lever handle or push pad, for use on escape routes — Requirements and test methods*

EN 1125:2008, *Building hardware — Panic exit devices operated by a horizontal bar, for use on escape routes — Requirements and test methods*

EN 1154:1996¹⁾, *Building hardware — Controlled door closing devices — Requirements and test methods*

EN 1155:1997²⁾, *Building hardware — Electrically powered hold-open devices for swing doors — Requirements and test methods*

EN 1158:1997³⁾, *Building hardware — Door coordinator devices — Requirements and test methods*

EN 1191, *Windows and doors — Resistance to repeated opening and closing — Test method*

EN 1634-1:2014, *Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware — Part 1: Fire resistance test for door and shutter assemblies and openable windows*

EN 1634-3:2004, *Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware — Part 3: Smoke control test for door and shutter assemblies*

EN 1670, *Building hardware — Corrosion resistance — Requirements and test methods*

EN 1935:2002, *Building hardware — Single-axis hinges — Requirements and test methods*

1) This document is impacted by the stand-alone amendment EN 1154:1996/A1:2002.

2) This document is impacted by the stand-alone amendment EN 1155:1997/A1:2002.

3) This document is impacted by the stand-alone amendment EN 1158:1997/A1:2002.

EN 12209:2003, *Building hardware — Locks and latches — Mechanically operated locks, latches and locking plates — Requirements and test methods*

EN 12605, *Industrial, commercial and garage doors and gates — Mechanical aspects — Test methods*

EN 13501-2, *Fire classification of construction products and building elements — Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN 13637, *Building hardware — Electrically controlled exit systems for use on escape routes — Requirements and test methods*⁴⁾

EN 14637, *Building hardware — Electrically controlled hold-open systems for fire/smoke door assemblies — Requirements, test methods, application and maintenance*

EN 14846:2008, *Building hardware — Locks and latches — Electromechanically operated locks and striking plates — Requirements and test methods*

EN 15685, *Building hardware — Requirements and test methods — Multipoint locks, latches and locking plates*⁴⁾

EN 15887, *Building hardware — Uncontrolled Door Closing Devices for single action doors — Requirements and test methods*⁴⁾

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
doorset
pedestrian doorset, industrial, commercial and/or garage doorset, rolling shutter and/or operable fabric curtains including any frame or guide, door leaf or leaves, rolling or folding curtain, etc., which is provided to give a fire resisting and/or smoke control capability when used for the closing of permanent openings in fire resisting separating elements, including any side panel(s), vision panel(s), flush over panel(s), transom panel(s) and/or glazing together with the building hardware and any seals (whether provided for the purpose of fire resistance or smoke control) which form the assembly and fulfilling the provisions of this European Standard

3.2
openable window
window with one or more moveable elements including any fixed or removable side or overpanel(s), perimeter frame and relevant elements of building hardware

3.3
operable fabric curtain
doorset with a leaf constructed from woven material combined with other materials in one or more sections including any frames and/or guides which functions as a rolling shutter

3.4
self-closing
ability of an open doorset and/or openable window to close fully into its frame and engage any latching device that may be fitted, without human intervention, by stored energy, or by mains power backed up by stored energy in case of power failure

4) To be published.