EESTI STANDARD

7:00000 Teevalgustus. Osa 2: Teostusnõuded

Road lighting - Part 2: Performance requirements



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 13201-2:2007	This Estonian standard EVS-EN 13201-2:2007
sisaldab Euroopa standardi EN 13201-2:2003	consists of the English text of the European
ingliskeelset teksti.	standard EN 13201-2:2003.
Standard on kinnitatud Eesti Standardikeskuse	This standard is ratified with the order of
20.02.2004 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.	Estonian Centre for Standardisation dated 20.02.2004 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.
Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on	Date of Availability of the European standard text 26.11.2003.
26.11.2003.	
Standard on kättesaadav Eesti	The standard is available from Estonian
standardiorganisatsioonist.	standardisation organisation.

2 Ore Lie

ICS 93.080.40

Võtmesõnad: teevalgustus, valgustus, valgustusklassid, valgustusnõuded

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13201-2

November 2003

ICS 93.080.40

English version

Road lighting - Part 2: Performance requirements

Eclairage public - Partie 2: Exigences de performance


Straßenbeleuchtung - Teil 2: Gütemerkmale

This European Standard was approved by CEN on 1 September 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, nds C C C C Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

page

Forew	ord	
Introdu	uction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	ME/MEW-series of lighting classes	7
5	CE-series of lighting classes	
6	S-, A-, ES- and EV- series of lighting classes	
7	Appearance and environmental aspects	11
Annex A.1 A.2	A (informative) Installed classes for glare restriction and control of obtrusive light Luminous intensity classes Glare index classes	13
Annex	B (informative) Lighting of pedestrian crossings	15
Bibliog	graphy	
	graphy	
2		

Foreword

This document (EN 13201-2:2003) has been prepared by Technical Committee CEN/TC 169 "Light and lighting", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2004, and conflicting national standards shall be withdrawn at the latest by May 2004.

This document EN 13201-2 has been worked out by the Joint Working Group of CEN/TC 169 "Light and lighting" and CEN/TC 226 "Road Equipment", the secretariat of which is held by AFNOR.

Annexes A and B are informative.

This document includes a Bibliography.

This standard, EN 13201 Road Lighting, consists of three parts. This document is;

Part 2: Performance requirements

The other parts of EN 13201 are:

Part 3: Calculation of performance

Part 4: Methods of measuring lighting performance

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

A lighting class is defined by a set of photometric requirements aiming at the visual needs of certain road users in certain types of road areas and environment.

The purpose of introducing lighting classes is to make it easier to develop and use road lighting products and services in CEN member countries. The lighting classes have been defined with consideration of road lighting standards in these countries aiming at harmonization of requirements where possible. However, some lighting classes and subclasses reflect particular situations and national approaches based on traditional, climatic or other conditions.

The ME classes are intended for drivers of motorized vehicles for user on traffic routes, and in some countries also residential roads, allowing medium to high driving speeds.

The CE classes are also intended for drivers of motorized vehicles, but for use on conflict areas such as shopping streets, road intersections of some complexity, roundabouts and queuing areas. These classes have applications also for pedestrians and pedal cyclists.

The S and A classes are intended for pedestrians and pedal cyclists for use on footways and cycleways, emergency lanes and other road areas lying separately or along the carriageway of a traffic route, residential roads, pedestrian streets, parking areas, schoolyards etc.

The ES classes are intended as an additional class in situations where public lighting is necessary for the identification of persons and objects and in road areas with a higher than normal crime risk.

The EV classes are intended as an additional class in situations where vertical surfaces need to be seen in such road areas as toll stations, interchange areas etc.

The requirements of the lighting classes reflect the category of road user in question or the type of road area. Thus the ME classes are based on the road surface luminance, while the CE, S and A classes are based on the illumination of the road area. The S and A classes reflect different priorities to the road lighting. The ES classes are based on semi-cylindrical illuminance, while the EV classes are based on the vertical plane illuminance.

The ME classes present increasingly stronger requirements in the order ME 6, ME 5,...ME 1 forming steps of the lighting level as measured for instance in illuminance. The other classes are arranged in the same way, and so that their steps interlock.

Environmental aspects of road lighting are considered in clause 7 in terms of day time appearance, night time appearance and light emitted in directions, where it is neither necessary nor desirable. The purpose is to point to matters that can be included in tender specifications or similar, when relevant.

Installed intensity classes for the restriction of disability glare and control of obtrusive light G.1, G.2, G.3, G.4, G.5 and G.6 are introduced in the informative annex A. The use of G classes is mentioned in clause 5 for conflict areas and in clause 7 on appearance and environmental aspects.

Installed glare index classes for the restriction of discomfort glare D.0, D.1, D.2, D.3, D.4, D.5 and D.6 are introduced in the informative annex A as well. These classes are intended mainly for road areas lighted for the benefit of pedestrians and pedal cyclists.

Local lighting of pedestrian crossings is considered in the informative annex B. The intention of local lighting is to attract the attention of drivers of motorized vehicles to the presence of the pedestrian crossing and to illuminate pedestrians in or at the crossing area.

1 Scope

This part of this European Standard defines, according to photometric requirements, lighting classes for road lighting aiming at the visual needs of road users, and it considers environmental aspects of road lighting.

NOTE Installed intensity classes for the restriction of disability glare and control of obtrusive light and installed glare index classes for the restriction of discomfort glare are defined in annex A.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 13201-3, Road lighting — Part 3: Calculation of performance.

EN 13201-4, Road lighting — Part 4: Methods of measuring lighting performance.

3 Terms and definitions

For the purposes of this European Standard, the following terms and definitions apply.

3.1

average road surface luminance (of a carriageway of a road) (\overline{L})

luminance of the road surface averaged over the carriageway

NOTE Unit is candelas per square metre (cd/m²).

3.2

longitudinal uniformity (of road surface luminance of a driving lane)

ratio of the lowest to the highest road surface luminance found in a line in the centre along a driving lane

3.3

longitudinal uniformity (of road surface luminance of a carriageway) (U_1)

lowest of the longitudinal uniformities of the driving lanes of the carriageway

3.4

threshold increment (*TI*)

measure of the loss of visibility caused by the disability glare of the luminaires of a road lighting installation

3.5

surround ratio (of illumination of a carriageway of a road) (SR)

average illuminance on strips just outside the edges of the carriageway in proportion to the average illuminance on strips just inside the edges