

This document is a preview generated by EVS

**ISEKANDVAD KAHEPOOLSETE KATTEPLEKKIDEGA  
SÄNDVITŠPANEELID. TÖÖSTUSLIKULT VALMISTATUD  
TOOTED. SPETSIFIKATSIOONID**

**Self-supporting double skin metal faced insulating  
panels - Factory made products - Specifications**

**EESTI STANDARDI EESSÕNA****NATIONAL FOREWORD**

See Eesti standard EVS-EN 14509:2013 sisaldab Euroopa standardi EN 14509:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 14509:2013 consists of the English text of the European standard EN 14509:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.10.2013.	Date of Availability of the European standard is 16.10.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 91.100.60

**Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektronisesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

**The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation**

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN 14509**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2013

ICS 91.100.60

Supersedes EN 14509:2006

English Version

## Self-supporting double skin metal faced insulating panels - Factory made products - Specifications

Panneaux sandwiches autoportants, isolants, double peau  
à parements métalliques - Produits manufacturés -  
Spécifications

Selbsttragende Sandwich-Elemente mit beidseitigen  
Metalldeckschichten - Werkmäßig hergestellte Produkte -  
Spezifikationen

This European Standard was approved by CEN on 18 July 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents	Page
<b>Foreword</b>	<b>8</b>
<b>1 Scope</b>	<b>9</b>
<b>2 Normative references</b>	<b>9</b>
<b>3 Terms and definitions</b>	<b>12</b>
<b>4 Symbols and abbreviations</b>	<b>13</b>
<b>5 Requirements, properties and test methods</b>	<b>17</b>
<b>5.1 Requirements for component materials</b>	<b>17</b>
<b>5.1.1 General</b>	<b>17</b>
<b>5.1.2 Metal facings</b>	<b>17</b>
<b>5.1.3 Core materials</b>	<b>19</b>
<b>5.1.4 Adhesives and bonding</b>	<b>19</b>
<b>5.2 Properties of panels</b>	<b>19</b>
<b>5.2.1 Mechanical resistance of the panel</b>	<b>19</b>
<b>5.2.2 Thermal transmittance</b>	<b>21</b>
<b>5.2.3 Durability and other long-term effects</b>	<b>21</b>
<b>5.2.4 Fire characteristics</b>	<b>23</b>
<b>5.2.5 Dimensional tolerances for sandwich panels</b>	<b>24</b>
<b>5.2.6 Water permeability</b>	<b>24</b>
<b>5.2.7 Air permeability</b>	<b>25</b>
<b>5.2.8 Water vapour permeability</b>	<b>25</b>
<b>5.2.9 Airborne sound insulation (<math>R_w(C; C_{tr})</math>)</b>	<b>25</b>
<b>5.2.10 Sound absorption (<math>\alpha_w</math>)</b>	<b>25</b>
<b>5.2.11 Dangerous substances</b>	<b>25</b>
<b>5.3 Actions and safety level requirements</b>	<b>25</b>
<b>5.3.1 Mechanical resistance to design loads</b>	<b>25</b>
<b>5.3.2 Actions and combinations of actions</b>	<b>26</b>
<b>6 Evaluation of conformity, testing, assessment and sampling methods</b>	<b>26</b>
<b>6.1 General</b>	<b>26</b>
<b>6.2 Initial type testing – ITT</b>	<b>26</b>
<b>6.2.1 Initial type evaluation</b>	<b>26</b>
<b>6.2.2 Existing ITT test data</b>	<b>27</b>
<b>6.2.3 Sampling for ITT and audit testing purposes</b>	<b>27</b>
<b>6.2.4 Testing and compliance criteria – ITT</b>	<b>28</b>
<b>6.2.5 Shortened testing programme – ITT (product change)</b>	<b>28</b>
<b>6.3 Factory Production Control (FPC)</b>	<b>33</b>
<b>6.3.1 General</b>	<b>33</b>
<b>6.3.2 Results of FPC tests</b>	<b>33</b>
<b>6.3.3 Equipment</b>	<b>34</b>
<b>6.3.4 Raw materials and components</b>	<b>34</b>
<b>6.3.5 Product testing and assessment – FPC</b>	<b>35</b>
<b>6.3.6 Conformity of Factory Production Control – supplier purchases</b>	<b>37</b>
<b>6.4 Characteristic values from families of tests</b>	<b>38</b>
<b>7 Classification and designation</b>	<b>39</b>
<b>8 Marking, labelling and packaging</b>	<b>40</b>
<b>8.1 Marking and labelling</b>	<b>40</b>
<b>8.2 Packaging, transport, storage and handling</b>	<b>41</b>

<b>Annex A (normative) Testing procedures for material properties .....</b>	<b>42</b>
<b>A.1 Cross panel tensile test .....</b>	<b>42</b>
A.1.1 Principle.....	42
A.1.2 Apparatus.....	42
A.1.3 Test specimens.....	42
A.1.4 Procedure.....	43
A.1.5 Calculations and results .....	43
A.1.6 Cross panel modulus at elevated temperature .....	44
<b>A.2 Compressive strength and modulus of the core material.....</b>	<b>45</b>
A.2.1 Principle.....	45
A.2.2 Apparatus.....	45
A.2.3 Test specimens.....	45
A.2.4 Procedure.....	45
A.2.5 Calculations and results .....	45
<b>A.3 Shear test on the core material.....</b>	<b>46</b>
A.3.1 Principle.....	46
A.3.2 Apparatus.....	46
A.3.3 Test specimens.....	47
A.3.4 Procedure.....	48
A.3.5 Calculations and results – short-term loading .....	48
A.3.6 Test procedures, calculations and results – long term loading .....	51
<b>A.4 Test to determine the shear properties of a complete panel .....</b>	<b>52</b>
A.4.1 Principle.....	52
A.4.2 Apparatus.....	52
A.4.3 Test specimens.....	53
A.4.4 Procedure.....	54
A.4.5 Calculations and results .....	54
<b>A.5 Test to determine the bending moment capacity of a simply supported panel .....</b>	<b>57</b>
A.5.1 Principle.....	57
A.5.2 Apparatus.....	57
A.5.3 Test specimens.....	60
A.5.4 Procedure.....	60
A.5.5 Calculations and results .....	61
<b>A.6 Determination of the creep coefficient (<math>\varphi_t</math>).....</b>	<b>66</b>
A.6.1 Principle.....	66
A.6.2 Apparatus.....	66
A.6.3 Test specimens.....	66
A.6.4 Procedure.....	66
A.6.5 Calculations and results .....	67
<b>A.7 Interaction between bending moment and support force .....</b>	<b>68</b>
A.7.1 Principle.....	68
A.7.2 Apparatus.....	69
A.7.3 Test specimens.....	70
A.7.4 Procedure.....	70
A.7.5 Calculations and results .....	70
<b>A.8 Determination of apparent core density and mass of panel.....</b>	<b>71</b>
A.8.1 Determination of apparent core density .....	71
A.8.2 Determination of mass of a panel .....	72
<b>A.9 Test for resistance to point loads and repeated loads .....</b>	<b>72</b>
A.9.1 Panels subject to point loads.....	72
A.9.2 Panels subject to repeated loads .....	73
<b>A.10 Calculation method for the determination of the thermal transmittance of a panel (<math>U</math>) .....</b>	<b>75</b>

A.10.1 General.....	75
A.10.2 Determination of the thermal conductivity of component materials.....	75
A.10.3 Calculation of the thermal transmittance of a panel ( $U$ ).....	76
A.10.4 Simplified method for the calculation of the thermal transmittance of a panel ( $U_{d,S}$ ) .....	79
A.11 Water permeability – resistance to driving rain under pulsating pressure .....	81
A.11.1 Principle.....	81
A.11.2 Apparatus .....	81
A.11.3 Test specimens .....	81
A.11.4 Procedure .....	82
A.11.5 Calculations and results .....	82
A.12 Air permeability.....	82
A.12.1 Principle.....	82
A.12.2 Apparatus .....	82
A.12.3 Test specimens .....	82
A.12.4 Procedure .....	82
A.12.5 Calculations and results .....	82
A.13 Airborne sound insulation.....	83
A.13.1 Principle.....	83
A.13.2 Apparatus .....	83
A.13.3 Test specimens .....	83
A.13.4 Procedure .....	83
A.13.5 Calculations and results .....	83
A.14 Sound absorption .....	83
A.14.1 Principle.....	83
A.14.2 Apparatus .....	83
A.14.3 Test specimens .....	83
A.14.4 Procedure .....	83
A.14.5 Calculations and results .....	83
A.15 Support reaction capacity at the end of a panel.....	84
A.15.1 Principle.....	84
A.15.2 Apparatus .....	84
A.15.3 Test specimens .....	84
A.15.4 Procedure .....	85
A.15.5 Calculation and results .....	85
A.16 Recording and interpretation of test results.....	86
A.16.1 ITT tests .....	86
A.16.2 FPC tests .....	87
A.16.3 Determination of characteristic values from tests .....	87
A.16.4 Interpolation and extrapolation of test results .....	88
Annex B (normative) Durability testing method for sandwich panels.....	89
B.1 General.....	89
B.2 Test DUR1 .....	89
B.2.1 Principle.....	89
B.2.2 Apparatus .....	89
B.2.3 Test specimens .....	89
B.2.4 Procedure .....	90
B.2.5 Test results and acceptance criteria – DUR1 .....	91
B.3 Test DUR2.....	91
B.3.1 Principle.....	91
B.3.2 Apparatus .....	91
B.3.3 Test specimens .....	92
B.3.4 Procedure .....	93

<b>B.3.5</b>	<b>Test results and acceptance criteria – DUR2 .....</b>	<b>94</b>
<b>B.4</b>	<b>Test report on durability tests.....</b>	<b>94</b>
<b>B.5</b>	<b>Adhesive bond between faces and prefabricated core material (wedge test) .....</b>	<b>95</b>
<b>B.5.1</b>	<b>Principle.....</b>	<b>95</b>
<b>B.5.2</b>	<b>Apparatus .....</b>	<b>95</b>
<b>B.5.3</b>	<b>Test specimens.....</b>	<b>96</b>
<b>B.5.4</b>	<b>Procedure.....</b>	<b>96</b>
<b>B.5.5</b>	<b>Test results and acceptance criteria .....</b>	<b>97</b>
<b>B.6</b>	<b>Repeated loading test .....</b>	<b>98</b>
<b>B.6.1</b>	<b>Principle.....</b>	<b>98</b>
<b>B.6.2</b>	<b>Apparatus .....</b>	<b>98</b>
<b>B.6.3</b>	<b>Test specimens.....</b>	<b>98</b>
<b>B.6.4</b>	<b>Procedure.....</b>	<b>98</b>
<b>B.6.5</b>	<b>Calculations and results .....</b>	<b>98</b>
<b>B.7</b>	<b>Thermal shock test.....</b>	<b>98</b>
<b>B.7.1</b>	<b>Principle.....</b>	<b>98</b>
<b>B.7.2</b>	<b>Apparatus .....</b>	<b>99</b>
<b>B.7.3</b>	<b>Test specimens.....</b>	<b>99</b>
<b>B.7.4</b>	<b>Procedure.....</b>	<b>99</b>
<b>B.7.5</b>	<b>Calculations and results .....</b>	<b>100</b>
<b>Annex C</b> (normative)	<b>Fire performance tests – additional instructions and direct field of application.....</b>	<b>101</b>
<b>C.1</b>	<b>Reaction to fire .....</b>	<b>101</b>
<b>C.1.1</b>	<b>Fire test EN 13823 (SBI) – specimens and mounting and fixing .....</b>	<b>101</b>
<b>C.1.2</b>	<b>Fire test EN ISO 11925-2 (ignitability test) .....</b>	<b>104</b>
<b>C.1.3</b>	<b>Direct field of application of reaction to fire test results.....</b>	<b>105</b>
<b>C.2</b>	<b>Fire resistance .....</b>	<b>108</b>
<b>C.2.1</b>	<b>General .....</b>	<b>108</b>
<b>C.2.2</b>	<b>Fire resistance test EN 1364-1 — Walls .....</b>	<b>109</b>
<b>C.2.3</b>	<b>Fire resistance test EN 1365-2 — Roofs.....</b>	<b>112</b>
<b>C.2.4</b>	<b>Field of application of fire resistance test results .....</b>	<b>113</b>
<b>C.3</b>	<b>Fire tests CEN/TS 1187 - external fire performance for roofs.....</b>	<b>114</b>
<b>C.3.1</b>	<b>Classification without further testing (CWFT).....</b>	<b>114</b>
<b>C.3.2</b>	<b>CEN/TS 1187 Method 1 test .....</b>	<b>115</b>
<b>C.3.3</b>	<b>CEN/TS 1187 Method 2 test .....</b>	<b>115</b>
<b>C.3.4</b>	<b>CEN/TS 1187 Method 3 test .....</b>	<b>115</b>
<b>C.3.5</b>	<b>CEN/TS 1187 Method 4 test .....</b>	<b>116</b>
<b>C.4</b>	<b>Determination of the amount and thickness of the adhesive layer .....</b>	<b>116</b>
<b>C.4.1</b>	<b>General .....</b>	<b>116</b>
<b>C.4.2</b>	<b>Measurements on a manufactured panel.....</b>	<b>116</b>
<b>C.4.3</b>	<b>Measurements during production .....</b>	<b>117</b>
<b>Annex D</b> (normative)	<b>Dimensional tolerances .....</b>	<b>119</b>
<b>D.1</b>	<b>General .....</b>	<b>119</b>
<b>D.2</b>	<b>Dimensional tolerances .....</b>	<b>119</b>
<b>D.2.1</b>	<b>Thickness of panel and joint conformity .....</b>	<b>119</b>
<b>D.2.2</b>	<b>Deviation from flatness.....</b>	<b>120</b>
<b>D.2.3</b>	<b>Depth of metal profile.....</b>	<b>121</b>
<b>D.2.4</b>	<b>Depth of stiffeners on lightly profiled facings.....</b>	<b>121</b>
<b>D.2.5</b>	<b>Length.....</b>	<b>122</b>
<b>D.2.6</b>	<b>Cover width .....</b>	<b>122</b>
<b>D.2.7</b>	<b>Deviation from squareness .....</b>	<b>124</b>

D.2.8	Deviation from straightness .....	125
D.2.9	Bowing .....	125
D.2.10	Pitch of profile.....	126
D.2.11	Widths of rib and valley .....	127
<b>Annex E (normative) Design procedures.....</b>		<b>128</b>
E.1	Definitions and symbols .....	128
E.1.1	Properties of a sandwich panel.....	128
E.1.2	Symbols used in Annex E.....	129
E.1.3	Sign convention used in Annex E.....	131
E.2	General.....	131
E.3	Actions.....	132
E.3.1	General.....	132
E.3.2	Permanent actions.....	132
E.3.3	Variable actions .....	132
E.3.4	Actions due to long term effects.....	133
E.4	Resistance .....	133
E.4.1	General.....	133
E.4.2	Residual (rest) bending resistance at an intermediate support .....	134
E.4.3	End support reaction capacity .....	135
E.5	Combination rules .....	136
E.5.1	General.....	136
E.5.2	Ultimate limit state .....	136
E.5.3	Combination of the effects of actions for the ultimate limit state .....	137
E.5.4	Serviceability limit state .....	137
E.5.5	Combination of the effects of actions for the serviceability limit states .....	138
E.6	Combination coefficients and safety factors.....	139
E.6.1	Combination coefficients .....	139
E.6.2	Load factors .....	139
E.6.3	Material factors .....	140
E.7	Calculation of the effects of actions .....	141
E.7.1	General.....	141
E.7.2	Methods of analysis .....	141
E.7.3	Static system, geometry and thickness .....	146
E.7.4	Sandwich panels with plane or lightly profiled faces .....	146
E.7.5	Sandwich panels with strongly profiled faces.....	147
E.7.6	The influence of time on shear deformations of the core .....	147
E.8	Panels with special profiles.....	148
E.8.1	General.....	148
E.8.2	Determination of the effective properties of the faces and the core .....	148
E.8.3	Design of panels with special profiles.....	148
<b>Annex F (informative) Significant technical changes between this European Standard and the previous edition .....</b>		<b>152</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive.....</b>		<b>156</b>
ZA.1	Scope and relevant characteristics .....	156
ZA.2	Procedures for the attestation of conformity of sandwich panels .....	158
ZA.2.1	Systems of attestation of conformity .....	158
ZA.2.2	Certificate and Declaration of Conformity .....	161
ZA.3	CE Marking and labelling .....	163
ZA.3.1	General.....	163

<b>ZA.3.2 Information accompanying CE Marking symbol – Internal walls and ceilings .....</b>	<b>163</b>
<b>ZA.3.3 Information accompanying CE Marking symbol – External walls.....</b>	<b>164</b>
<b>ZA.3.4 Information accompanying CE Marking symbol – Roofs.....</b>	<b>166</b>
<b>ZA.3.5 Example of CE Marking and descriptive information .....</b>	<b>168</b>
<b>Bibliography.....</b>	<b>175</b>

## Foreword

This document (EN 14509:2013) has been prepared by Technical Committee CEN/TC 128 "Roof covering products for discontinuous laying and products for wall cladding", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2014, and conflicting national standards shall be withdrawn at the latest by October 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14509:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

Annex F provides details of significant technical changes between this European Standard and the previous edition.

Data obtained from earlier tests in accordance to EN 14509:2006 may be used without the need for further testing to the revised procedures (6.2.2) providing the declared data does not change significantly.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies requirements for factory made, self-supporting, double skin metal faced insulating sandwich panels, which are intended for discontinuous laying in the following applications:

- a) roofs and roof cladding;
- b) external walls and wall cladding;
- c) walls (including partitions) and ceilings within the building envelope.

The insulating core materials covered by this European Standard are rigid polyurethane, expanded polystyrene, extruded polystyrene foam, phenolic foam, cellular glass and mineral wool.

NOTE Polyurethane (PUR) includes polyisocyanurate (PIR).

Panels with edge details that utilise different materials from the main insulating core are included in this European Standard.

Panels used in cold store applications are included in this European Standard. Panels, put on the market as a component of a cold storage room, building and/or building envelope kit are covered by ETA-Guideline 021 "Cold storage premises kits".

This European Standard does not cover the following:

- i. sandwich panels with a declared thermal conductivity for the insulating core greater than 0,06 W/m·K at 10 °C;
- ii. products consisting of two or more clearly defined layers of different insulating core materials (multi-layered);
- iii. panels with perforated facing(s);
- iv. curved panels.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 485-2, *Aluminium and aluminium alloys - Sheet, strip and plate - Part 2: Mechanical properties*

EN 485-4, *Aluminium and aluminium alloys - Sheet, strip and plate - Part 4: Tolerances on shape and dimensions for cold-rolled products*

EN 508-1, *Roofing products from metal sheet - Specification for self-supporting products of steel, aluminium or stainless steel sheet - Part 1: Steel*

EN 826, *Thermal insulating products for building applications - Determination of compression behaviour*

EN 1172, *Copper and copper alloys - Sheet and strip for building purposes*

CEN/TS 1187, *Test methods for external fire exposure to roofs*

- EN 1363-1, *Fire resistance tests - Part 1: General Requirements*
- EN 1364-1, *Fire resistance tests for non-loadbearing elements - Part 1: Walls*
- EN 1364-2, *Fire resistance tests for non-loadbearing elements - Part 2: Ceilings*
- EN 1365-2, *Fire resistance tests for loadbearing elements - Part 2: Floors and roofs*
- EN 1396, *Aluminium and aluminium alloys - Coil coated sheet and strip for general applications - Specifications*
- EN 1602, *Thermal insulating products for building applications - Determination of the apparent density*
- EN 1607, *Thermal insulating products for building applications - Determination of tensile strength perpendicular to faces*
- EN 1990, *Eurocode - Basis of structural design*
- EN 10088-1, *Stainless steels - Part 1: List of stainless steels*
- EN 10143, *Continuously hot-dip coated steel sheet and strip - Tolerances on dimensions and shape*
- EN 10169, *Continuously organic coated (coil coated) steel flat products — Technical delivery conditions*
- EN 10204, *Metallic products - Types of inspection documents*
- EN 10346:2009, *Continuously hot-dip coated steel flat products - Technical delivery conditions*
- EN 12085, *Thermal insulating products for building applications - Determination of linear dimensions of test specimens*
- EN 12114, *Thermal performance of buildings - Air permeability of building components and building elements - Laboratory test method*
- EN 12865, *Hygrothermal performance of building components and building elements - Determination of the resistance of external wall systems to driving rain under pulsating air pressure*
- EN 13162, *Thermal insulation products for buildings - Factory made mineral wool (MW) products - Specification*
- EN 13163, *Thermal insulation products for buildings - Factory made expanded polystyrene (EPS) products - Specification*
- EN 13164, *Thermal insulation products for buildings - Factory made extruded polystyrene foam (XPS) products - Specification*
- EN 13165, *Thermal insulation products for buildings - Factory made rigid polyurethane foam (PU) products - Specification*
- EN 13166, *Thermal insulation products for buildings - Factory made phenolic foam (PF) products - Specification*
- EN 13167, *Thermal insulation products for buildings - Factory made cellular glass (CG) products - Specification*
- CEN/TS 13381-1, *Test methods for determining the contribution to the fire resistance of structural members - Part 1: Horizontal protective membranes*

ENV 13381-2, *Test methods for determining the contribution to the fire resistance of structural members - Part 2: Vertical protective membranes*

EN 13501-1, *Fire classification of construction products and building elements - Part 1: Classification using test data from reaction to fire tests*

EN 13501-2, *Fire classification of construction products and building elements - Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN 13501-5, *Fire classification of construction products and building elements - Part 5: Classification using data from external fire exposure to roofs tests*

EN 13823, *Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item*

EN 14135, *Coverings - Determination of fire protection ability*

EN 15254-5, *Extended application of results from fire resistance tests - Non-loadbearing walls - Part 5: Metal sandwich panel construction*

EN ISO 354:2003, *Acoustics - Measurement of sound absorption in a reverberation room (ISO 354)*

EN ISO 717-1, *Acoustics - Rating of sound insulation in buildings and of building elements - Part 1: Airborne sound insulation (ISO 717-1)*

EN ISO 1182, *Reaction to fire tests for products - Non-combustibility test (ISO 1182)*

EN ISO 1716, *Reaction to fire tests for products - Determination of the gross heat of combustion (calorific value) (ISO 1716)*

EN ISO 6270-1, *Paints and varnishes - Determination of resistance to humidity - Part 1: Continuous condensation (ISO 6270-1)*

EN ISO 6892-1, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)*

EN ISO 6946, *Building components and building elements - Thermal resistance and thermal transmittance - Calculation method (ISO 6946)*

EN ISO 9445 (all parts), *Continuously cold-rolled stainless steel - Tolerances on dimensions and form (ISO 9445)*

EN ISO 10140 (all parts), *Acoustics - Laboratory measurement of sound insulation of building elements (ISO 10140)*

EN ISO 10211, *Thermal bridges in building construction - Heat flows and surface temperatures - Part 1: Detailed calculations (ISO 10211)*

EN ISO 10456, *Building materials and products - Hygrothermal properties - Tabulated design values and procedures for determining declared and design thermal values (ISO 10456)*

EN ISO 11654, *Acoustics - Sound absorbers for use in buildings - Rating of sound absorption (ISO 11654)*

EN ISO 11925-2, *Reaction to fire tests - Ignitability of products subjected to direct impingement of flame – Part 2: Single-flame source test (ISO 11925-2)*

ISO 12491, *Statistical methods for quality control of building materials and components*