USTE, LUUKIDE JA AVATAVATE AKENDE NING NENDE SULUSTE TULEPÜSIVUSE JA/VÕI SUITSUPIDAVUSE KATSETULEMUSTE KASUTUSULATUSE LAIENDAMINE. OSA 20: HINGEDE JA PÖÖRDTELGEDEGA TERASEST, PUIDUST JA METALLPROFIILIDEST UKSEKOMPLEKTIDE SUITSUPIDAVUS

Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 20: Smoke control for hinged and pivoted steel, timber and metalframed glazed doorsets



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | | This Estonian standard EVS-EN 15269-20:2009 consists of the English text of the European standard EN 15269-20:2009. |
|---|----------------------|--|
| Standard on jõustunud avaldamisega EVS Teatajas. | | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| | vuslikele liikmetele | Date of Availability of the European standard is 23.09.2009. |
| Standard on kä Standardikeskusest. | ittesaadav Eesti | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 13.220.50, 91.060.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EN 15269-20

EUROPÄISCHE NORM

September 2009

ICS 13.220.50; 91.060.50

English Version

Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 20: Smoke control for hinged and pivoted steel, timber and metal framed glazed doorsets

Application étendue des résultats d'essais en matière de résistance au feu et/ou d'étanchéité à la fumée des blocsportes, blocs-fermetures et ouvrants de fenêtre, y compris leurs éléments de quincaillerie intégrés - Partie 20 : Étanchéité à la fumée des blocs-portes battants et pivotants en acier, en bois et vitrés à ossature métallique

Erweiterter Anwendungsbereich von Prüfergebnissen zur Feuerwiderstandsfähigkeit und/oder Rauchdichtigkeit von Türen, Toren und Fenstern einschließlich ihrer Baubeschläge - Teil 20: Rauchdichtigkeit von Drehflügeltüren und -toren aus Holz und Stahl sowie Metall- und Holzrahmentüren mit Verglasungen

This European Standard was approved by CEN on 1 August 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

| ont | tents | Page |
|---------------|--|------|
| | | |
| | ord | |
| rodu | uction | |
| | Scope | |
| | Normative references | |
| | Definitions | 6 |
| 1 | Determination of the field of extended application | 6 |
| <u>2</u> 3 | Procedure for evaluation Procedure for maximum field of extended application | 6 |
| ļ | Interpretation of test results Extended application report | |
| | Classification report | |
| | • | |
| | A (normative) Construction parameter variations | |
| | B (normative) Arrangements for doorsets incorporating side and/or overpanels graphy | |
| J.106 | угарпу | 70 |
| | | |
| | | |
| | | |

Foreword

This document (EN 15269-20:2009) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2010, and conflicting national standards shall be withdrawn at the latest by March 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

The (pr/Fpr)EN 15269 series of standards Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware currently consists of:

- Part 1: General Requirements
- Part 2: Fire resistance of hinged and pivoted steel doorsets
- Part 3: Fire resistance of hinged and pivoted timber doorsets and openable timber framed windows
- Part 4: Fire resistance of hinged and pivoted glass doorsets
- Part 5: Fire resistance of hinged and pivoted, metal framed, glazed doorsets and openable windows
- Part 6: Fire resistance of sliding timber doorsets
- Part 7: Fire resistance of sliding steel doorsets
- Part 8: Fire resistance of horizontally folding timber doorsets
- Part 9: Fire resistance of horizontally folding steel doorsets
- Part 10: Fire resistance of steel rolling shutters
- Part 11: Fire resistance of operable fabric curtains
- Part 20: Smoke control for hinged and pivoted steel, timber and metal framed glazed doorsets

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

This document is one of a series of standards listed above and is intended to be used for the purpose of producing an extended application report based on the evaluation of one or more fire resistance and/or smoke control tests. These standards may also be used to identify the best selection of test specimens required to cover a wide range of product variations.

Before there can be any consideration for extended application the doorset shall have been tested in accordance with EN 1634-3 to achieve a test result which could generate a classification in accordance with EN 13501-2 at least equal to the classification subsequently required from extended application considerations.

A review of the doorset construction parameters can indicate that one or more characteristics may be improved by a particular parameter variation. All evaluations shall be made on the basis of retaining the fire resistance classifications obtainable from testing to EN 1634-3. However, this shall never lead to an increased classification for any specific fire or smoke performance parameter beyond that achieved during any one test unless specifically identified in the relevant Construction Parameter Variation tables within this series of standards.

The classification of smoke control of doiorsets foresees the addition of the symbol "C" indicating that the product also satisfies the "self closing" criterion. The "C" classification is complimented by the digits 0 to 5 d in ess is according to the use category on the basis of details included in the relevant product standards. The effect on the "C" classification following an extended application process is not addressed in this standard.

1 Scope

This Part of (pr/Fpr)EN 15269, which should be read in conjunction with prEN 15269-1, covers hinged and pivoted steel doorsets, hinged and pivoted timber doorsets (including timber framed glazed doorsets) and hinged and pivoted metal framed glazed doorsets of single or double-leaf construction.

The document prescribes the methodology for extending the application of test results obtained from test(s) conducted in accordance with EN 1634-3.

NOTE It is anticipated that the above scope will be extended to cover other product types when the relevant test information and expertise become available.

Subject to the completion of the appropriate test or tests, the extended application may cover Ambient Temperature Smoke Control (S_m) and Medium Temperature Smoke Control (S_m) classifications and all or some of the following variations:

- glazed elements, louvres and/or vents;
- side, transom or overpanels;
- items of building hardware;
- decorative finishes;
- intumescent, smoke, draught or acoustic seals;
- alternative supporting construction(s).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1363-1:1999, Fire resistance tests - Part 1: General requirements

EN 1634-1:2008, Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware – Part 1: Fire resistance tests for doors, shutters and openable windows

EN 1634-2, Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware – Part 2: Fire resistance characterisation test for elements of building hardware

EN 1634-3:2004, Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware – Part 3: Smoke control test for door and shutter assemblies

EN 13501-2:2007, Fire classification of construction products and building elements – Part 2: Classification using data from fire resistance tests, excluding ventilation services

prEN 15269-1:2009, Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware – Part 1: General Requirements

EN ISO 13943:2000, Fire safety - Vocabulary (ISO 13943:2000)