KAARKEEVITUSSEADMED. OSA 1: KEEVITAMISE ENERGIAALLIKAD

Arc welding equipment - Part 1: Welding power sources



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60974-1:2018 sisaldab Euroopa standardi EN IEC 60974-1:2018 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 60974-1:2018 consists of the English text of the European standard EN IEC 60974-1:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 28.09.2018.	Date of Availability of the European standard is 28.09.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 25.160

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60974-1

September 2018

ICS 25.160

Supersedes EN 60974-1:2012

English Version

Arc welding equipment - Part 1: Welding power sources (IEC 60974-1:2017)

Matériel de soudage à l'arc - Partie 1: Sources de courant de soudage (IEC 60974-1:2017) Lichtbogenschweißeinrichtungen - Teil 1: Schweißstromquellen (IEC 60974-1:2017)

This European Standard was approved by CENELEC on 2018-07-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 26/610/FDIS, future edition 5 of IEC 60974-1, prepared by IEC/TC 26 "Electric welding" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60974-1:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn

This document supersedes EN 60974-1:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60974-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60038:2009	NOTE	Harmonized as EN 60038:2011 (modified)
IEC 60085	NOTE	Harmonized as EN 60085
IEC 60204-1	NOTE	Harmonized as EN 60204-1
IEC 60309-1	NOTE	Harmonized as EN 60309-1
IEC 60335-2-29	NOTE	Harmonized as EN 60335-2-29
IEC 60384-14	NOTE	Harmonized as EN 60384-14
IEC 60950-1	NOTE	Harmonized as EN 60950-1
IEC 60974-3	NOTE	Harmonized as EN 60974-3
IEC 60974-4	NOTE	Harmonized as EN 60974-4
IEC 60974-6	NOTE	Harmonized as EN 60974-6
IEC 60974-9	NOTE	Harmonized as EN IEC 60974-9
IEC 60974-10	NOTE	Harmonized as EN 60974-10
IEC 60974-12	NOTE	Harmonized as EN 60974-12
IEC 61032:1997	NOTE	Harmonized as EN 61032:1998 (not modified)
IEC 61558-1	NOTE	Harmonized as EN 61558-1
IEC 62281	NOTE	Harmonized as EN 62281
ISO 13732-1	NOTE	Harmonized as EN ISO 13732-1

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-151	-	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	-	-
IEC 60050-851	-	International Electrotechnical Vocabulary - Part 851: Electric welding	-	-
IEC 60245-6	-	Rubber insulated cables - Rated voltages up to and including 450/750 V Part 6: Arc welding electrode cables	-	-
IEC 60417	-	Graphical symbols for use on equipment. Index, survey and compilation of the single sheets.	HD 243 S12	-
IEC 60445	-	Basic and safety principles for man- machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors	-	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	9	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	<u>-</u>
IEC 60695-11-10	-	Fire hazard testing Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-
IEC 60974-7	-	Arc welding equipment Part 7:Torches	EN 60974-7	-

IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment	EN 61140	-
IEC 61558-2-4	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers	EN 61558-2-4	-
IEC 61558-2-6	3	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	-
IEC 62133-1	- (Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 1: Nickel systems	EN 62133-1	-
IEC 62133-2	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications - Part 2: Lithium systems	EN 62133-2	-
ISO 7010	2011	Graphical symbols - Safety colours and safety signs - Registered safety signs	EN ISO 7010	2012
4				

CONTENTS

Г	JREWORL	/	9
1	Scope		11
2	Normati	ve references	11
3	Terms a	and definitions	12
		eneral terms	
		erms related to battery systems	
4		mental conditions	
5			
J		est conditions	
		easuring instruments	
		onformity of components	
		rpe tests	
	-	putine tests	
6		on against electric shock	
U		sulation	
	6.1.1	General	
	6.1.2	Clearances	
	6.1.3	Creepage distances	
	6.1.4	Insulation resistance	
	6.1.5	Dielectric strength	
		otection against electric shock in normal service (direct contact)	
	6.2.1	Protection provided by the enclosure	
	6.2.2	Capacitors	
	6.2.3	Automatic discharge of supply circuit capacitors	
	6.2.4	Isolation of the welding circuit	
	6.2.5	Welding circuit touch current	
	6.2.6	Touch current in normal condition	
		stection against electric shock in case of a fault condition (indirect contact)	
	6.3.1	Protective provisions	37
	6.3.2	Isolation between windings of the supply circuit and the welding circuit	
	6.3.3	Internal conductors and connections	
	6.3.4	Additional requirements for plasma cutting systems	
	6.3.5	Movable coils and cores	
	6.3.6	Touch current in fault condition	
7	Therma	l requirements	39
	7.1 He	eating test	39
	7.1.1	Test conditions	
	7.1.2	Tolerances of the test parameters	
	7.1.3	Duration of test	
		emperature measurement	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	7.2.1	Measurement conditions	
	7.2.2	Surface temperature sensor	
	7.2.3	Resistance	
	7.2.4	Embedded temperature sensor	
	7.2.5	Determination of the ambient air temperature	41

	7.2.6	5 1	
	7.3	Limits of temperature rise	41
	7.3.1	Windings, commutators and slip-rings	41
	7.3.2	External surfaces	42
	7.3.3	Other components	43
	7.4	Loading test	43
	7.5	Commutators and slip-rings	44
8	Therr	mal protection	44
	8.1	General requirements	44
	8.2	Construction	
	8.3	Location	
	8.4	Operating capacity	
	8.5	Operation	
	8.6	Resetting	
	8.7	Indication	
9		rmal operation	
9			
	9.1	General requirements	
	9.2	Stalled fan test	
	9.3	Short circuit test	
	9.4	Overload test	
10	Conn	ection to the supply network	
	10.1	Supply voltage	
	10.2	Multi-supply voltage	47
	10.3	Means of connection to the supply circuit	
	10.4	Marking of terminals	
	10.5	Protective circuit	
	10.5.	1 Continuity requirement	48
	10.5.		
	10.5.	3 Routine test	49
	10.6	Cable anchorage	50
	10.7	Inlet openings	51
	10.8	Supply circuit on/off switching device	
	10.9	Supply cables	
	10.10	Supply coupling device (attachment plug)	52
11	Outp	ut	53
	11.1	Rated no-load voltage	53
	11.1.		
	11.1.		
	11.1.		
	11.1.		
	11.1.		
	11.1.	·	
	11.1.	Type test values of the conventional load voltage	
	11.2.		
	11.2.	_	
	11.2.		50 56

11.2	.4 Submerged arc welding	56
11.2	.5 Plasma cutting	56
11.2	.6 Plasma welding	56
11.2	.7 Plasma gouging	56
11.2	.8 Additional requirements	56
11,3	Mechanical switching devices used to adjust output	57
11.4	Welding circuit connections	57
11.4	.1 Protection against unintentional contact	57
11.4	.2 Location of coupling devices	57
11.4	.3 Outlet openings	57
11.4	.4 Three-phase multi-operator welding transformer	57
11.4	.5 Marking	58
11.4	.6 Connections for plasma cutting torches	58
11.5	Power supply to external devices connected to the welding circuit	58
11.6	Auxiliary power supply	58
11.7	Welding cables	
12 Cont	trol circuits	59
12.1	General requirement	59
12.2	Isolation of control circuits	
12.3	Working voltages of remote control circuits	
_	ard reducing device	
13.1	General requirements	60
13.2	Types of hazard reducing devices	
13.2		
13.2		
13.3	Requirements for hazard reducing devices	
13.3		
13.3		
13.3		
13.3		
	hanical provisions	
14.1	General requirements	61
14.1	Enclosure	61
14.2		
14.2		
14.2	Handling means	
14.3		
14.3	·	
14.4	Drop withstand	
14.5	Tilting stability	
	ng plate	
15.1	General requirements	
15.2	Description	
15.3	Contents	
15.4 15.5	Tolerances	
15.5	Direction of rotation	
•	stment of the output	
16.1	Type of adjustment	68

16.2 M	arking of the adjusting device	69
16.3 In	dication of current or voltage control	69
17 Instruct	tions and markings	70
17.1 In	structions	70
17.2 M	arkings	71
Annex A (in	formative) Nominal voltages of supply networks	72
Annex B (in	formative) Example of a combined dielectric test	73
	ormative) Unbalanced load in case of AC tungsten inert-gas welding power	
sources		74
C.1 G	eneral	74
C.2 U	nbalanced load	74
C.3 E	xample for an unbalanced load	75
Annex D (in	formative) Extrapolation of temperature to time of shutdown	76
Annex E (no	ormative) Construction of supply circuit terminals	77
E.1 S	ize of terminals	77
E.2 C	onnections at the terminals	77
E.3 C	onstruction of the terminals	78
E.4 F	ixing of the terminals	78
Annex F (in	formative) Cross-reference to non-SI units	79
Annex G (in r.m.s. value	formative) Suitability of supply network for the measurement of the true of the supply current	80
Annex H (in	formative) Plotting of static characteristics	81
	eneral	
	lethod	
	nalysis of the results	
	rmative) Test methods for a 10 Nm impact	
•	endulum impact hammer	
	ree fall spherical steel weight	
	rmative) Thickness of sheet metal for enclosures	
•	formative) Examples of rating plates	
-	formative) Graphical symbols for arc welding equipment	
`	, , ,	
	eneral	
	se of symbols	
L.2.1	General	
L.2.2	Selection of symbols	
L.2.3	Size of symbols	
L.2.4	ymbolsymbols	
L.3 S L.3.1		
L.3.1 L.3.2	GeneralLetter symbols	
L.3.2 L.3.3	Graphical symbols	
	xamples of combinations of symbols	
	xamples of control panels	
	formative) Efficiency and idle state power measurement	
,	· · · · · · · · · · · · · · · · · · ·	
	leasuring efficiencyleasuring idle state power	
	•	. 121
	//////////////////////////////////////	

Annex O (norn	native) Battery-powered welding power sources	128
O.1 Gen	eral	128
O.4 Env	ironmental conditions	129
O.5 Tes	ts	129
0.5.1	Test conditions	129
0.5.3	Conformity of components	130
O.6 Prot	ection against electric shock	131
0.6.1	Insulation	131
0.6.2	Protection against electric shock in normal service	132
O.7 The	rmal requirements	133
0.7.1	Heating test	133
0.7.2	Temperature measurement	134
0.7.4	Loading test	134
0.7.201	Normal charging of lithium-ion systems	134
O.8 The	rmal protection	135
0.8.1	General requirements	135
0.8.4	Operating capacity	135
O.9 Abn	ormal operation	135
0.9.1	General requirements	135
0.9.2	Stalled fan test	136
0.9.3	Short circuit test	136
0.9.4	Overload test	136
0.9.201	Welding power source – abnormal conditions	136
0.9.202	Welding circuit components – abnormal conditions	137
0.9.203	Lithium-ion charging systems – abnormal conditions	137
0.9.204	Lithium-ion battery short circuit	138
O.9.205	Batteries other than lithium-ion – overcharging	139
0.9.206	Battery pack disconnection	139
0.9.207	General purpose batteries	
O.10 Con	nection to the supply network	
O.10.5	Protective circuit	140
0.10.8	Supply circuit on/off switching device	140
O.14 Med	hanical provisions	141
0.14.1	General requirements	141
0.14.2	Enclosure	141
0.14.4	Drop withstand	141
O.15 Rati	ng plate	142
O.15.3	Contents	142
O.17 Inst	ructions and markings	144
0.17.1	Instructions	144
0.17.2	Markings	145
Bibliography		146
Figure 1 – Exa	imple of insulation configuration for Class I equipment	28
	asurement of welding circuit touch current	
_		
•	asurement of touch current in normal condition	
_	asurement of r.m.s. values	
Figure 5 - Mea	asurement of peak values	55

Figure 6 – Principle of the rating plate	64
Figure B.1 – Combined high-voltage transformers	73
Figure C.1 – Voltage and current during AC tungsten inert-gas welding	74
Figure C.2 – Unbalanced voltage during AC tungsten inert-gas welding	75
Figure C.3 – AC welding power source with unbalanced load	75
Figure I.1 – Test set-up	82
Figure K.1 – Single-phase transformer	87
Figure K.2 – Three-phase rotating frequency converter	88
Figure K.3 – Subdivided rating plate: single-/three-phase transformer rectifier	89
Figure K.4 – Engine-generator-rectifier	90
Figure K.5 – Single-/three-phase inverter type	91
Figure K.6 – Battery powered welding power source with integral battery	92
Figure K.7 – Battery powered welding power source with detachable / separable battery	93
Figure L.1 – Input voltage power switch	119
Figure L.2 – Arc force control potentiometer	119
Figure L.3 – Remote receptacle and selector switches	119
Figure L.4 – Terminals with inductance selector for MIG/MAG welding	119
Figure L.5 – Process switch (MMA, TIG, MIG)	120
Figure L.6 – Selector switch on AC/DC equipment	120
Figure L.7 - Panel indicator lights (overheat, fault, arc striking, output voltage)	120
Figure L.8 – Setting pulsing parameters using digital display	120
Figure N.1 – Measuring network for weighted touch current	123
Figure N.2 – Diagram for touch current measurement on fault condition at operating temperature for single-phase connection of appliances other than those of class II	125
Figure N.3 – Diagram for touch current measurement on fault condition for three-phase four-wire system connection of appliances other than those of class II	127
Figure O.1 – Marking of battery voltage class B electric components	145
Table 1 – Minimum clearances for overvoltage category III	
Table 2 – Minimum creepage distances	31
Table 3 – Insulation resistance	
Table 4 – Dielectric test voltages	33
Table 5 – Minimum distance through insulation	37
Table 6 – Temperature limits for windings, commutators and slip-rings	42
Table 7 – Temperature limits for external surfaces	43
Table 8 – Cross-section of the output short-circuit conductor	
Table 9 – Current and time requirements for protective circuits	49
Table 10 – Minimum cross-sectional area of the external protective copper conductor	49
Table 11 – Verification of continuity of the protective circuit	50
Table 12 – Pull	51
Table 13 – Summary of allowable rated no-load voltages	54
Table 14 Hazard reducing device requirements	60

able F.1 – Cross-reference for mm 2 to American wire gauge (AWG)	able E.1 – Range of conductor dimensions to be accepted by the supply circuit rminals7
able J.2 – Mass of the free fall weight and height of the free fall	able F.1 – Cross-reference for mm ² to American wire gauge (AWG)7
able J.1 – Minimum thickness of sheet metal for steel enclosures	able I.1 – Angle of rotation $ heta$ to obtain 10 Nm impact8
able J.2 – Minimum thickness of sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium, brass or experimental encoder in the sheet metal for enclosures of aluminium encoder in the sheet metal for encoder in th	able I.2 – Mass of the free fall weight and height of the free fall
able L.1 – Letters used as symbols 95	able J.1 - Minimum thickness of sheet metal for steel enclosures8
able L.1 – Letters used as symbols	able J.2 – Minimum thickness of sheet metal for enclosures of aluminium, brass or
	hla I 4 I lattura usad sa sumbala
*Oretien Ocheloge Open Ocheloge Ocheloge Open Ocheloge Ope	
Stories Sold Stories S	
OLION SON SON SON SON SON SON SON SON SON S	
To de de la constant	
	<u></u>
	4
0,	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT -

Part 1: Welding power sources

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-1 has been prepared by IEC technical committee 26: Electric welding.

This fifth edition cancels and replaces the fourth edition published in 2012 and constitutes a technical revision.

The significant changes with respect to the previous edition are the following:

- improvement of Figure 1 (6.1.1);
- modification of Table 3 (6.1.4);
- description of energy efficiency measurements in Annex M;
- inclusion of battery supplied welding power sources in the scope. Requirements therefore are described in Annex O.

The text of this standard is based on the following documents:

FDIS	Report on voting
26/610/FDIS	26/613/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- conformity statements: in italic type.
- terms defined in Clause 3: in bold type.

A list of all parts of the IEC 60974 series can be found, under the general title *Arc welding equipment*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ARC WELDING EQUIPMENT -

Part 1: Welding power sources

1 Scope

This part of IEC 60974 is applicable to power sources for arc welding and allied processes designed for **industrial and professional use**, and supplied by a voltage not exceeding 1000 V, battery supplied or driven by mechanical means.

This document specifies safety and performance requirements of welding power sources and plasma cutting systems.

This document is not applicable to limited duty arc welding and cutting power sources which are designed mainly for use by laymen and designed in accordance with IEC 60974-6.

This document includes requirements for battery-powered welding power sources and battery packs, which are given in Annex O.

This document is not applicable to testing of power sources during periodic maintenance or after repair.

- NOTE 1 Typical allied processes are electric arc cutting and arc spraying.
- NOTE 2 AC systems having a nominal voltage between 100 V and 1000 V are given in Table 1 of IEC 60038:2009.
- NOTE 3 This document does not include electromagnetic compatibility (EMC) requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices (available at: http://www.electropedia.org)

IEC 60050-851, International Electrotechnical Vocabulary – Part 851: Electric welding (available at: http://www.electropedia.org)

IEC 60245-6, Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 6: Arc welding electrode cables

IEC 60417, *Graphical symbols for use on equipment* (available at: http://www.graphical-symbols.info/equipment)

IEC 60445, Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests