ÜLE 1 KV NIMIVAHELDUVPINGEGA TUGEVVOOLUPAIGALDISTE MAANDAMINE

Earthing of power installations exceeding 1 kV a.c.



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 50522:2010 consists of the English text of the European standard EN 50522:2010.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.11.2010.	Date of Availability of the European standard is 05.11.2010.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 29.120.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 50522

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2010

ICS 29.120.50

Supersedes HD 637 S1:1999 (partially)

English version

Earthing of power installations exceeding 1 kV a.c.

Prises de terre des installations électriques en courant alternatif de puissance supérieure à 1 kV

Erdung von Starkstromanlagen mit Nennwechselspannungen über 1 kV

This European Standard was approved by CENELEC on 2010-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 99X, Power installations exceeding 1 kV a.c. (1,5 kV d.c.). It was submitted to formal vote and was accepted by CENELEC as EN 50522 on 2010-11-01.

Together with EN 61936-1:2010 this document supersedes HD 637 S1:1999.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-11-01

latest date by which the national standards conflicting 5-1 is written is with the EN have to be withdrawn

(dow) 2013-11-01

NOTE The text identical with IEC 61936-1 is written in italics.

Contents

1	Scop	9	6
2	Norm	ative references	7
3	Term	s and definitions	8
	3.1	General definitions	8
	3.2	Definitions concerning installations	8
	3.3	Definitions concerning safety measures against electric shock	9
	3.4	Definitions concerning earthing	9
4	Fund	amental requirements	18
	4.1	General requirements	18
	4.2	Electrical requirements	18
	4.3	Safety criteria	19
	4.4	Functional requirements	20
5	Desig	n of earthing systems	20
	5.1	General	20
	5.2	Dimensioning with respect to corrosion and mechanical strength	20
	5.3	Dimensioning with respect to thermal strength	21
	5.4	Dimensioning with regard to touch voltages	23
6	Meas	ures to avoid transferred potential	27
	6.1	Transferred potential from High voltage systems to Low voltage systems	27
	6.2	Transferred potentials to telecommunication and other systems	
7	Cons	truction of earthing systems	29
	7.1	Installation of earth electrodes and earthing conductors	29
	7.2	Lightning and transients	29
	7.3	Measures for earthing on equipment and installations	30
8	Meas	rurements	30
9	Main	ainability	30
	9.1	Inspections	
	9.2	Measurements	
An		(normative) Method of calculating permissible touch voltages	
		(normative) Touch voltage and body current	
	B.1	Calculation of permissible touch voltage	
	B.2	Calculation of prospective permissible touch voltage	32
Δn		(normative) Type and minimum dimensions of earth electrode materials ensuring	
		hanical strength and corrosion resistance	36
An		(normative) Current rating calculation of earthing conductors and earth electrodes	
		(normative) Description of the recognized specified measures M	
		(normative) Measures on earthing systems to reduce the effects of high frequency	
AII		ference	44
An	nex G	(normative) Detailed measures for earthing of equipment and installations	45
	G.1	Fences around substation installations	
	G.2	Pipes	
	G.3	Traction rails	
	G.4	Pole mounted transforming and/or switching installations	
	G.5	Secondary circuits of instrument transformers	

Annex H (normative) Measuring touch voltages	47
Annex I (informative) Reduction factors related to earth wires of overhead lines and metal sheaths of underground cables	48
I.1 General	48
1.2 Typical values of reduction factors of overhead lines and cables (50 Hz)	48
Annex J (informative) Basis for the design of earthing systems	50
J.1 Soil resistivity	50
J.2 Resistance to earth	50
Annex K (informative) Installing the earth electrodes and earthing conductors	54
K.1 Installation of earth electrodes	54
K.2 Installation of earthing conductors	54
Annex L (informative) Measurements for and on earthing systems	56
L.1 Measurement of soil resistivities	56
L.2 Measurement of resistances to earth and impedances to earth	56
L.3 Determination of the earth potential rise	
L.4 Elimination of interference and disturbance voltages for earthing measurements	
Annex M (normative) Details on site inspection and documentation of earthing systems	
Annex N (informative) The use of reinforcing bars in concrete for earthing purpose	62
Annex O (informative) Global Earthing System	63
Annex P (normative) Special national conditions	
Annex Q (informative) A-deviations	65
Figure 1 - Example for the surface potential profile and for the voltages in case of current carrying earth electrodes	14
Figure 2 - Example for currents, voltages and resistances for an earth fault in a transformer substation with low impedance neutral earthing	15
Figure 3 - Essential components of earth fault currents in high voltage systems	17
Figure 4 - Permissible touch voltage	25
Figure 5 - Design of earthing systems, if not part of a global earthing system (C1 of 5.4.2), with regard to permissible touch voltage U_{Tp} by checking the earth potential rise U_{E} or the touch voltage U_{T}	26
Figure B.1 - Scheme of the touching circuit	
Figure B.2 - Examples for curves $U_{vTp} = f(t_f)$ for different additional resistances $R_F = R_{F1} + R_{F2}$	
Figure D.1 - Short circuit current density G for earthing conductors and earth electrodes relative to the duration of the fault current t_{F}	
Figure D.2 - Continuous current I _D for earthing conductors	40
Figure J.1 - Resistance to earth of horizontal earth electrodes (made from strip, round material or stranded conductor) for straight or ring arrangement in homogeneous soil	
Figure J.2 - Resistance to earth of earth rods, vertically buried in homogeneous soil	52
Figure J.3 - Typical values for the resistance to earth of a cable with earth electrode effect depending on the length of the cable and the soil resistivity	
Figure L.1 - Example for the determination of the impedance to earth by the heavy-current injection method	60

Table 1 - Relevant currents for the design of earthing systems	22
Table 2 - Minimum requirements for interconnection of low voltage and high voltage earthing systems based on EPR limits	28
Table B.1 - Permissible body current I _B depending on the fault duration t _f	32
Table B.2 - Total human body impedance Z_{B} related to the touch voltage U_{T} for a current path hand to hand	32
Table B.3 - Calculated values of the permissible touch voltage U_{Tp} as a function of the fault duration t_f	33
Table B.4 - Assumption for calculations with additional resistances	33
Table D.1 - Material constants	37
Table D.2 - Factors for conversion of continuous current from 300 °C final temperature to another final temperature	38
Table E.1 - Conditions for the use of recognized specified measures M to ensure permissible touch voltages U_{Tp} (see Figure 4)	41
Table J.1 - Soil resistivities for frequencies of alternating currents (Range of values, which were frequently measured)	50
SO DEVICE OF THE SERVICE OF THE SERV	

1 Scope

This European Standard is applicable to specify the requirements for the design and erection of earthing systems of electrical installations, in systems with nominal voltage above 1 kV a.c. and nominal frequency up to and including 60 Hz, so as to provide safety and proper functioning for the use intended.

For the purpose of interpreting this standard, an electrical power installation is considered to be one of the following:

- a) substation, including substation for railway power supply;
- electrical installations on mast, pole and tower;
 switchgear and/or transformers located outside a closed electrical operating area;
- c) one (or more) power station(s) located on a single site;
 the installation includes generators and transformers with all associated switchgear and all electrical auxiliary systems. Connections between generating stations located on different sites are excluded;
- d) the electrical system of a factory, industrial plant or other industrial, agricultural, commercial or public premises.

The electrical power installation includes, among others, the following equipment:

- rotating electrical machines;
- switchgear;
- transformers and reactors;
- converters;
- cables;
- wiring systems;
- batteries;
- capacitors;
- earthing systems;
- buildings and fences which are part of a closed electrical operating area;
- associated protection, control and auxiliary systems;
- large air core reactor.

NOTE In general, a standard for an item of equipment takes precedence over this standard.

This European Standard does not apply to the design and erection of earthing systems of any of the following:

- overhead and underground lines between separate installations;
- electric railways;
- mining equipment and installations;
- fluorescent lamp installations;
- installations on ships and off-shore installations;
- electrostatic equipment (e.g. electrostatic precipitators, spray-painting units);
- test sites;
- medical equipment, e.g. medical X-ray equipment.

This European Standard does not apply to the requirements for carrying out live working on electrical installations.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60529, Degrees of protection provided by enclosures (IP Code) (IEC 60529)

EN 60909, Short-circuit currents in three-phase a.c. systems (IEC 60909)

HD 60364-1, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions (IEC 60364-1, modified)

HD 60364-4-41, Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock (IEC 60364-4-41, modified)

IEC 60050(151):2001, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices

IEC 60050(195):1998, International Electrotechnical Vocabulary (IEV) – Part 195: Earthing and protection against electric shock

IEC 60050(601):1985, International Electrotechnical Vocabulary (IEV) – Part 601: Generation, transmission and distribution of electricity – General

IEC 60050(602):1983, International Electrotechnical Vocabulary (IEV) – Part 602: Generation, transmission and distribution of electricity – Generation

IEC 60050(604):1987, International Electrotechnical Vocabulary (IEV) – Part 604: Generation, transmission and distribution of electricity – Operation

IEC 60050(605):1983, International Electrotechnical Vocabulary (IEV) – Part 605: Generation, transmission and distribution of electricity – Substations

IEC 60050(826):2004, International Electrotechnical Vocabulary (IEV) - Part 826: Electrical installations

IEC 60287-3-1, Electric cables – Calculation of the current rating – Part 3-1: Sections on operating conditions – Reference operating conditions and selection of cable type

IEC/TS 60479-1:2005, Effects of current on human beings and livestock – Part 1: General aspects

IEC 60949:1988, Calculation of thermally permissible short-circuit currents, taking into account non-adiabatic heating effects

IEC/TS 61000-5-2, Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines – Section 2: Earthing and cabling