

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 16122:2012 sisaldab Euroopa standardi EN 16122:2012 ingliskeelset teksti.	This Estonian standard EVS-EN 16122:2012 consists of the English text of the European standard EN 16122:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kätesaadavaks 18.07.2012.	Date of Availability of the European standard is 18.07.2012.
Standard on kätesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 97.140

### Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN 16122**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2012

ICS 97.140

English Version

## Domestic and non-domestic storage furniture - Test methods for the determination of strength, durability and stability

Meubles de rangement à usage domestique et collectif -  
Méthode d'essai pour la détermination de la résistance, la  
durabilité et la stabilité

Behältnismöbel für den Wohn- und Nicht-Wohnbereich -  
Prüfverfahren zur Bestimmung der Festigkeit,  
Dauerhaltbarkeit und Standsicherheit

This European Standard was approved by CEN on 9 June 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

	Page
<b>Foreword.....</b>	<b>4</b>
<b>1 Scope .....</b>	<b>5</b>
<b>2 Normative references .....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>5</b>
<b>4 General test conditions .....</b>	<b>7</b>
<b>4.1 Preliminary preparation .....</b>	<b>7</b>
<b>4.2 Application of forces .....</b>	<b>8</b>
<b>4.3 Tolerances .....</b>	<b>8</b>
<b>4.4 Prevention of movement during test .....</b>	<b>8</b>
<b>4.5 Loading .....</b>	<b>8</b>
<b>5 Test equipment and apparatus.....</b>	<b>8</b>
<b>6 Test procedures for non-movable parts.....</b>	<b>10</b>
<b>6.1 Shelves .....</b>	<b>10</b>
<b>6.1.1 General.....</b>	<b>10</b>
<b>6.1.2 Shelf retention test – horizontal outward force .....</b>	<b>10</b>
<b>6.1.3 Shelf retention test – vertical downward force .....</b>	<b>10</b>
<b>6.1.4 Deflection of shelves .....</b>	<b>10</b>
<b>6.1.5 Strength of shelf supports .....</b>	<b>11</b>
<b>6.2 Tops and bottoms .....</b>	<b>12</b>
<b>6.2.1 Sustained load test for tops and bottoms .....</b>	<b>12</b>
<b>6.2.2 Static load test for tops and bottoms .....</b>	<b>12</b>
<b>6.3 Clothes rails and supports .....</b>	<b>12</b>
<b>6.3.1 General.....</b>	<b>12</b>
<b>6.3.2 Dislodgement of clothes rails .....</b>	<b>13</b>
<b>6.4 Strength of the structure.....</b>	<b>14</b>
<b>6.4.1 Test for structure and underframe .....</b>	<b>14</b>
<b>6.4.2 Drop test .....</b>	<b>16</b>
<b>6.4.3 Tests for units with castors or wheels .....</b>	<b>17</b>
<b>7 Test procedures for movable parts.....</b>	<b>17</b>
<b>7.1 Pivoted doors .....</b>	<b>17</b>
<b>7.1.1 General.....</b>	<b>17</b>
<b>7.1.2 Strength of pivoted doors — Vertical load of pivoted doors .....</b>	<b>17</b>
<b>7.1.3 Horizontal load of pivoted doors .....</b>	<b>18</b>
<b>7.1.4 Slam shut of pivoted doors .....</b>	<b>19</b>
<b>7.1.5 Durability of pivoted doors .....</b>	<b>20</b>
<b>7.2 Sliding doors and horizontal roll fronts .....</b>	<b>21</b>
<b>7.2.1 General.....</b>	<b>21</b>
<b>7.2.2 Slam shut/open of sliding doors and horizontal roll fronts .....</b>	<b>21</b>
<b>7.2.3 Durability of sliding doors and horizontal roll fronts .....</b>	<b>22</b>
<b>7.3 Flaps .....</b>	<b>22</b>
<b>7.3.1 Strength of bottom-hinged flaps .....</b>	<b>22</b>
<b>7.3.2 Durability of flaps .....</b>	<b>23</b>
<b>7.3.3 Drop test for horizontally top-hinged doors/flaps .....</b>	<b>23</b>
<b>7.4 Vertical roll fronts .....</b>	<b>24</b>
<b>7.4.1 Slam shut/open of vertical roll fronts .....</b>	<b>24</b>
<b>7.4.2 Durability of vertical roll fronts .....</b>	<b>25</b>
<b>7.5 Extension elements .....</b>	<b>25</b>
<b>7.5.1 General.....</b>	<b>25</b>

7.5.2	Strength of extension elements .....	25
7.5.3	Durability of extension elements .....	26
7.5.4	Slam shut and open of extension elements .....	28
7.5.5	Displacement of extension element bottoms .....	29
7.5.6	Interlock test .....	29
7.6	Locking and latching mechanism tests .....	29
7.6.1	General .....	29
7.6.2	Strength test for locking and latching mechanisms for extension elements .....	29
7.6.3	Locking and latching mechanisms for doors, flaps and roll fronts .....	30
7.6.4	Locking and latching mechanism durability test .....	30
8	Trays .....	30
8.1	General .....	30
8.2	Sustained load test for trays .....	30
8.3	Drop test for trays .....	30
9	Coat hooks — Strength of coat hooks .....	31
10	Units mounted to the building or other structure .....	32
10.1	Units not supported by the floor .....	32
10.1.1	General .....	32
10.1.2	Movable parts, shelf supports, tops and bottoms .....	32
10.1.3	Overload .....	32
10.1.4	Dislodgement test .....	33
10.2	Units supported by the floor .....	33
11	Stability tests .....	33
11.1	General .....	33
11.2	Doors, extension elements and flaps closed, all storage units unloaded .....	33
11.2.1	Units that are, or can be, adjusted to a height of 1000 mm or less .....	33
11.2.2	Units that are, or can be, adjusted to a height of more than 1000 mm .....	34
11.3	Opening doors, extension elements and flaps, all storage units unloaded .....	34
11.4	Doors, extension elements and flaps opened and unlocked .....	34
11.4.1	All storage areas unloaded and all doors, extension elements and flaps open .....	34
11.4.2	All storage areas unloaded with overturning load .....	34
11.4.3	All storage areas loaded with overturning load .....	34
11.5	Doors, extension elements and flaps closed and locked, all storage units loaded .....	35
11.6	Dynamic stability test for units with castors .....	35
12	Test report .....	35
	<b>Annex A (normative) Apparatus for slam-shut/open test of extension elements .....</b>	37
A.1	Principle .....	37
A.2	Apparatus .....	37
A.3	Calibration .....	39
A.3.1	Pneumatic apparatus .....	39
A.3.2	Weight and string system .....	39

## Foreword

This document (EN 16122:2012) has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2013, and conflicting national standards shall be withdrawn at the latest by January 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies tests methods for the determination of strength, durability and stability for all types of domestic and non-domestic storage furniture including domestic kitchen furniture.

It does not apply to office, industrial, catering equipment and retail storage, nor to industrial storage lockers.

Strength and durability tests do not assess the structure of the building (for example the strength of wall hanging cabinets); rather, they include only the cabinets and the parts used for attachment. The wall and the wall attachments are not included.

Requirements for safety, strength and durability can be found in other European Standards.

Assessment of the effects of ageing, degradation and flammability is not included.

Annex A (normative) contains details of test equipment for the slam open/shut testing of extension elements.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7619-2:2010, *Rubber, vulcanized or thermoplastic — Determination of indentation hardness — Part 2: IRHD pocket meter method*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **catch device**

device which keeps or pulls a component in place but does not require a second action in order to release it

EXAMPLE      A magnetic catch or a self-closing-mechanism.

### 3.2

#### **clear height**

unobstructed height above the top of the bottom surface, or the structure of the unit

Note 1 to entry:    For example, the top of the extension element below and the lower edge of the extension element above. See Figure 1.