

English Version

**Household and similar electrical appliances - Safety - Part 2-76:
Particular requirements for electric fence energizers
(IEC 60335-2-76:2018/COR1:2018)**

Appareils électrodomestiques et analogues - Sécurité -
Partie 2-76: Exigences particulières pour les électrificateurs
de clôtures
(IEC 60335-2-76:2018/COR1:2018)

Sicherheit elektrischer Geräte für den Hausgebrauch und
ähnliche Zwecke - Teil 2-76: Besondere Anforderungen für
Elektrozaungeräte
(IEC 60335-2-76:2018/COR1:2018)

This corrigendum becomes effective on 21 December 2018 for incorporation in the English language version of the EN.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Endorsement notice

The text of the corrigendum IEC 60335-2-76:2018/COR1:2018 was approved by CENELEC as EN IEC 60335-2-76:2018/AC:2018-12 without any modification.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60335-2-76
Edition 3.0 2018-06

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
Part 2-76: Particular requirements for electric fence energizers

CORRIGENDUM 1

3 Terms and definitions

3.8 Definitions relating to miscellaneous matters

3.8.101 **standard load**

Replace the term definition:

load consisting of a a non-inductive resistor of $500\ \Omega \pm 2,5\ \Omega$ and a variable resistor that is adjusted so as to maximize the energy per impulse or **output current** in the $500\ \Omega$ resistor, as applicable

By:

load consisting of a non-inductive resistor of $500\ \Omega \pm 2,5\ \Omega$ and a variable resistor that is adjusted so as to maximize for

- **energy limited energizers**, the energy per impulse in the $500\ \Omega$ resistor;
- **current limited energizers**, the **output current** in the $500\ \Omega$ resistor.