

**Essais d'évaluation et de routine dans les services d'imagerie médicale –**

**Partie 3-5: Essais d'acceptation - Performance d'imagerie des équipements de tomodensitométrie à rayonnement X**

**Evaluation and routine testing in medical imaging departments –**

**Part 3-5: Acceptance tests – Imaging performance of computed tomography X-ray equipment**

**CORRIGENDUM 1**

Page 56

**F.4 Evaluation des données avec le DISPOSITIF D'ESSAI alternatif «mire à barres parallèles»**

*Remplacer l'équation existante:*

$$FTM = \frac{M_o}{M_i} = \frac{\pi}{\sqrt{2}} \times \frac{\sqrt{M_{\text{mire}} - N_{\text{fond}}}}{|CT_{\text{matériau}} - CT_{\text{eau}}|}$$

*par la nouvelle équation suivante:*

$$FTM = \frac{M_o}{M_i} = \frac{\pi}{\sqrt{2}} \times \frac{\sqrt{M_{\text{mire}}^2 - N_{\text{fond}}^2}}{|CT_{\text{matériau}} - CT_{\text{eau}}|}$$

Page 62

**Bibliographie**

*Au lieu de :*

[8] JUDY, P. F. The line spread function and modulation transfer function of a computed tomographic scanner. *J Comput Assist Tomogr* 3, 1976, p.189-195.

*lire:*

[8] JUDY, P. F. The line spread function and modulation transfer function of a computed tomographic scanner. *Medical Physics*, July, 1976, Vol. 3, Issue 4, p. 233-236

Page 57

**F.4 Data evaluation with the alternate TEST DEVICE “bar pattern”**

*Replace the existing equation:*

$$MTF = \frac{M_o}{M_i} = \frac{\pi}{\sqrt{2}} \times \frac{\sqrt{M_{\text{pattern}} - N_{\text{background}}}}{|CT_{\text{material}} - CT_{\text{water}}|}$$

*with the following new equation:*

$$MTF = \frac{M_o}{M_i} = \frac{\pi}{\sqrt{2}} \times \frac{\sqrt{M_{\text{pattern}}^2 - N_{\text{background}}^2}}{|CT_{\text{material}} - CT_{\text{water}}|}$$

Page 63

**Bibliography**

*Instead of:*

[8] JUDY, P. F. The line spread function and modulation transfer function of a computed tomographic scanner. *J Comput Assist Tomogr* 3, 1976, p.189-195.

*read:*

[8] JUDY, P. F. The line spread function and modulation transfer function of a computed tomographic scanner. *Medical Physics*, July, 1976, Vol. 3, Issue 4, p. 233-236