

EUROPEAN STANDARD

**EN 1344:2013/AC**

NORME EUROPÉENNE

May 2015

EUROPÄISCHE NORM

Mai 2015

Mai 2015

---

ICS 93.080.20

English version  
Version Française  
Deutsche Fassung

Clay pavers - Requirements and test methods

Pavés en terre cuite - Exigences et  
méthodes d'essai

Pflasterziegel - Anforderungen und  
Prüfverfahren

This corrigendum becomes effective on 27 May 2015 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 27 mai 2015 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 27. Mai 2015 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

---

© 2015 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.  
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.  
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No.:EN 1344:2013/AC:2015 D/E/F

## **1 Modification in 4.2.5, Slip and skid resistance**

*Replace the subclause title "Slip and skid resistance" with "Slip/skid resistance".*

## **2 Modification in 4.2.5.1, Conditions**

*Replace "skid and slip resistance" with "slip/skid resistance".*

## **3 Modification in 4.2.5.2, Test method**

*In the NOTE, replace "skid and slip resistance" with "slip/skid resistance".*

## **4 Modifications in 4.2.5.3, Durability of slip and skid resistance**

*Replace the subclause title with "Durability of slip/skid resistance".*

*In the 1<sup>st</sup> and 2<sup>nd</sup> paragraphs, replace twice "skid and slip resistance" with "slip/skid resistance".*







## **5 Modification to C.6, Evaluation of results — Assessment of damage**

*In the 1<sup>st</sup> and 3<sup>rd</sup> paragraphs, replace twice "Type 4" with "Type 6".*

## **6 Modification to C.7, Test report**

*Replace the 2<sup>nd</sup> part of Figure C.1 with the following figure:*

"



"

## 7 Modification to D.3, Procedure

In the 4<sup>th</sup> paragraph, replace twice "N/mm/s" with "N/(mm.s)".

## 8 Modifications in ZA.1, Scope and relevant characteristics

*In Table ZA.1, replace “**SLIPPERINESS** and **SKID RESISTANCE**<sup>e</sup> both dealt with by:” with “**SLIP** and **SKID RESISTANCE**<sup>e</sup> both dealt with by:”.*

*In Table ZA.1, replace “skid and slip resistance” by “slip/skid resistance”.*

## 9 Modifications in ZA.3, CE marking

*In List Entry e) 5), replace “slipperiness and/or skid resistance, dealt with by: skid and slip resistance: class U0 to U3” with “slip and/or skid resistance dealt with by: slip/skid resistance: class U0 to U3”.*

*In List Entry e) 7) ii), replace “skid and slip resistance” by “slip/skid resistance”.*