

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN ISO/TS 13141:2010/AC

April 2013
Avril 2013
April 2013

ICS 35.240.60; 03.220.20

English version
Version Française
Deutsche Fassung

Electronic fee collection - Localisation augmentation communication for
autonomous systems - Technical Corrigendum 1 (ISO/TS 13141:2010/Cor
1:2013)

Perception de télépéage - Communications
d'augmentation de localisations pour
systèmes autonomes - Rectificatif
technique 1 (ISO/TS 13141:2010/Cor
1:2013)

Elektronische Gebührenerfassung -
Genauere Ortsbestimmung für
autonome Systeme (ISO/TS
13141:2010/Cor 1:2013)

This corrigendum becomes effective on 3 April 2013 for incorporation in the three official language
versions of the TS.

Ce corrigendum prendra effet le 3 avril 2013 pour incorporation dans les trois versions linguistiques
officielles de la TS.

Die Berichtigung tritt am 3. April 2013 zur Einarbeitung in die drei offiziellen Sprachfassungen der TS
in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2013 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux
membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern
von CEN vorbehalten.

Ref. No.:CEN ISO/TS 13141:2010/AC:2013 D/E/F

Foreword

This document (CEN ISO/TS 13141:2010/AC:2013) has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" in collaboration with Technical Committee CEN/TC 278 "Road transport and traffic telematics" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of ISO/TS 13141:2010/Cor 1:2013 has been approved by CEN as CEN ISO/TS 13141:2010/AC:2013 without any modification.



TECHNICAL SPECIFICATION ISO/TS 13141:2010

TECHNICAL CORRIGENDUM 1

Published 2013-04-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Electronic fee collection — Localisation augmentation communication for autonomous systems —

TECHNICAL CORRIGENDUM 1

Perception de télépéage — Communications d'augmentation de localisations pour systèmes autonomes —

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/TS 13141:2010 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with Technical Committee CEN/TC 278, *Road transport and traffic telematics*.

Page 15, Annex A

Replace

```
'Container ::= CHOICE{
    integer                               [0]  INTEGER,
    bitstring                            [1]  BIT STRING,
    octetstring                          [2]  OCTET STRING (SIZE (0..127), ...),
    universalString                     [3]  UniversalString,
    beaconId                            [4]  BeaconID,
    t-apdu                               [5]  T-APDUs,
    dsrcApplicationEntityId            [6]  DSRCApplicationEntityID,
    dsrc-Ase-Id                         [7]  Dsrc-EID,
    attrIdList                           [8]  AttributeIdList,
    attrList                             [9]  AttributeList,
    time                                 [15] Time,
    vector                               [16] SEQUENCE (SIZE(0..255)) OF INTEGER(0..127,...),
    contIAC                             [87] LACData
-- Container CHOICE type values [88..127] are reserved for private use and intended for
-- the addressing of the corresponding private attribute identifiers.
}'
```

with

```
'Container ::= CHOICE{
    integer                               [0]  INTEGER,
    bitstring                            [1]  BIT STRING,
    octetstring                          [2]  OCTET STRING (SIZE (0..127, ...)),
    universalString                     [3]  UniversalString,
    beaconId                            [4]  BeaconID,
    t-apdu                               [5]  T-APDUs,
    dsrcApplicationEntityId            [6]  DSRCApplicationEntityID,
    dsrc-Ase-Id                         [7]  Dsrc-EID,
    attrIdList                           [8]  AttributeIdList,
    attrList                             [9]  AttributeList,
    time                                 [15] Time,
    vector                               [16] SEQUENCE (SIZE(0..255)) OF INTEGER(0..127,...),
    contIAC                             [87] LACData
-- Defines the IAC Container type as the next values in the row after the EFC data types
-- of ISO 14906 and those of ISO/TS 12813
-- Container CHOICE type values [88..127] are reserved for private use and intended for
-- the addressing of the corresponding private attribute identifiers.
}'
```

i.e. a closing '' related to the size constraints for OCTET STRING ASN.1 type and
correcting the syntax for the concluding remark.