

Corrigendum to EN 140401-804:2011

English version

Header block

In 2nd row, left field, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

In 2nd row, right field, replace the issue date (month) 201X by:

June 2011.

Clause 1.3.1

In 2nd paragraph, 2nd line, replace the resistance value 500 k Ω by:

499 k Ω .

Table 3a

For style RR1608M, tolerance ± 1 %, temperature coefficient ± 25 ppm/K, stability class 0,25, replace the upper resistance range limit 500 k Ω by:

499 k Ω .

Table 3b

For style RR1608M, tolerance ± 1 %, temperature coefficient ± 25 ppm/K, stability class 0,25, replace the upper resistance range limit 500 k Ω by:

499 k Ω .

Table 4

Replace the table title by:

Table 4 – Temperature coefficients and limits of resistance change

Table 7a

In three column headers, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

Table 7b

In four column headers, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

Clause 1.9.1

In 3rd paragraph, 2nd line, replace the reference to EN 60115-1:201X, 2.4 by:

EN 60115-1:2011, 2.4.

Clause 1.9.4

Replace the 7th list item by:

- failure rate level;

In the example, last line, replace the reference to EN 60115-1:201X, Annex ZR by:

EN 60115-1:2011, Annex ZR.

Clause 1.10.1

In 1st paragraph, replace the reference to EN 60115-1:201X, 2.7 by:

EN 60115-1:2011, 2.7.

Clause 1.10.9

In 1st paragraph, 2nd line, replace the reference to EN 60115-1:201X, 4.12 by:

EN 60115-1:2011, 4.12.

Clause 2.1.2

In list item 1), 1st line, replace the reference to EN 60115-1:201X, 4.5 by:

EN 60115-1:2011, 4.5.

In list item 2), last line, replace the reference to EN 60115-1:201X, 4.10 by:

EN 60115-1:2011, 4.10.

Clause 2.1.5

Replace the reference to EN 60115-1:201X, Q.1.5 by:

EN 60115-1:2011, Q.1.5

Clause 2.1.6

In 3rd paragraph, replace the reference to EN 60115-1:201X, Annex ZR by:

EN 60115-1:2011, Annex ZR.

Clause 2.2

Replace the reference to EN 60115-1:201X, Q.2.4 by:

EN 60115-1:2011, Q.2.4.

Table A.1

In the row for test 4.6, replace the reference to EN 60115-1:201X, 4.6.1.4 by:

EN 60115-1:2011, 4.6.1.4.

In the row for test 4.7, replace the reference to EN 60115-1:201X, 4.6.1.4 by:

EN 60115-1:2011, 4.6.1.4.

In footnote a, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

Table A.2

In the row for test 4.32, replace the reference to EN 60115-1:201X, 4.32.2 b) by:

EN 60115-1:2011, 4.32.2 b).

In both rows for tests 4.18, replace the reference to EN 60115-1:201X, 4.18.2 c) by:

EN 60115-1:2011, 4.18.2 c).

In footnote a, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

Annex C

In the entry for EN 60115-1, replace the reference to EN 60115-1:201X by:

EN 60115-1:2011.

Delete the footnote reference 1) and the footnote 1).