

English Version

**Appliance couplers for household and similar general purposes -
Part 1: General requirements
(IEC 60320-1:2015/COR1:2016)**

Connecteurs pour usages domestiques et usages généraux
analogues - Partie 1: Exigences générales
(IEC 60320-1:2015/COR1:2016)

Gerätesteckvorrichtungen für den Hausgebrauch und
ähnliche allgemeine Zwecke - Teil 1: Allgemeine
Anforderungen
(IEC 60320-1:2015/COR1:2016)

This corrigendum becomes effective on 5 February 2016 for incorporation in the English language version of the EN.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Endorsement notice

The text of the corrigendum IEC 60320-1:2015/COR1:2016 was approved by CENELEC as EN 60320-1:2015/AC:2016 without any modification.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60320-1 Edition 3.0 2015-06

APPLIANCE COUPLERS FOR HOUSEHOLD AND SIMILAR GENERAL PURPOSES –

Part 1: General requirements

CORRIGENDUM 1

26.2.2 Minimum values for clearances

Replace the existing text with the following new text:

The clearance for basic insulation, supplementary insulation and functional insulation shall not be less than the values specified in Table 15.

Except when the dimensions specified in the relevant standard sheet according to the IEC 60320 series lead to smaller distances, the clearances for reinforced insulation shall not be less than the values specified for basic insulation in Table 15, but using the next higher step for the rated impulse withstand voltage.

Compliance is checked by measurement.

26.3.2 Minimum creepage distances

Replace the existing text with the following new text:

The creepage distances for basic insulation, supplementary insulation and functional insulation shall not be less than the values specified in Table 16.

Except when the dimensions specified in the relevant standard sheet according to the IEC 60320 series lead to smaller distances, the creepage distances for reinforced insulation shall not be less than double the values specified for basic insulation in Table 16.

Compliance is checked by measurement.