

INTERNATIONAL STANDARD

ISO
8897

First edition
1991-09-15

Oil of juniper berry (*Juniperus communis* Linnaeus)

Huile essentielle de baies de genévrier (Juniperus communis Linnaeus)



Reference number
ISO 8897:1991(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 8897 was prepared by Technical Committee ISO/TC 54, *Essential oils*.

Annex A of this International Standard is for information only.

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Oil of juniper berry (*Juniperus communis* Linnaeus)

1 Scope

This International Standard specifies certain characteristics of oil of juniper berry (*Juniperus communis* Linnaeus), with a view to facilitating the assessment of its quality.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/R 210:1961, *Essential oils — Packing*.

ISO/R 211:1961, *Essential oils — Labelling and marking containers*.

ISO 212:1973, *Essential oils — Sampling*.

ISO 279:1981, *Essential oils — Determination of relative density at 20 °C (Reference method)*.

ISO 280:1976, *Essential oils — Determination of refractive index*.

ISO 592:1981, *Essential oils — Determination of optical rotation*.

ISO 709:1980, *Essential oils — Determination of ester value*.

ISO 875:1981, *Essential oils — Evaluation of miscibility in ethanol*.

ISO 1242:1973, *Essential oils — Determination of the acid value*.

3 Definition

For the purposes of this International Standard, the following definition applies.

3.1 oil of juniper berry: The oil obtained by steam distillation of the berries of *Juniperus communis* Linnaeus, of the cupressaceae family.

4 Requirements

4.1 Appearance

Mobile liquid.

4.2 Colour

Colourless to pale yellow.

4.3 Odour

Characteristic.

4.4 Relative density at 20/20 °C

Minimum: 0,857

Maximum: 0,872

4.5 Refractive index at 20 °C

Minimum: 1,4710

Maximum: 1,4830

4.6 Optical rotation at 20 °C

Between — 15° and 0°

4.7 Miscibility in 95 % (V/V) ethanol at 20 °C

1 volume of the oil shall not require more than 10 volumes of 95 % (V/V) ethanol at 20 °C to give a clear solution. A slight opalescence may sometimes appear on further addition of solvent.