At m.

Solution Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution

Solution Winding wires - Test methods -- Part 3: Mechanical properties



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60851-3:2009 sisaldab Euroopa standardi EN 60851-3:2009 ingliskeelset teksti.

This Estonian standard EVS-EN 60851-3:2009 consists of the English text of the European standard EN 60851-3:2009.

Standard on kinnitatud Eesti Standardikeskuse 29.05.2009 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

This standard is ratified with the order of Estonian Centre for Standardisation dated 29.05.2009 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 22.02.2008.

Date of Availability of the European standard text 22.02.2008.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

ICS 29.060.10

Võtmesõnad: electrical wire, insulated wire, mechanical property, winding wire

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

EUROPEAN STANDARD

EN 60851-3

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2009

ICS 29.060.10

Supersedes EN 60851-3:1996 + A1:1997 + A2:2003

English version

Winding wires Test methods Part 3: Mechanical properties
(IEC 60851-3:2009)

Fils de bobinage -Méthodes d'essai -Partie 3: Propriétés mécaniques (CEI 60851-3:2009) Wickeldrähte -Prüfverfahren -Teil 3: Mechanische Eigenschaften (IEC 60851-3:2009)

This European Standard was approved by CENELEC on 2009-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 55/1043/CDV, future edition 3 of IEC 60851-3, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60851-3 on 2009-04-01.

This European Standard supersedes EN 60851-3:1996 + A1:1997 + A2:2003.

With respect to EN 60851-3:1996, significant technical changes appear in Subclause 5.3, Jerk test.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2010-01-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2012-04-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60851-3:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60851-5 NOTE Harmonized as EN 60851-5:2008 (not modified).

IEC 61033 + A1 NOTE Harmonized as EN 61033:2006 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication IEC 60851-1	Year _1)	<u>Title</u> Winding wires - Test methods - Part 1: General	<u>EN/HD</u> EN 60851-1	<u>Year</u> 1996 ²⁾
IEC 60851-2	1996	Winding wires - Test methods - Part 2: Determination of dimensions	EN 60851-2	1996
ISO 178 A1	2001 2004	Plastics - Determination of dimensions Plastics - Determination of flexural properties	EN ISO 178 A1	2003 2005
1) Undated reference. 2) Valid edition at date				5

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

IN	FROD	UCTION	1	6		
1	Scope					
2	Norn	mative references				
3	Test	6: Elon	gation	7		
	3.1	Elonga	ation at fracture	7		
	3.2		e strength			
4	Test	7: Sprin	nginess	8		
	4.1	4.1 Round wire with a nominal conductor diameter from 0,080 mm up to and including 1,600 mm				
		4.1.1	Principle	8		
		4.1.2	Equipment	8		
		4.1.3	Procedure	9		
	rectangular wire		wire with a nominal conductor diameter over 1,600 mm and gular wire			
		4.2.1	Principle			
		4.2.2	Equipment			
		4.2.3	Specimen			
		4.2.4	Procedure			
5	Test		bility and adherence			
	5.1	Mandr	el winding test			
		5.1.1	Round wire	12		
		5.1.2	Rectangular wire Covered bunched wire	13		
		5.1.3		14		
	5.2	diameter over 1,600 mm)				
	5.3	diameter up to and including 1,000 mm)				
	5.4	5.4 Peel test (applicable to enamelled round wire with a nominal conductor diameter over 1,000 mm)				
	5.5		ence test			
	0.0	5.5.1	Enamelled rectangular wire	17		
		5.5.2	Impregnated fibre covered round and rectangular wire			
		5.5.3	Fibre covered enamelled round and rectangular wire			
		5.5.4	Tape wrapped round and rectangular wire (for adhesive tape only)			
6	Test	11: Res	sistance to abrasion (applicable to enamelled round wire)			
	6.1					
	6.2	Equip	Equipment			
	6.3		dure			
7			at bonding (applicable to enamelled round wire with a nominal ameter over 0,050 mm up to and including 2 000 mm)	20		
	7.1		al bond retention of a helical coil			
		7.1.1	Nominal conductor diameter up to and including 0,050 mm	20		
		7.1.2	Nominal conductor diameter over 0,050 mm up to and including			
			2,000 mm			
	7.2		strength of a twisted coil			
		7.2.1	Principle			
		7.2.2	Equipment	23		

7.2.3 Specimen	∠ა
7.2.4 Procedure	25
7.2.5 Result	25
Annex A (informative) Bond strength of heat bonding wires	27
Annex B (informative) Friction test methods	33
Bibliography	43
Figure 1 – Test equipment to determine springiness	8
Figure 2 – Construction and details of the mandrel (see Table 1)	9
Figure 3 – Test equipment to determine springiness	11
Figure 4 – Test equipment for mandrel winding test	14
Figure 5 – Test equipment for jerk test	15
Figure 6 – Test equipment for peel test	16
Figure 7 – Scraper	17
Figure 8 – Cross-section of the wire after removal of the coating	17
Figure 9 – Test equipment for unidirectional scrape test	19
Figure 10 – Test equipment for bond retention of a helical coil	22
Figure 11 – Coil winder	
Figure 12 – Oval shape coil	25
Figure 13 – Twisting device with a load applied to the twisted coil specimen	
Figure 14 – Arrangement of supports	26
Figure A.1 – Example of voltage-time graphs of twisted coil specimens with a nominal conductor diameter of 0,300 mm with isothermic graphs	29
Figure A.2 – Example of voltage-time graphs of twisted coil specimens with a nominal conductor diameter of 0,315 mm with isothermic graphs	30
Figure A.3 – Example of voltage-time graphs of twisted coil specimens with a nominal conductor diameter of 0,355 mm with isothermic graphs	31
Figure A.4 – Example of voltage-time graphs of twisted coil specimens with a nominal conductor diameter of 0,500 mm with isothermic graphs	32
Figure B.1 – Static coefficient of friction test apparatus	38
Figure B.2 – Dynamic coefficient of friction test apparatus	39
Figure B.3 – Dynamic coefficient of friction test apparatus	40
Figure B.4 – Detail drawing of friction head assembly with mechanical dynamometer	41
Figure B.5 – Load block with sapphires	42
Figure B.6 – Twisted specimen	42
Table 1 – Mandrels for springiness	9
Table 2 – Magnification to detect cracks	12
Table 3 – Load for peel test	16
Table 4 – Preparation of helical coils	21
Table 5 – Bond retention at elevated temperature	22
Table B.1 – Twisted pair method	37

INTRODUCTION

This part of IEC 60851 forms an element of a series of standards, which deals with insulated wires used for windings in electrical equipment. The series has three groups describing

- a) winding wires Test methods (IEC 60851);
- s for of winding.

 Ochange and the second and the s b) specifications for particular types of winding wires (IEC 60317);
- c) packaging of winding wires (IEC 60264).

WINDING WIRES -TEST METHODS -

Part 3: Mechanical properties

1 Scope

This part of IEC 60851 specifies the following methods of test for winding wires:

- Test 6: Elongation;
- Test 7: Springiness;
- Test 8: Flexibility and adherence;
- Test 11: Resistance to abrasion;
- Test 18: Heat bonding.

For definitions, general notes on methods of test and the complete series of methods of test for winding wires, see IEC 60851-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60851-1, Winding wires - Test methods - Part 1: General

IEC 60851-2:1996, Winding wires - Test methods - Part 2: Determination of dimensions

ISO 178:2001, Plastics – Determination of flexural properties

Amendment 1:2004