

Soil quality - Determination of the water-retention  
characteristic - Laboratory methods (ISO 11274:2019)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 11274:2019 sisaldab Euroopa standardi EN ISO 11274:2019 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 11274:2019 consists of the English text of the European standard EN ISO 11274:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.10.2019.	Date of Availability of the European standard is 16.10.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 13.080.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Soil quality - Determination of the water-retention  
characteristic - Laboratory methods (ISO 11274:2019)

Qualité du sol - Détermination de la caractéristique de  
la rétention en eau - Méthodes de laboratoire (ISO  
11274:2019)

Bodenbeschaffenheit - Bestimmung des  
Wasserrückhaltevermögens - Laborverfahren (ISO  
11274:2019)

This European Standard was approved by CEN on 8 September 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

This document (EN ISO 11274:2019) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Test methods for environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11274:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 11274:2019 has been approved by CEN as EN ISO 11274:2019 without any modification.

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Guidelines for choice of method</b>	<b>2</b>
4.1 General	2
4.2 Sand, kaolin or ceramic suction tables for determination of pressures from 0 kPa to –50 kPa	2
4.3 Porous plate and burette apparatus for determination of pressures from 0 kPa to –20 kPa	2
4.4 Pressure plate extractor for determination of pressures from –5 kPa to –1 500 kPa	2
4.5 Pressure membrane cells for determination of pressures from –33 kPa to –1 500 kPa	3
<b>5 Sampling</b>	<b>3</b>
5.1 General requirements	3
5.2 Sample preparation	4
<b>6 Determination of the soil water characteristic using sand, kaolin and ceramic suction tables</b>	<b>5</b>
6.1 Principle	5
6.2 Apparatus	5
6.3 Preparation of suction tables	6
6.4 Procedure	6
6.5 Expression of results	6
6.5.1 Procedure for soils containing less than 20 % stones (diameter greater than 2 mm)	6
6.5.2 Conversion of results to a fine soil basis	7
<b>7 Determination of soil water characteristic using a porous plate and burette</b>	<b>8</b>
7.1 Principle	8
7.2 Apparatus	8
7.3 Assembly of porous plate/burette apparatus	8
7.4 Procedure	9
7.5 Expression of results	9
<b>8 Determination of soil water characteristic by pressure plate extractor</b>	<b>11</b>
8.1 Principle	11
8.2 Apparatus	11
8.3 Assembly of apparatus	12
8.4 Procedure	12
8.5 Calculation and expression of results	13
8.5.1 Procedure for stoneless soils	13
8.5.2 Procedure for stony soils	13
<b>9 Determination of soil water characteristic using pressure membrane cells</b>	<b>14</b>
9.1 Principle	14
9.2 Apparatus	14
9.3 Assembly of apparatus	14
9.4 Procedure	15
9.5 Expression of results	16
9.6 Test report	16
<b>10 Test report</b>	<b>16</b>
<b>11 Precision</b>	<b>17</b>

**Annex A (informative) Construction of suction tables**.....18

**Bibliography** .....23

This document is a preview generated by EVS

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 3, *Chemical methods and soil characteristics*.

This second edition cancels and replaces the first edition (ISO 11274:1998), which has been technically revised. It also incorporates the Technical Corrigendum ISO 11274:1998/Cor. 1:2009.

## Introduction

Soil water content and matric pressure are related to each other and determine the water-retention characteristics of a soil. Soil water which is in equilibrium with free water is at zero matric pressure (or suction) and the soil is saturated. As the soil dries, matric pressure decreases (i.e. becomes more negative), and the largest pores empty of water. Progressive decreases in matric pressure will continue to empty finer pores until eventually water is held in only the finest pores. Not only is water removed from soil pores, but the films of water held around soil particles are reduced in thickness. Therefore a decreasing matric pressure is associated with a decreasing soil water content<sup>[9][10]</sup>. Laboratory or field measurements of these two parameters can be made and the relationship plotted as a curve, called the soil water-retention characteristic. The relationship extends from saturated soil (approximately 0 kPa) to oven-dry soil (about  $-10^6$  kPa).

The soil water-retention characteristic is different for each soil type. The shape and position of the curve relative to the axes depend on soil properties such as texture, density and hysteresis associated with the wetting and drying history. Individual points on the water-retention characteristic may be determined for specific purposes.

The results obtained using these methods can be used, for example:

- to provide an assessment of the equivalent pore size distribution (e.g. identification of macro- and micropores);
- to determine indices of plant-available water in the soil and to classify soil accordingly (e.g. for irrigation purposes);
- to determine the drainable pore space (e.g. for drainage design, pollution risk assessments);
- to monitor changes in the structure of a soil (caused by e.g. tillage, compaction or addition of organic matter or synthetic soil conditioners);
- to ascertain the relationship between the negative matric pressure and other soil physical properties (e.g. hydraulic conductivity, thermal conductivity);
- to determine water content at specific negative matric pressures (e.g. for microbiological degradation studies);
- to estimate other soil physical properties (e.g. hydraulic conductivity).



# Soil quality — Determination of the water-retention characteristic — Laboratory methods

## 1 Scope

This document specifies laboratory methods for determination of the soil water-retention characteristic.

This document applies only to measurements of the drying or desorption curve.

Four methods are described to cover the complete range of soil water pressures as follows:

- a) method using sand, kaolin or ceramic suction tables for determination of matric pressures from 0 kPa to –50 kPa;
- b) method using a porous plate and burette apparatus for determination of matric pressures from 0 kPa to –20 kPa;
- c) method using a pressurized gas and a pressure plate extractor for determination of matric pressures from –5 kPa to –1 500 kPa;
- d) method using a pressurized gas and pressure membrane cells for determination of matric pressures from –33 kPa to –1 500 kPa.

Guidelines are given to select the most suitable method in a particular case.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### **soil water-retention characteristic**

relation between soil water content and soil matric head of a given soil (sample)

### 3.2

#### **pressure**

pressure equivalent of soil water potential

### 3.3

#### **matric pressure**

amount of work done in order to transport, reversibly and isothermally, an infinitesimal quantity of water, identical in composition to the soil water, from a pool at the elevation and the external gas pressure of the point under consideration, to the soil water at the point under consideration, divided by the volume of water transported