

CONSOLIDATED VERSION



**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying
IEC 60958 –
Part 2: Burst-info**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

CONSOLIDATED VERSION



**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying
IEC 60958 –
Part 2: Burst-info**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.30

ISBN 978-2-8322-5518-6

Warning! Make sure that you obtained this publication from an authorized distributor.

This document is a preview generated by EVS

REDLINE VERSION



**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying
IEC 60958 –
Part 2: Burst-info**

CONTENTS

FOREWORD.....	3
INTRODUCTION to Amendment 1	5
INTRODUCTION to Amendment 2	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	8
4 Burst-info	8
4.1 General	8
4.2 Data-type and subdata-type	9
4.3 Audio data-bursts	12
4.3.1 General	12
4.3.2 AC-3.....	12
4.3.3 MPEG-1 layer-1.....	12
4.3.4 MPEG-1 layer-2 or layer-3 or MPEG-2 without extension.....	12
4.3.5 MPEG-2 with extension.....	13
4.3.6 MPEG-2 AAC	13
4.3.7 MPEG-2 layer-1 low sampling frequency	13
4.3.8 MPEG-2 layer-2 low sampling frequency	13
4.3.9 MPEG-2 layer-3 low sampling frequency	13
4.3.10 DTS type I	13
4.3.11 DTS type II	13
4.3.12 DTS type III	13
4.3.13 DTS type IV	13
4.3.14 ATRAC	14
4.3.15 ATRAC 2/3	14
4.3.16 ATRAC-X.....	14
4.3.17 MPEG-2 AAC low sampling frequency	14
4.3.18 MPEG-4 AAC	14
4.3.19 Windows Media Audio professional.....	14
4.3.20 Enhanced AC-3	14
4.3.21 MAT	14
4.3.22 MPEG-4 ALS	15
4.3.23 MPEG-4 AAC LC in LATM/LOAS	15
4.3.24 MPEG-4 HE AAC in LATM/LOAS.....	15
4.3.25 DRA	15
4.3.26 ATRAC-X low latency	15
4.3.27 MPEG-H 3D Audio.....	15
4.3.28 AC-4, AC-4 HBR4, AC-4 HBR16 and AC-4 LD	16
4.3.29 MPEG-4 ALS in LATM/LOAS	16
Bibliography.....	17
Table 1 – Fields of burst-info	9
Table 2 – Data-types	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL AUDIO –
INTERFACE FOR NON-LINEAR PCM ENCODED
AUDIO BITSTREAMS APPLYING IEC 60958 –**

Part 2: Burst-info

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 61937-2 bears the edition number 2.2. It consists of the second edition (2007-05) [documents 100/1115/CDV and 100/1221/RVC], its amendment 1 (2011-10) [documents 100/1811/CDV and 100/1884/RVC] and its amendment 2 (2018-03) [documents 100/2944/CDV and 100/3032/RVC]. The technical content is identical to the base edition and its amendments.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61937-2 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

- a) New audio data-types of enhanced AC-3 data, MPEG-2 AAC low sampling frequency, MPEG-4 AAC, DTS type IV, ATRAC-X, WMA professional and MAT are added.
- b) Data-type field in Pc is expanded from bit 0-4 to 0-6.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61937 series, under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION to Amendment 1

The revision of IEC 61937-2 (2007) has become necessary to define additional data types, in order to be consistent with the data-type field description in IEC 61937-1 and to clarify the rule and definition of this data-type. Amendment 1 contains the following significant technical changes with respect to the base publication (IEC 61937-2, second edition).

- New audio data-types of MPEG-4 ALS, MPEG-4 AAC LC in LATM/LOAS, MPEG-4 HE AAC in LATM/LOAS and DRA are added.
- The description of data-type and subdata-type fields in Pc is clarified.
- A rule has been defined for new data-types.

INTRODUCTION to Amendment 2

The revision of IEC 61937-2:2007 has become necessary to define additional data types. Amendment 2 contains the following significant technical changes with respect to the base publication (IEC 61937-2:2007 and IEC 61937-2:2007/AMD1:2011):

- a) new audio data-types of ATRAC-X low latency, MPEG-H 3D Audio, MPEG-H 3D Audio HBR, AC-4, AC-4 HBR4, AC-4 HBR16, AC-4 LD and MPEG-4 ALS in LATM/LOAS are added;
- b) units of Pd column is added to Table 2;
- c) update SMPTE reference.

In the next full revision of IEC 61937-2, it is planned to relinquish the use of "Conventional data-type" and "Subdata-type", replacing them with "data-type bits 0 to 4" and "data-type bits 5 to 6", respectively.

DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

Part 2: Burst-info

1 Scope

This part of IEC 61937 specifies the digital audio interface to convey non-linear PCM encoded audio bitstreams applying IEC 60958-1 and IEC 60958-3. This standard specifies burst-info which defines content information about the data contained in the burst payload.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

IEC 61937-1:2007, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-3, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 format*

IEC 61937-4, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 4: Non-linear PCM bitstreams according to the MPEG audio format*

IEC 61937-5, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s)*

IEC 61937-6, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC audio formats*

IEC 61937-7, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 7: Non-linear PCM bitstreams according to the ATRAC, ATRAC2/3 and ATRAC-X formats*

IEC 61937-8:2006, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 8: Non-linear PCM bitstreams according to the Windows Media Audio (WMA) Professional format*

IEC 61937-9, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 9: Non-linear PCM bitstreams according to the MAT format¹*

¹—To be published.

IEC 61937-10, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 10: Non-linear PCM bitstreams according to the MPEG-4 audio lossless coding (ALS) format*

IEC 61937-11, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 11: MPEG-4 AAC and its extensions in LATM/LOAS*

IEC 61937-12, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 12: Non-linear PCM bitstreams according to the DRA formats*

IEC 61937-13, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 13: MPEG-H 3D Audio*

IEC 61937-14, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 14: Non-linear PCM bitstreams according to the AC-4 format*

ISO/IEC 11172-3, *Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mb/s – Part 3: Audio*

ISO/IEC 13818-3, *Information technology – Generic coding of moving pictures and associated audio information – Part 3: Audio*

ISO/IEC 13818-7, *Information technology – Generic coding of moving pictures and associated audio information – Advanced Audio Coding (AAC)*

ISO/IEC 14496-3, *Information technology – Coding of audio-visual objects – Part 3: Audio*

ITU-R Recommendation BS.1196, *Audio coding for digital terrestrial television broadcasting*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

audio data-burst	data-burst with an encoded audio frame as burst-payload
audio data-word	16-bit data word
audio frame	fixed number of audio samples. The number of samples in an audio frame is dependent on the particular encoding system which is used to encode the audio frame into the encoded audio frame
audio gap	period in the sequence of baseband audio samples where valid samples of audio are not available
bitstream	non-linear PCM encoded audio source, represented in a sequence of bits. In this interface the bitstream consists of a sequence of data-bursts
data-burst	packet of data, including the burst-preamble, to be transmitted across the interface
burst-payload	information content of the data-burst
burst-preamble	header for the data-burst, containing synchronization and information about the data contained in the burst-payload
data-type	reference to the type of payload of the data-bursts
encoded audio frame	minimum decodable unit of an encoded data sequence. Each encoded audio frame is the encoded representation of a fixed number of audio samples (for each original audio channel). The number of samples which are encoded into an encoded audio