Electromechanical switches for use in electrical and electronic equipment - Part 1: Generic specification



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61020-1:2019 sisaldab Euroopa standardi EN IEC 61020-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61020-1:2019 consists of the English text of the European standard EN IEC 61020-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.03.2019.	Date of Availability of the European standard is 15.03.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 31.220.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61020-1

March 2019

ICS 31.220.20

Supersedes EN 61020-1:2009

English Version

Electromechanical switches for use in electrical and electronic equipment - Part 1: Generic specification (IEC 61020-1:2019)

Interrupteurs électromécaniques pour équipements électriques et électroniques - Partie 1: Spécification générique (IEC 61020-1:2019)

Elektromechanische Schalter zur Verwendung in Geräten der Elektrotechnik und Elektronik - Teil 1:
Fachgrundspezifikation
(IEC 61020-1:2019)

This European Standard was approved by CENELEC on 2019-02-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 23J/443/CDV, future edition 3 of IEC 61020-1, prepared by SC 23J "Switches for appliances" of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61020-1:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-02-20

This document supersedes EN 61020-1:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61020-1:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60062:2016	NOTE	Harmonized as EN 60062:2016 (not modified)
IEC 60065	NOTE	Harmonized as EN 60065
IEC 60068-3-13	NOTE	Harmonized as EN 60068-3-13
IEC 60512 (series)	NOTE	Harmonized as EN IEC 60512 (series)
IEC 60664-1	NOTE	Harmonized as EN 60664-1
IEC 60695-11-10	NOTE	Harmonized as EN 60695-11-10
IEC 61190-1-3	NOTE	Harmonized as EN IEC 61190-1-3
ISO/IEC 17050-1	NOTE	Harmonized as EN ISO/IEC 17050-1
ISO/IEC 17050-2	NOTE	Harmonized as EN ISO/IEC 17050-2
ISO 129-1	NOTE	Harmonized as EN ISO 129-11
ISO 286-1	NOTE	Harmonized as EN ISO 286-1
ISO 1101	NOTE	Harmonized as EN ISO 1101
ISO 9001	NOTE	Harmonized as EN ISO 9001

¹ Under preparation. Stage at the time of publication: prEN ISO 129-1:2018.

_

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60027	series	Letter symbols to be used in electrical technology	EN IEC 60027	series
IEC 60050-581	-	International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-10	-	Environmental testing - Part 2-10: Tests - Test J and guidance: Mould growth	EN 60068-2-10	-
IEC 60068-2-11	-	Basic environmental testing procedures - Part 2-11: Tests - Test Ka: Salt mist	EN 60068-2-11	-
IEC 60068-2-13	-	Basic environmental testing procedures - Part 2-13: Tests - Test M: Low air pressure	EN 60068-2-13	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-17	-	Basic environmental testing procedures - Part 2-17: Tests - Test Q: Sealing	EN 60068-2-17	-
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-()
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-

IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-38	2009	Environmental testing - Part 2-38: Tests - Test Z/AD: Composite temperature/humidity cyclic test	EN 60068-2-38	2009
IEC 60068-2-42	-	Environmental testing - Part 2-42: Tests - Test Kc: Sulphur dioxide test for contacts and connections	EN 60068-2-42	-
IEC 60068-2-43	, -)	Environmental testing - Part 2-43: Tests - Test Kd: Hydrogen sulphide test for contacts and connections	EN 60068-2-43	-
IEC 60068-2-45		Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	-
IEC 60068-2-46	-	Basic environmental testing procedures - Part 2-46: Tests - Guidance to test Kd: Hydrogen sulphide test for contacts and connections	HD 323.2.46 S1	-
IEC 60068-2-49	-	Basic environmental testing procedures - Part 2-49: Tests - Guidance to test Kc: Sulphur dioxide test for contacts and connections	-	-
IEC 60068-2-58	2015	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58	2015
+ A1	2017	104	+ A1	2018
+ A1 IEC 60068-2-61		Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence	+ A1 EN 60068-2-61	2018 1993
	1991	Environmental testing - Part 2-61: Test methods		
IEC 60068-2-61	1991 1994	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test	EN 60068-2-61	1993
IEC 60068-2-61 IEC 60068-2-68	1991 1994 -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test	EN 60068-2-61 EN 60068-2-68	1993
IEC 60068-2-61 IEC 60068-2-68 IEC 60068-2-77	1991 1994 -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test 77: Body strength and impact shock Environmental testing - Part 2-78: Tests - Test	EN 60068-2-61 EN 60068-2-68 EN 60068-2-77	1993
IEC 60068-2-61 IEC 60068-2-68 IEC 60068-2-77 IEC 60068-2-78	1991 1994 -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test 77: Body strength and impact shock Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state Degrees of protection provided by enclosures	EN 60068-2-61 EN 60068-2-68 EN 60068-2-77	1993
IEC 60068-2-61 IEC 60068-2-68 IEC 60068-2-77 IEC 60068-2-78 IEC 60529	1991 1994 -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test 77: Body strength and impact shock Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state Degrees of protection provided by enclosures (IP Code) Graphical symbols for diagrams (available at:	EN 60068-2-61 EN 60068-2-68 EN 60068-2-77	1993
IEC 60068-2-61 IEC 60068-2-68 IEC 60068-2-77 IEC 60068-2-78 IEC 60529 IEC 60617	1991 1994 -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test 77: Body strength and impact shock Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state Degrees of protection provided by enclosures (IP Code) Graphical symbols for diagrams (available at: http://std.iec.ch/iec60617) Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 3:	EN 60068-2-61 EN 60068-2-68 EN 60068-2-77 EN 60068-2-78 -	1993 1996 - - - -
IEC 60068-2-61 IEC 60068-2-68 IEC 60068-2-77 IEC 60068-2-78 IEC 60529 IEC 60617 IEC 60721-3-3	1991 1994 - - -	Environmental testing - Part 2-61: Test methods - Test Z/ABDM: Climatic sequence Environmental testing - Part 2-68: Tests - Test L: Dust and sand Environmental testing - Part 2-77: Tests - Test 77: Body strength and impact shock Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state Degrees of protection provided by enclosures (IP Code) Graphical symbols for diagrams (available at: http://std.iec.ch/iec60617) Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 3: Stationary use at weather protected locations Switches for appliances - Part 1: General	EN 60068-2-61 EN 60068-2-68 EN 60068-2-77 EN 60068-2-78 EN 60721-3-3	1993 1996 - - - -

CONTENTS

Ε(DREWORL)	6
IN	TRODUCT	TION	8
1	Scope		9
2	Normat	ive references	9
3	Terms.	definitions, units and symbols	11
		erms and definitions	
		nits and symbols	
4		d measurement procedures	
		eneral	
	4.1.1	General requirements to tests and measuring procedures	
	4.1.2	Tolerances	
	4.1.3	Preconditioning	
	4.1.4	Mounting	
	4.2 St	andard atmospheric conditions	14
	4.3 G	eneral examination	15
	4.3.1	Visual examination	
	4.3.2	Dimensions	15
	4.3.3	Dimensions, gauging	
	4.3.4	Mass	
	4.3.5	Functional operation	
	4.3.6	Operating characteristics	
	4.3.7	Contact bounce	
		esistance measurements	
	4.4.1	Contact resistance – Millivolt level	
	4.4.2	Contact resistance – Specified current	
	4.4.3	Resistance from actuator to mounting bushing (surface)	
	4.4.4	Insulation resistance	
	4.5 W 4.5.1	ithstand voltage	
	4.5.1 4.5.2	Withstand voltage at standard atmospheric conditions Withstand voltage at low air pressure	
	_	eating	
	4.6.1	Object	
	4.6.2	Method	
	4.6.3	Requirement	
	4.6.4	Items to be specified in the detail specification	
		ynamic stress	
	4.7.1	Shock	
	4.7.2	Vibration	
	4.7.3	Contact disturbance	33
	4.8 M	echanical strength	34
	4.8.1	Robustness of actuator	34
	4.8.2	Robustness of mounting bushing	37
	4.8.3	Robustness of screw mounting	37
	4.8.4	Robustness of terminations	37
	4.9 M	echanical endurance	38
	4.9.1	Mechanical endurance – Standard atmospheric conditions	
	4.9.2	Mechanical endurance – Category temperature range	39

4.10 Elec	ctrical endurance	40
4.10.1	Electrical endurance – Standard atmospheric conditions	
4.10.2	Electrical endurance – Upper category temperature	42
4.10.3	Electrical endurance – Category temperature range	
4.10.4	Electrical endurance – low air pressure	
4.10.5	Logic loads (TTL)	
4.10.6	Low level endurance test	
4.11 Ove	erload	46
4.11.1	Electrical overload	
4.11.2	Capacitive load switching	
	rironmental testing	
4.12.1	Climatic sequence	
4.12.2	Dry heat	
4.12.3	Cold	
4.12.4	Damp heat, steady state	
4.12.5	Damp heat, cyclic	
4.12.6	Rapid change of temperature	
4.12.7	Mould growth (resistance)	
4.12.8	Corrosion, industrial atmosphere	
4.12.9	Dust and sand	
4.12.10	Salt mist	
4.12.11	Contact resistance stability	
	dering	
4.13.1	Solderability, wetting, solder bath method	
4.13.2	Solderability, wetting, soldering iron method	
4.13.3	Solderability, dewetting	
4.13.4	Resistance to soldering heat, solder bath method	
4.13.5	Resistance to soldering heat, soldering iron method	
	nel seal	
4.14.1	General	
4.14.2	Drip – Proof	
4.14.3	Splash – Proof	
4.14.4	Immersion	
4.14.5	Submersion	
4.15.1	General Watertight immersion	
4.15.2		
4.15.3	Resilient or hermetic seald resistance – Immersion in cleaning solvents (marking)	
4.16 Fiui	ObjectObject	
4.16.1	Method	
4.16.2	Requirement	
4.16.3 4.16.4	Items to be specified in the detail specification	
	hazard	
	pacitance	
4.16 Cap	Object	
4.18.1	Method	
4.18.3	Requirement	
4.10.3	•	75 75

	76
4.19.1 Chromaticity	76
4.19.2 Transmittancy	76
4.19.3 Temperature of illuminated surface	
4.20 Soldering for surface mounting switches	
4.20.1 Solderability, solder bath method (surface mounting switches)	
4.20.2 Solderability, reflow method (surface mounting switches)	
4.20.3 Solderability, soldering iron method (surface mounting switches)	79
4.20.4 Resistance to soldering heat, solder bath method (surface mounting switches)	80
4.20.5 Resistance to soldering heat, reflow method (surface mounting switches	
4.20.6 Resistance to soldering heat, soldering iron method (surface mounting	,
switches)	81
4.21 Mechanical strength (surface mounting switches)	82
4.21.1 Substrate bending (surface mounting switches)	
4.21.2 Pull-off and push-off (surface mounting switches)	
4.21.3 Shear (surface mounting switches)	
4.21.4 Body strength (surface mounting switches)	
5 Preferred values	
5.1 General	
5.2 Clearance and creepage distances	
6 Marking	
6.1 Markings on switch body	85
6.2 Markings on packaging	
Bibliography	86
Figure 1 – Measuring direction of operating force and torque	
Figure 2 – Example of measuring points specified in detail specifications	20
Figure 2 – Example of measuring points specified in detail specifications	20
Figure 2 – Example of measuring points specified in detail specifications	20
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC)	20 22 22
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC)	20 22 22
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC)	20 22 22 25
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC). Figure 7 – Specified current method (by DC)	20 22 25 25
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC)	2022252527
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC). Figure 9 – Application of forces and torques for 4.8.1	20 22 25 25 27 27
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC) Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle	202225272736
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC) Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure	20222527273656
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC) Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure Figure 12 – Submersion seal enclosure	20222527365656
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC) Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure Figure 12 – Submersion seal enclosure	20222527365656
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC) Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure Figure 12 – Submersion seal enclosure	20 22 25 27 36 56 56
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC). Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure Figure 12 – Submersion seal enclosure Table 1 – Torque values for mounting screws Table 2 – Climatic sequence	2022252736563749
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit	202225273656563749
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit Figure 4 – Typical trace of contact bounce Figure 5 – Low voltage and current method (by DC) Figure 6 – Low voltage and current method (by AC) Figure 7 – Specified current method (by DC) Figure 8 – Specified current method (by AC). Figure 9 – Application of forces and torques for 4.8.1 Figure 10 – Composition of one cycle Figure 11 – Composition of cycle of test procedure Figure 12 – Submersion seal enclosure Table 1 – Torque values for mounting screws Table 2 – Climatic sequence	202225273656563749
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit	202225273656374949
Figure 2 – Example of measuring points specified in detail specifications Figure 3 – Contact bounce test circuit	2022252736565737494959

	tion pility, bath method: Tes			
3.	-	·	,	
5				
0				
	>			
	6			
	· Ox			
	10			
	6			
		0,		
		4		
		0		
			9	
			0),	
			,0	
			6	
			7	
				10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMECHANICAL SWITCHES FOR USE IN ELECTRICAL AND ELECTRONIC EQUIPMENT –

Part 1: Generic specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61020-1 has been prepared by subcommittee 23J: Switches for appliances, of IEC technical committee 23: Electrical accessories.

This third edition cancels and replaces the second edition published in 2009

This edition includes the following significant technical changes with respect to the previous edition:

- a) In accordance with the ISO/IEC Directives, Part 2:2016, Clause 2 General has been replaced by two new clauses: Clause 2 Normative references and Clause 3 Terms, definitions, units and symbols.
 - 2.4 Preferred values and 2.5 Marking have been moved to Clauses 5 and 6. In addition, 6.2 Markings on packaging has been added.
- b) Clause 3 Quality assurance procedures and Annex A have been deleted.
- c) 4.3.6.3 Returning force has been added.
- d) 4.3.6.4 Travel (movement of the actuator) has been added.
- e) 4.12 Environmental testing:

- 4.12.1.3 and 4.12.1.5 have been renumbered 4.12.2 and 4.12.3, respectively. 4.12.1.4 and 4.12.1.7 have been integrated in 4.12.5. 4.12.10 Salt mist has been added.
- f) Following publication of IEC 61058-1-1:2016, some cross-references to IEC 61058-1 have been updated.
- g) The following items have been updated with respect to the second edition.
 - Tables and figures:

Tables 1 and 3 have been deleted, Table 4 has been renumbered to Table 10. New Tables 2, 3, 4, 5, 6, 7, 8 and 9 have been added.

Figure 1 has been renumbered to Figure 3, Figure 2 renumbered to Figure 4, Figure 3 renumbered to Figure 9 and Figure 4 renumbered to Figure 12. Added new Figures 1, 2, 5, 6, 7, 8, 10 and 11 have been added.

Specific words and common names have been unified.

The text of this International Standard is based on the following documents:

CDV	Report on voting
23J/443/CDV	23J/448/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61020 series, published under the general title *Electromechanical* switches for use in electrical and electronic equipment, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document covers the general requirements and test methods for electromechanical switches with optional quality assurance procedures. It provides the general requirements and test methods for use in any detail specifications for pushbutton switches, rotary switches, sensitive switches, toggle switches, and other electromechanical switches.

nded that pific safety re Where it is intended that an electromechanical switch comply with requirements related to safety, the specific safety requirements will be specified in IEC 61058-1.

ELECTROMECHANICAL SWITCHES FOR USE IN ELECTRICAL AND ELECTRONIC EQUIPMENT –

Part 1: Generic specification

1 Scope

This part of IEC 61020 specifies the terminology, symbols, test methods and other necessary information to provide consistency in detail specifications for electromechanical switches.

This document relates to electromechanical switches intended for use in electrical and electronic appliances. Switches covered by this document:

- a) are devices which open, close, or change the connection of a circuit by the mechanical motion of conducting parts (contacts);
- b) have a maximum rated voltage of 480 V;
- c) have a maximum rated current of 63 A.

This document does not include keyboards and keypads which are intended for use in information-handling systems. Electromechanical key switches can be included under the scope of this document.

Switch families will be described in any detail specifications that reference this document.

This document is a performance standard intended to describe evaluation methods to better clarify the capabilities of a switch.

NOTE 1 Safety requirements for switches for household and similar fixed electrical installations are given in IEC 60669 (all parts).

NOTE 2 Safety requirements for appliance switches are given in IEC 61058 (all parts).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050-581, International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment

IEC 60068-1:2013, Environmental testing – Part 1: General and guidance

IEC 60068-2-1, Environmental testing - Part 2-1: Tests - Test A: Cold

IEC 60068-2-2, Environmental testing – Part 2-2: Tests – Test B: Dry Heat

IEC 60068-2-6, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-10, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth