

**Passive filter units for electromagnetic interference suppression Part 2: Sectional specification:
Passive filter units for which safety tests are appropriate – Test methods and general requirements**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60939-2:2005 sisaldab Euroopa standardi EN 60939-2:2005 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 13.06.2005 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 08.04.2005.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60939-2:2005 consists of the English text of the European standard EN 60939-2:2005.

This standard is ratified with the order of Estonian Centre for Standardisation dated 13.06.2005 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 08.04.2005.

The standard is available from Estonian standardisation organisation.

ICS 31.160

Võtmesõnad:

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

Passive filter units for electromagnetic interference suppression
Part 2: Sectional specification:
Passive filter units for which safety tests are appropriate –
Test methods and general requirements
(IEC 60939-2:2005)

Filtres passifs d'antiparasitage
Partie 2: Spécification intermédiaire:
Filtres passifs pour lesquels des essais
de sécurité sont appropriés –
Méthodes d'essai et règles générales
(CEI 60939-2:2005)

Passive Filter für die Unterdrückung von
elektromagnetischen Störungen
Teil 2: Rahmenspezifikation:
Filter, für die Sicherheitsprüfungen
vorgeschrieben sind –
Prüfverfahren und allgemeine
Anforderungen
(IEC 60939-2:2005)

This European Standard was approved by CENELEC on 2005-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 40/1510/FDIS, future edition 2 of IEC 60939-2, prepared by IEC TC 40, Capacitors and resistors for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60939-2 on 2005-03-01.

This European Standard supersedes EN 133200:1999.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2005-12-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2008-03-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60939-2:2005 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60060-1	- ¹⁾	High-voltage test techniques Part 1: General definitions and test requirements	HD 588.1 S1	1991 ²⁾
IEC 60062	- ¹⁾	Marking codes for resistors and capacitors	EN 60062	2005 ²⁾
IEC 60068-1	- ¹⁾	Environmental testing Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 60068-2-17	- ¹⁾	Part 2: Tests - Test Q: Sealing	EN 60068-2-17	1994 ²⁾
IEC 60085	- ¹⁾	Electrical insulation Thermal classification	EN 60085	2004 ²⁾
IEC 60335-1 (mod)	- ¹⁾	Household and similar electrical appliances - Safety Part 1: General requirements	EN 60335-1 + A11	2002 ²⁾ 2004 ²⁾
IEC 60384-9	- ¹⁾	Fixed capacitors for use in electronic equipment. Part 9: Sectional specification: Fixed capacitors of ceramic dielectric, Class 2.	-	-
IEC 60384-14	- ¹⁾	Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	-	-
IEC 60664	Series	Insulation coordination for equipment within low-voltage systems	EN 60664	Series
IEC 60938-1	- ¹⁾	Fixed inductors for electromagnetic interference suppression Part 1: Generic specification	EN 60938-1	1999 ²⁾
IEC 60939-1	- ¹⁾	Passive filter units for electromagnetic interference suppression Part 1: Generic specification	EN 60939-1	2005 ²⁾

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60940	- ¹⁾	Guidance information on the application of capacitors, resistors, inductors and complete filter units for radio interference suppression	-	-
IEC 61140	- ¹⁾	Protection against electric shock - Common aspects for installation and equipment	EN 61140	2002 ²⁾

This document is a preview generated by EVS

INTERNATIONAL STANDARD

IEC
60939-2

Second edition
2005-02

**Passive filter units for electromagnetic
interference suppression –**

**Part 2:
Sectional specification –
Passive filter units for which safety
tests are appropriate –
Test methods and general requirements**



Reference number
IEC 60939-2:2005(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)
- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.
- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.
- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC
60939-2

Second edition
2005-02

**Passive filter units for electromagnetic
interference suppression –**

**Part 2:
Sectional specification –
Passive filter units for which safety
tests are appropriate –
Test methods and general requirements**

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

X

For price, see current catalogue

CONTENTS

FOREWORD	4
1 General	6
1.1 Scope	6
1.2 Normative references	6
1.3 Information to be given in a detail specification	7
1.4 Definitions	8
1.5 Marking	9
2 Preferred ratings and characteristics	10
2.1 Preferred characteristics	10
2.2 Preferred values of ratings	10
3 Quality assessment procedures	11
3.1 Primary stage of manufacture	11
3.2 Structurally similar filters	11
3.3 Certified records of released lots	11
3.4 Approval testing	11
3.5 Quality conformance inspection	13
4 Test and measurement procedures	18
4.1 Earth inductors incorporated in filters	18
4.2 Capacitance and $\tan \delta$ measurements	18
4.3 Visual examination and check of dimensions	18
4.4 Voltage proof	19
4.5 Insulation resistance	20
4.6 DC line resistance or voltage drop at rated current	20
4.7 Insertion loss	21
4.8 Discharge resistance	21
4.9 Robustness of terminations	22
4.10 Resistance to soldering heat	22
4.11 Solderability	22
4.12 Rapid change of temperature	22
4.13 Vibration	23
4.14 Bump	23
4.15 Shock	24
4.16 Container sealing	24
4.17 Climatic sequence	25
4.18 Damp heat, steady state	26
4.19 Temperature rise	26
4.20 Impulse voltage	28
4.21 Endurance	29
4.22 Charge and discharge	31
4.23 Passive flammability	32
4.24 Current overload	32
4.25 Solvent resistance of the marking	32
4.26 Component solvent resistance	33
4.27 Active flammability	33

Annex A (normative) Test schedule for qualification approval – Assessment level D / DZ	34
Annex B (normative) Test schedule for safety requirements only	38
Annex C (normative) Circuit for the impulse voltage test	40
Annex D (normative) Circuit for the endurance test	42
Annex E (normative) Declaration of design	43
Figure 1 – Impulse wave form	29
Figure C.1 – Impulse voltage test circuit	40
Table 1 – Classification of class X capacitors	8
Table 2 – Classification of class Y capacitors	9
Table 3 – Tests concerning safety requirements only	14
Table 4 – Sampling plan – Safety and performance tests qualification approval – Assessment level D / DZ	15
Table 5 – Lot-by-lot-tests – Assessment level D / DZ	16
Table 6 – Lot-by-lot test – Safety tests only approval	16
Table 7 – Periodic tests – Assessment level D / DZ	17
Table 8 – Creepage distances and clearances	18
Table 9 – Voltage proof	19
Table 10 – Insulation resistance	20
Table 11 – Preferred severities	24
Table 12 – Measurements and requirements after charge and discharge	31
Table A.1 – Test schedule for qualification approval – Assessment level D / DZ	34
Table B.1 – Test schedule for safety requirements only	38
Table C.1 – Values of C_X , C_T , R_P , R_S , C_P	40
Table C.2 – Values and tolerances of C_X , t_r , t_d	41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 2: Sectional specification – Passive filter units for which safety tests are appropriate – Test methods and general requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60939-2 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 1988. This second edition constitutes a technical revision.

The major changes that have been made between the first and the second edition are :

- Capacitance and $\tan \delta$ measurements, d.c. line resistance or voltage drop at rated current, impulse voltage, passive flammability, current overload, solvent resistance of marking, component solvent resistance and active flammability have been added to Clause 4, test and measurement procedures.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/1510/FDIS	40/1537/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 60939 consists of the following parts, under the general title *Passive filter units for electromagnetic interference suppression*

- Part 1: Generic specification
- Part 2: Sectional specification: Test methods and general requirements
- Part 2-1: Blank detail specification – Passive filter units for electromagnetic interference suppression – Filters for which safety tests are required (Assessment level D / DZ)
- Part 2-2: Blank detail specification – Passive filter units for electromagnetic interference suppression – Filters for which safety tests are required (Safety tests only)

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of November 2005 have been included in this copy.

A bilingual version of this publication may be issued at a later date.

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 2: Sectional specification – Passive filter units for which safety tests are appropriate – Test methods and general requirements

1 General

1.1 Scope

This Sectional specification applies to passive filter units for electromagnetic interference suppression which fall within the scope of the Generic Specification IEC 60939-1.

The scope of this Sectional specification is restricted to passive filter units for which safety tests are appropriate. This implies that filters specified according to this Sectional specification will either be connected to mains supplies, when compliance with the mandatory tests of Table 3 is necessary, or used in other circuit positions where the equipment specification prescribes that some or all of these safety tests are required.

This Sectional specification applies to passive filter units which will be connected to an a.c. mains or other supply with a nominal voltage not exceeding 1 000 V a.c., with a nominal frequency not exceeding 400 Hz, or 1 000 V d.c.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Components other than inductors and capacitors in the filter unit should fulfil requirements in the relevant IEC Standard.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2: Tests – Test Q: Sealing*

IEC 60085, *Thermal evaluation and classification of electrical insulation*

IEC 60335-1, *Safety of household and similar electrical appliances – Part 1: General requirements*

IEC 60384-9, *Fixed capacitors for use in electronic equipment – Part 9: Sectional specification: Fixed capacitors of ceramic dielectric, Class 2*

IEC 60384-14, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60664 (all parts), *Insulation coordination for equipment within low-voltage systems*

IEC 60938-1, *Fixed inductors for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60939-1, *Passive filter units for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60940, *Guidance information on the application of capacitors, resistors, inductors and complete filter units for radio interference suppression*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

1.3 Information to be given in a detail specification

1.3.1 General

The detail specifications shall be derived from the relevant blank detail specification.

Detail specifications shall not specify requirements inferior to those of the generic, sectional or blank detail specification. When more severe requirements are included, they shall be listed in 1.9 of the detail specification, and indicated in the test schedules, for example by an asterisk.

NOTE The information given in 1.3.2 may, for convenience, be presented in tabular form.

The following information shall be given in each detail specification and the values quoted shall preferably be selected from the appropriate clause of this sectional specification.

1.3.2 Outline drawing and dimensions

There shall be an illustration of the filter as an aid to easy recognition and for comparison of the filter with others. Dimensions and their associated tolerances, which affect interchangeability and mounting, shall be given in the detail specification. All dimensions shall preferably be stated in millimetres.

Normally, the numerical values shall be given for the length of the body, the width and height of the body and the wire spacing, or for cylindrical types, the body diameter and the length and diameter of the terminations. When necessary, for example when a range of filters is covered by a single detail specification, their dimensions and their associated tolerances shall be placed in a table following the drawing.

In addition, the detail specification shall state such other dimensional information as will adequately describe the filter outline.

1.3.3 Mounting

The detail specification shall specify the method of mounting recommended for normal use and the method which is mandatory for the application of the vibration, bump, shock and endurance tests. The design of the filter may be such that special mounting fixtures or heat sinks are required in its use. In this case, the detail specification shall describe the mounting fixtures and they shall be used in the application of the vibration, bump or shock tests. The specified heat sink shall be used in the application of the endurance test.