# INTERNATIONAL STANDARD

ISO 9407

First edition 1991-11-01

# **Shoes sizes** — **Mondopoint system of sizing and marking**

Pointure des chaussures — Système Mondopoint de mesure et de marquage



### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the international Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 35 % of the member bodies casting a vote.

International Standard ISO 9407 was prepared by Technical Committee ISO/TC 137, Sizing system, designations and marking for boots and shoes.

This first edition cancels and replaces ISO 2816:1973, ISO 3353-1975 and ISO 3844:1977.

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 ● CH-1211 Genève 20 ● Switzerland

Printed in Switzerland

## Shoes sizes — Mondopoint system of sizing and marking

### 1 Scope

This International Standard describes the fundamental characteristics of a system of sizing shoes that is to be known as Mondopoint

It specifies the method of size marking for shoes and applies to all types of shoe, without restriction.

#### 2 Definitions

For the purposes of this International Standard the following definitions apply.

- **2.1 shoe:** This shall be interpreted to mean shoe, boot, slipper, sandal and all other types of footwear, without restriction.
- **2.2 size of the shoe**: Those measurements of a foot that are deemed to be sufficient to provide a shoe that will fit a foot that corresponds to those measurements.
- 2.3 length of the foot: Horizontal distance between the perpendiculars in contact with the end of the most prominent toe (ap) and the most prominent part of the heel (pte), measured with the subject standing (with the weight of the body equally distributed on both feet) and wearing hose appropriate to the type of shoe. (See figure 1.)
- **2.4 perimeter of the foot:** Length of the circumference of the measured foot, using a flexible tape, neither too slack nor too tight, at the joint between

the first and fifth metatarsals with the first phalax of the first and fifth toes (mt.t. and mt.f.) (metatarsophalangeal joint), under conditions identical with those previously used for the measurement of length.

- 2.5 width of the foot: Projection, on a horizontal plane, of the perimeter measured under the same conditions as the length, and representing the horizontal distance between vertical lines in contact with the first and fifth metatarsophalangeal joints (mt.t. and mt.f.). (See figure 2.)
- 2.6 average normal foot: A foot defined from the examination of statistical results and anatomical studies.

# Fundamental characteristics of a sizing system

- 3.1 The International System of Units (SI) shall be the one used in the measurement of feet, on which the sizing of shoes is based.
- **3.2** The sixing system shall be based on the two following measurements:
- a) length of the (vo) (as defined in 2.3), and
- b) width of the foot (as defined in 2.5).
- NOTE 1 The above provisions do not preclude the use of the perimeter of the foot the various stages of the manufacture of shoes.