Elektromagnetiline ühilduvus (EMÜ).
Osa 4: Katse- ja mõõtetehnika. Jagu 7:
Toitesüsteemide ja nendega ühendatud seadmestiku harmooniliste ja vaheharmooniliste mõõtmiste ja mõõteaparatuuri üldjuhend

Electromagnetic compatibility (EMC) - Part 4: Testing and measurement techniques - Section 7: General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61000-4-7:2002 sisaldab Euroopa standardi EN 61000-4-7:2002 ingliskeelset teksti.

7:2002 consists of the English text of the European standard EN 61000-4-7:2002.

Käesolev dokument on jõustatud 18.12.2002 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. This document is endorsed on 18.12.2002 with the notification being published in the official publication of the Estonian national standardisation organisation.

This Estonian standard EVS-EN 61000-4-

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

Käesolev juhend on rakendatav mõõteaparatuurile, mis on ette nähtud toitesageduslikule pinge-le või voolule liitunud pinge- või voolukomponentide mõõtmiseks sagedus-piirkonnas alaliskomponendist kuni 2500 Hz. Samuti on käesolev standard rakendatav mõõteaparatuurile, mis on ette nähtud nii sead-mestiku üksikdetailide katsetamiseks vastavalt standardites antud lubatud häirijaemissiooninivoodele (näiteks IEC 555-2 antud vooluharmooniliste piiridele) kui ka pingeja vooluharmooniliste mõõtmiseks tegelikes toitesüsteemides. Erilist tähelepanu on pööratud harmooni-liste kontrolltõõtmisele tugevvoolu toitesüsteemides. Häirijaemissioonikatse mõõtmisprotseduure ja katsetingimusi selles juhendis ei käsitleta: need nõuded sisalduvad eristandardis. Tähelepanu on koondatud peamiselt toitesageduse harmoonilistele, kuid võidakse mõõta ka teiste sagedustega (vahe-sageduslikke) komponente.

Scope:

ICS 33.100.10, 33.100.20

Võtmesõnad: classifications, definitions, detail specifications, electromagnetic compatibility, fidelity, harmonics, measurement, measuring instruments, symbols, tests

This document is a previous denoted by the second denoted by the s

EUROPEAN STANDARD

EN 61000-4-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2002

ICS 33.100.10; 33.100.20

Supersedes EN 61000-4-7:1993

English version

Electromagnetic compatibility (EMC)
Part 4-7: Testing and measurement techniques General guide on harmonics and interharmonics
measurements and instrumentation,
for power supply systems and equipment connected thereto
(IEC 61000-4-7:2002)

Compatibilité électromagnétique (CEM)
Partie 4-7: Techniques d'essai
et de mesure Guide général relatif aux mesures
d'harmoniques et d'interharmoniques,
ainsi qu'à l'appareillage de mesure,
applicable aux réseaux d'alimentation
et aux appareils qui y sont raccordés
(CEI 61000-4-7:2002)

Elektromagnetische Verträglichkeit (EMV)
Teil 4-7: Prüf- und Messverfahren Allgemeiner Leitfaden für Verfahren
und Geräte zur Messung
von Oberschwingungen und
Zwischenharmonischen in
Stromversorgungsnetzen und
angeschlossenen Geräten
(IEC 61000-4-7:2002)

This European Standard was approved by CENELEC on 2002-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 77A/382/FDIS, future edition 2 of IEC 61000-4-7, prepared by SC 77A, Low frequency phenomena, of IEC TC 77, Electromagnetic compatibility, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61000-4-7 on 2002-10-01.

This European Standard supersedes EN 61000-4-7:1993.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2003-07-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2005-10-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only. In this standard, annex ZA is normative and annexes A, B and C are informative. Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61000-4-7:2002 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61000-3 (Series) NOTE Partly harmonized in EN 61000-3 series (not modified).

IEC 61010-1 NOTE Harmonized as EN 61010-1:2001 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Dublication	Voor	Title	EN/UD	Voor
<u>Publication</u>	<u>Year</u>		EN/HD	<u>Year</u>
IEC 60050-161	_ 1)	International Electrotechnical Vocabulary (IEV) Chapter 161: Electromagnetic compatibility	-	-
IEC 61000-3-2	_ 1)	Electromagnetic compatibility (EMC) Part 3-2: Limits - Limits for harmonic current emissions (equipment input current up to and including 16 A per phase)	EN 61000-3-2	2000 ²⁾
IEC 61967-1	_ 1)	Integrated circuits - Measurement of electromagnetic emissions, 150 kHz to 1 GHz Part 1: General conditions and definitions	EN 61967-1	2002 2)
1) Undated reference.				

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

INTERNATIONAL STANDARD

IEC 61000-4-7

Second edition 2002-08

BASIC EMC PUBLICATION

Electromagnetic compatibility (EMC) -

Part 4-7:

Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (www.iec.ch/online news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 61000-4-7

Second edition 2002-08

BASIC EMC PUBLICATION

Electromagnetic compatibility (EMC) –

Part 4-7:

Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

© IEC 2002 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

W

CONTENTS

FO	REWO	ORD	7	
INT	RODU	JCTION	11	
1	Scop	e	13	
2	Normative references			
3		uitions, symbols and indices		
Ū	3.1	Definitions related to frequency analysis		
	3.2	Definitions related to hequency analysis		
	3.3	Definitions related to distortion factors		
	3.4	Definitions related to interharmonics		
	3.5	Notations		
		3.5.1 Symbols and abbreviations		
		3.5.2 Indices		
4	Gene	eral concepts and common requirements for all types of instrumentation	25	
	4.1	Characteristics of the signal to be measured		
	4.2	Accuracy classes of instrumentation		
	4.3	Types of measurement	25	
	4.4	General structure of the instrument		
		4.4.1 Main instrument	27	
		4.4.2 Post-processing parts		
5	Harm	nonic measurements	31	
	5.1	Current input circuit	31	
	5.2	Voltage input circuit	31	
	5.3	Accuracy requirements	33	
	5.4 Measurement set-up for emission assessment			
	5.5	Assessment of harmonic emissions		
		5.5.1 Grouping and smoothing		
		5.5.2 Compliance with emission limits		
	5.6	Assessment of voltage harmonic subgroups	41	
6	Othe	r analysis principles	41	
7	Trans	sitional period	43	
8	Gene	eral	43	
Anr	nex A	(informative) Measurement of interharmonics	45	
Anr	nex B	(informative) Measurements above the harmonic frequency range up to 9 kH	z49	
Anr	nex C	(informative) Technical considerations for grouping method	53	
Rih	liograi	phy	71	
210	ogra	r··,		
Fig	ure 1 -	General structure of the measuring instrument	29	
Fig	ure 2	Measurement set-up for single-phase emission measurement	35	
_		Measurement set-up for three-phase emission measurements		

Figure 4 – Illustration of harmonic and interharmonic groups (shown here for a 50 Hz supply)	39
Figure 5 – Realisation of a digital low-pass filter: z^{-1} designates a time window delay, α and β are the filter coefficients (see table 2 for values)	
Figure 6 – Illustration of a harmonic subgroup and an interharmonic centred subgroup (of a 50 Hz supply)	
Figure B.1 – Illustration of frequency bands for measurement, in the range 2 kHz to	
9 kHz	
Figure C.1 – Large 5th harmonic current fluctuation	
Figure C.2 – Large 5th harmonic voltage fluctuation	
Figure C.3 – Fluctuating 3rd harmonic current of a micro-wave appliance	
Figure C.4 – Communication signal of 178 Hz together with 3rd and 5th harmonics	
Figure C.5 – Interharmonic at 287 Hz, 5th and 6th harmonic	
Figure C.6 – Modulated 5th harmonic and interharmonic at 287 Hz	
Figure C.7 – Component vectors at frequencies of 245 Hz and 255Hz	69
Table 1 – Accuracy requirements for current, voltage and power measurements	33
Table 2 – Smoothing filter coefficients according to the window width	
	0.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-7: Testing and measurement techniques –
General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

FOREWORD

- The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-7 has been prepared by subcommittee 77A: Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard forms part 4-7 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This second edition cancels and replaces the first edition published in 1991, and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting	
77A/382/FDIS	77A/387/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A, B and C are for information only.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

Corrigen.

A Control of the Control The contents of the corrigendum of July 2004 have been included in this copy.

INTRODUCTION

IEC 61000 is published in separate parts, according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)
Definitions, terminology

Part 2: Environment

Description of the environment Classification of the environment Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques
Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines
Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Other will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).

These publications will be published in chronological order and numbered accordingly.

This part is an International Standard for the measurement of harmonic currents and voltages in power supply systems and harmonic currents emitted by equipment. It also specifies the performance of a standard measuring instrument.

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 4-7: Testing and measurement techniques –
General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

1 Scope

This part of IEC 61000 is applicable to instrumentation intended for measuring spectral components in the frequency range up to 9 kHz which are superimposed on the fundamental of the power supply systems at 50 Hz and 60 Hz. For practical considerations, this standard distinguishes between harmonics, interharmonics and other components above the harmonic frequency range, up to 9 kHz.

This standard defines the measurement instrumentation intended for testing individual items of equipment in accordance with emission limits given in certain standards (for example, harmonic current limits as given in IEC 61000-3-2) as well as for the measurement of harmonic currents and voltages in actual supply systems. Instrumentation for measurements above the harmonic frequency range, up to 9 kHz is tentatively defined (see Annex B).

NOTE 1 This document deals in detail with instruments based on the discrete Fourier transform.

NOTE 2 The description of the functions and structure of the measuring instruments in this standard is very explicit and meant to be taken literally. This is due to the necessity of having reference instruments with reproducible results irrespective of the characteristics of the input signals.

 ${\tt NOTE~3} \quad {\tt The~instrument~is~defined~to~accommodate~measurements~of~harmonics~up~to~the~50th~order.}$

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤16 A per phase)

IEC 61967-1, Integrated circuits – Measurement of electromagnetic emissions, 150 kHz to 1 GHz – Part 1: Measurement conditions and definitions¹

¹ To be published