Elektromagnetiline ühilduvus. Osa 6-3: Erialased põhistandardid. Olme-, kaubandus- ja väiketööstuskeskkondade emissioonistandard

Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61000-6- 3:2007+A1:2011 sisaldab Euroopa standardi EN 61000-6-3:2007 + EN 61000-6- 3:2007/A1:2011 ingliskeelset teksti. Standard on kinnitatud Eesti Standardikeskuse käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.	This Estonian standard EVS-EN 61000-6- 3:2007+A1:2011 consists of the English text of the European standard EN 61000-6-3:2007 + EN 61000-6-3:2007/A1:2011. This standard is ratified with the order of Estonian Centre for Standardisation dated and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.		
Euroopa standardimisorgantsatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 12.01.2007.	Date of Availability of the European standard text 12.01.2007.		
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.		
ICS 33.100.10			
elektromagnetiline ühilduvus, emissioonistandard, kauhardus, olme, väiketööstus			

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; <u>www.evs.ee</u>; Telefon: 605 5050; E-post: <u>info@evs.ee</u>

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; <u>www.evs.ee</u>; Phone: 605 5050; E-mail: <u>info@evs.ee</u>

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61000-6-3

January 2007

Supersedes EN 61000-6-3:2001 + A11:2004

ICS 33.100.10

English version



© 2007 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document CISPR/H/121/FDIS, future edition 2 of IEC 61000-6-3, prepared by CISPR SC H, Limits for the protection of radio services, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61000-6-3 on 2006-12-01.

This European Standard supersedes EN 61000-6-3:2001 + A11:2004.

The major changes in EN 61000-6-3:2007 are the inclusion of a clause on tests for equipment in series production, a new clause on measurement uncertainty and the inclusion of requirements on dc power ports and telecommunications ports. The informative annex has been deleted.

The following dates were fixed:
latest date by which the EN has to be implemented at national level by application of an identical national standard or by endorsement (dop) 2007-09-01
latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2009-12-01

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and covers essential requirements of EC Directives EMC (89/336/EEC), EMC (2004/108/EC) and RTTED (1999/5/EC). See Annex ZZ.

Annexes ZA and ZZ have been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61000-6-92006 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note to be added for the standards indicated:

DY TELS

IEC 61000-6-1 NOTE Harmonized as EN 61000-6-1:2007 (regmodified).

IEC 61000-6-4

NOTE Harmonized as EN 61000-6-4:2007 (not white

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an interapplies.	national pub	lication has been modified by common modifications, inc	licated by (mod), the relev	vant EN/HD
Publication	Pear	Title	<u>EN/HD</u>	Year
IEC 61000-3-2	000	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current \leq 16 A per phase)	EN 61000-3-2	2006 ²⁾
IEC 61000-3-3	_1)	Electromagnetic compatibility (EMC) - Part 23: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection	EN 61000-3-3 + corr. July	1995 ²⁾ 1997
IEC 61000-3-11	_1)	Electromagnetic compatibility (EMC) - Part 3-11: Limits - Enritation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current \leq 75 A and subject to conditional connection	EN 61000-3-11	2000 ²⁾
IEC 61000-3-12	_1)	Electromagnetic compatibility EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and \leq 75 A per phase	EN 61000-3-12	2005 ²⁾
CISPR 14-1	_1)	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	EN 55014-1	2006 ²⁾
CISPR 16-1-2	2003	Specification for radio disturbance and immunity measuring apparatus and methods Part 1-2: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Conducted disturbances	EN 55016-1-2	2004
CISPR 16-2-1	2003	Specification for radio disturbance and immunity measuring apparatus and methods Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	EN 55016-2-1 -	2004

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

Publication CISPR 16-2-3	Year _ ¹⁾	<u>Title</u> Specification for radio disturbance and immunity measuring apparatus and methods Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements	<u>EN/HD</u> EN 55016-2-3 -	<u>Year</u> 2006 ²⁾
CISPR 16-4-2	_1)	Specification for radio disturbance and immunity measuring apparatus and methods Part 4-2: Uncertainties, statistics and limit modelling - Uncertainty in EMC measurements	EN 55016-4-2 -	2004 ²⁾
CISPR 22	S S S S S S	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	EN 55022	2006 ²⁾
		imentis a Dreview Generated		

Annex ZZ

(informative)

Coverage of Essential Requirements of EC Directives

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers the essential requirements as given in Article 4(a) of the EC Directive 89/336/EEC and Annex I Article 1(a) of the EC Directive 2004/108/EC, and the essential requirements of Article 3.1(b) (emission only) of the EC Directive 1999/5/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the prectives concerned.

WARNING: Other requirements and other EC Directives may be applicable to the products falling within the scope of this standard

e Soument is a preview generated by the

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61000-6-3/A1

March 2011

ICS 33.100.10

English version



© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document CISPR/H/206/FDIS, future amendment 1 to IEC 61000-6-3:2007, prepared by CISPR SC H, Limits for the protection of radio services, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A1 to EN 61000-6-3:2007 on 2011-01-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

_	latest date by which the amendment has to be		
	implemented at national level by publication of		
	an identical national standard or by endorsement	(dop)	2011-10-01
_	latest date by which the national standards conflicting		
	with the amendment have to be withdrawn	(dow)	2014-01-01
Ar	nex ZA has been added by CENELEC.		

The text of amendment 1:2010 to the mernational Standard IEC 61000-6-3:2007 was approved by



Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies. Publication EN/HD Year Add the following new reference to the existing list: International Electrotechnical Vocabularv IEC 60050-161 (IEV) -Chapter 101: Electromagnetic compatibility IEC 61000-4-20 2010 Electromagnetic compatibility (EMC) -EN 61000-4-20 2010 Part 4-20: Testing and measurement techniques - Emission and immunity testing in transverse electromagnetic (TEM) waveguides Specification for radio disturbance and immunity measuring apparatus and methods -**CISPR 16-1-1** 2010 EN 55016-1-1 2010 Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus CISPR 16-1-4 Specification for radio disturbance and EN 55016-1-4¹⁾ 2007 2007 2007 immunity measuring apparatus and methods - +A1 + A1 2008 Part 1-4: Radio disturbance and impunity measuring apparatus - Ancillary equipment -Radiated disturbances Replace the existing references by the following new references: IEC 61000-3-2 2005 Electromagnetic compatibility (EMC) -N 61000-3-2 2006 + A1 2008 Part 3-2: Limits - Limits for harmonic current 2009 + A2 2009 emissions (equipment input current \leq 16 A 2009 per phase) IEC 61000-3-3 2008 Electromagnetic compatibility (EMC) -EN 610 2008 Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection IEC 61000-3-11 2000 Electromagnetic compatibility (EMC) -EN 61000-3-11 2000 Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems -Equipment with rated current ≤ 75 A and

¹⁾ EN 55016-1-4 is superseded by EN 55016-1-4:2010, which is based on CISPR 16-1-4:2010 + corr. December 2010.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	Year
		subject to conditional connection		
IEC 61000-3-12	2004	Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic current produced by equipment connected to public low-voltage systems with input current > 16 A and \leq 75 A per phase	EN 61000-3-12 s	2005
CISPR 14-1 + A1	2005 2008	Electromagnetic compatibil ty - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	EN 55014-1 + A1	2006 2009
CISPR 16-1-2 + A1 + A2	2003 2004 2006	Specification for radio disturbance and immunity measuring apparatus and methods Part 1-2: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Conducted disturbances	EN 55016-1-2 - + A1 + A2	2004 2005 2006
CISPR 16-2-1	2008	Specification for radio disturbance and inclunity measuring apparatus and methods Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	EN 55016-2-1 -	2009
CISPR 16-2-3	2006	Specification for radio disturbance and immunity measuring apparatus and methods Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements	EN 55016-2-3 ²⁾ -	2006
CISPR 16-4-2	2003	Specification for racio disturbance and immunity measuring apparatus and methods Part 4-2: Uncertainties Statistics and limit modelling - Uncertainty in EMC measurements	EN 55016-4-2 -	2004
CISPR 22 (mod)	2008	Information technology equipment - Radio disturbance characteristics - Linuts and methods of measurement	EN 55022	2010
			0,	

²⁾ EN 55016-2-3 is superseded by EN 55016-2-3:2010, which is based on CISPR 16-2-3:2010.

CONTENTS

FO	REWORD	
INT	RODUCTION	
1	Scope and object	
2	Normative references	
3	Terms and definitions	
4	Conditions during testing	
5	Product documentation	
6	Applicability	
7	Emission requirements	
8	Application of limits wests for conformity of equipment in series production	
9	Measurement uncertainty11	
	R.	
Bib	liography14	
Fig	ure 1 – Examples of ports	
Tak		,
Tat		•
	i.	
	4	
	× A	
	4	
	'L	
	\mathcal{O}	

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles) Definitions, terminology

Part 2: Environment

Description of the environment Classification of the environment

Compatibility level

Part 3: Limits

Emission limits

Immunity limits (insofar Sthey do not fall under the responsibility of the product committees)

Part 4: Testing and measurement chniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guideli JIEN DEI

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts published ther as International Standards or technical reports/specifications, some of which have already been published as sections. Others will be published with the part number followed by a cash and a second number identifying the subdivision (example: 61000-6-1). OT LING

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments

1 Scope and object

This part of IEC 6000 for EMC emission requirements applies to electrical and electronic apparatus intended for use in residential, commercial and light-industrial environments.

Emission requirements in the frequency range 0 Hz to 400 GHz are covered. No measurement needs to be performed at frequencies where no requirement is specified.

This generic EMC emission standard is applicable if no relevant dedicated product or productfamily EMC emission standard sists.

This standard applies to apparatus intended to be directly connected to a low-voltage public mains network or connected to a ded cated DC source, which is intended to interface between the apparatus and the low-voltage public mains network. This standard applies also to apparatus which is battery operated or is powered by a non-public, but non-industrial, low-voltage power distribution system if this apparatus is intended to be used in the locations described below.

The environments encompassed by this standard are residential, commercial and lightindustrial locations, both indoor and outdoor. The following list, although not comprehensive, gives an indication of locations that are included:

- residential properties, for example houses, apartments
- retail outlets, for example shops, supermarkets;
- business premises, for example offices, banks;
- areas of public entertainment, for example cinemas, publicears, dance halls;
- outdoor locations, for example petrol stations, car parks, am memory and sports centres;
- light-industrial locations, for example workshops, laboratories, service centres.

Locations that are characterised by being supplied directly at low voltage from the public mains network are considered to be residential, commercial or light-industrial.

The object of this standard is to define the emission test requirements for apparatus defined in the scope in relation to continuous and transient, conducted and radiated disturbances.

The emission requirements have been selected so as to ensure that disturbances generated by apparatus operating normally in residential, commercial and light-industrial locations do not exceed a level which could prevent other apparatus from operating as intended. Fault conditions of apparatus are not taken into account. Not all disturbance phenomena have been included for testing purposes in this standard but only those considered as relevant for the equipment covered by this standard. These requirements represent essential electromagnetic compatibility emission requirements. Requirements are specified for each port considered.

NOTE 1 Safety considerations are not covered by this standard.

NOTE 2 In special cases, situations will arise where the levels specified in this standard will not offer adequate protection; for example where a sensitive receiver is used in close proximity to an apparatus. In these instances, special mitigation measures may have to be employed.

NOTE 3 As the requirements in this standard are more stringent than the requirements in IEC 61000-6-4, equipment fulfilling the requirements of this standard will also comply with the requirements of IEC 61000-6-4.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current \leq 16 A per phase)

IEC 61000-3-3, Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage fluctuations and flicker in low-Otage supply systems for equipment with rated current \leq 16 A

IEC 61000-3-11, Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current \leq 75 A and subject to conditional connection

IEC 61000-3-12, Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and \leq 75 A per phase

CISPR 14-1: Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission

CISPR 16-1-2:2003, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Conducted disturbances

CISPR 16-2-1:2003, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements

CISPR 16-2-3, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

CISPR 16-4-2, Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Uncertainty in EMC measurements

CISPR 22, Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement