

**MAA-ALUSED ISEVOOLSED DRENAAZI JA
KANALISATSIOONI PLASTTORUSTIKUD.
PLASTIFITSEERIMATA POLÜVINÜÜLKLORIID (PVC-U).
OSA 1: TORUDE, LIITMIKE JA TORUSTIKE
SPETSIFIKATSIOONID**

Plastics piping systems for non-pressure underground drainage and sewerage - Unplasticized poly(vinyl chloride) (PVC-U) - Part 1: Specifications for pipes, fittings and the system

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 1401-1:2019 sisaldab Euroopa standardi EN 1401-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 1401-1:2019 consists of the English text of the European standard EN 1401-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.07.2019.	Date of Availability of the European standard is 10.07.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Plastics piping systems for non-pressure underground
drainage and sewerage - Unplasticized poly(vinyl chloride)
(PVC-U) - Part 1: Specifications for pipes, fittings and the
systems

Systèmes de canalisations en plastique pour les
branchements et les collecteurs d'assainissement
enterrés sans pression - Poly(chlorure de vinyle) non
plastifié (PVC-U) - Partie 1 : Spécifications pour tubes,
raccords et le système

Kunststoff-Rohrleitungssysteme für erdverlegte
drucklose Abwasserkanäle und -leitungen -
Weichmacherfreies Polyvinylchlorid (PVC-U) - Teil 1:
Anforderungen an Rohre, Formstücke und das
Rohrleitungssystem

This European Standard was approved by CEN on 12 May 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	8
4 Symbols and abbreviations	11
4.1 Symbols.....	11
4.2 Abbreviations.....	11
5 Material.....	12
5.1 General.....	12
5.2 Use of mineral modifier	12
5.3 Pipe material	13
5.4 Fitting material	13
5.5 Fabricated fitting material.....	14
5.6 Utilization of non-virgin material.....	14
5.7 Sealing ring retaining means material	14
6 General characteristics	15
6.1 Appearance.....	15
6.2 Colour	15
7 Geometrical characteristics	15
7.1 General.....	15
7.2 Dimensions of pipes.....	15
7.2.1 Outside diameters.....	15
7.2.2 Out of roundness	16
7.2.3 Length of pipes	16
7.2.4 Chamfering	17
7.2.5 Wall thickness	17
7.3 Dimensions of fittings.....	18
7.3.1 Outside diameters.....	18
7.3.2 Design lengths (Z)	18
7.3.3 Wall thicknesses.....	19
7.4 Dimensions of sockets and spigots	19
7.4.1 Elastomeric ring seal sockets and spigots.....	19
7.4.2 Adhesive joint sockets and spigots	23
7.5 Types of fittings	24
8 Mechanical characteristics	27
8.1 Mechanical characteristics of pipes.....	27
8.1.1 General requirements	27
8.1.2 Additional mechanical requirements.....	28
8.2 Mechanical characteristics of fittings	29
8.2.1 Ring stiffness class.....	29
8.2.2 Additional requirements.....	29
9 Physical characteristics	30
9.1 Physical characteristics of pipes.....	30

9.2	Physical characteristics of fittings.....	31
10	Performance requirements	32
11	Sealing rings	33
12	Adhesives.....	33
13	Marking	34
13.1	General	34
13.2	Minimum required marking of pipes	34
13.3	Minimum required marking of fittings.....	35
13.4	Additional marking.....	35
	Annex A (normative) Utilization of non-virgin material.....	36
A.1	General	36
A.2	Own reprocessed material.....	36
A.3	External reprocessed and/or recycled materials with agreed specifications.....	36
	Annex B (informative) General characteristics of PVC-U pipes and fittings	38
B.1	General	38
B.2	Formulation characteristics	38
B.3	Creep ratio.....	38
B.4	Chemical resistance	38
B.5	Abrasion resistance	38
B.6	Hydraulic roughness	39
B.7	Diametric deflection.....	39
	Annex C (informative) Product standards.....	40
	Bibliography	41

European foreword

This document (EN 1401-1:2019) has been prepared by Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2020, and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1401-1:2009.

This revision of the EN 1401 series is proposed by CEN/TC155/WG6 members in order to improve the "level of sustainability" and the "environmental impact" of PVC piping systems, whilst improving the recommendations and safe use of recycled material. Recycled material is categorized as non-virgin material in this document.

Regarding this specific target, some superfluous requirements and inconsistencies existing in the old version of EN 1401-1 were deleted, and more focus was given to the control of applied formulation and to the final characteristics and performance of products.

Compared to the previous version, the main changes are listed below:

- a) clarification of product covered (Clause 1);
- b) introduction of a new pipe series SN 16 (SDR 27,6) (7.2.5 and 7.4.1.2);
- c) deletion of former clause on dimension of "o-ring type joints";
- d) complete review of non-virgin (recyclates) material use (Clause 5 and Annex A);
- e) addition of a footnote e) to Table 14 for DSC to lower the minimum B-onset temperature to 180 °C for formulation with CaZn stabilizers.

This document is a Part of a System Standard for plastics piping systems of a particular material for a specified application. There are a number of such System Standards.

System Standards are based on the results of the work undertaken in ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids", which is a Technical Committee of the International Organization for Standardization (ISO).

They are supported by separate standards on test methods to which references are made throughout the System Standard.

The System Standards are consistent with general standards on functional requirements and on recommended practice for installation.

EN 1401 consists of the following parts, under the general title *Plastics piping systems for non-pressure underground drainage and sewerage — Unplasticized poly(vinyl chloride) (PVC-U)*:

- *Part 1: Specifications for pipes, fittings and the system* (this document);
- *Part 2: Guidance for assessment of conformity* (CEN/TS under revision).

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies the requirements for solid wall pipes with smooth internal and external surfaces, extruded from the same formulation throughout the wall, fittings and the system of unplasticized poly(vinyl chloride) (PVC-U) piping systems in the field of non-pressure underground drainage and sewerage:

- buried in ground outside the building structure (application area code "U"), and
- both buried in ground, within the building structure and outside the building (application area code "UD").

NOTE 1 The intended use is reflected in the marking of products by "U" or "UD".

It also specifies the test parameters for the test methods referred to in this document.

NOTE 2 Multilayer pipes with different formulations throughout the wall and foamed core pipes are covered by EN 13476-2 [1].

This document covers a range of nominal sizes, a range of pipes and fittings series and a range of stiffness classes and gives recommendations concerning colours.

NOTE 3 It is the responsibility of the purchaser or specifier to make the appropriate selection from these aspects, taking into account their particular requirements and any relevant national regulations and installation practices or codes.

It is applicable to PVC-U pipes and fittings, their joints and to joints with components of other plastics and non-plastics materials intended for buried piping systems for non-pressure underground drainage and sewerage.

NOTE 4 Pipes, fittings and other components conforming to any of the plastics product standards listed in Annex C can be used with pipes and fittings conforming to this document, provided they conform to the requirements for joint dimensions given in Clause 7 and to the requirements of Table 16.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 681-1, *Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber*

EN 681-2, *Elastomeric Seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 2: Thermoplastic elastomers*

EN 1905, *Plastics piping systems — Unplasticized poly(vinyl chloride) (PVC-U) pipes, fittings and material — Method for assessment of the PVC content based on total chlorine content*

EN 14680, *Adhesives for non-pressure thermoplastics piping systems — Specifications*

EN 14814, *Adhesives for thermoplastic piping systems for fluids under pressure — Specifications*

EN ISO 472:2013, *Plastics — Vocabulary (ISO 472:2013)*

EN ISO 580, *Plastics piping and ducting systems — Injection-moulded thermoplastics fittings — Methods for visually assessing the effects of heating (ISO 580)*

EN ISO 1043-1:2011, *Plastics — Symbols and abbreviated terms — Part 1: Basic polymers and their special characteristics (ISO 1043-1:2011)*

EN ISO 1167-1:2006, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 1: General method (ISO 1167-1:2006)*

EN ISO 1167-2, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 2: Preparation of pipe test pieces (ISO 1167-2)*

EN ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 2505, *Thermoplastics pipes — Longitudinal reversion — Test method and parameters (ISO 2505)*

EN ISO 2507-1, *Thermoplastics pipes and fittings — Vicat softening temperature — Part 1: General test method (ISO 2507-1)*

EN ISO 3126, *Plastics piping systems — Plastics components — Determination of dimensions (ISO 3126)*

EN ISO 3127, *Thermoplastics pipes — Determination of resistance to external blows — Round-the-clock method (ISO 3127)*

EN ISO 3451-5, *Plastics — Determination of ash — Part 5: Poly(vinyl chloride) (ISO 3451-5)*

EN ISO 6259-1, *Thermoplastics pipes — Determination of tensile properties — Part 1: General test method (ISO 6259-1)*

EN ISO 9852, *Unplasticized poly(vinyl chloride) (PVC-U) pipes — Dichloromethane resistance at specified temperature (DCMT) — Test method (ISO 9852)*

EN ISO 9969, *Thermoplastics pipes — Determination of ring stiffness (ISO 9969)*

EN ISO 11173, *Thermoplastics pipes — Determination of resistance to external blows — Staircase method (ISO 11173)*

EN ISO 13254, *Thermoplastics piping systems for non-pressure applications — Test method for watertightness (ISO 13254)*

EN ISO 13257, *Thermoplastics piping systems for non-pressure applications — Test method for resistance to elevated temperature cycling (ISO 13257)*

EN ISO 13259, *Thermoplastics piping systems for underground non-pressure applications — Test method for leaktightness of elastomeric sealing ring type joints (ISO 13259)*

EN ISO 13263, *Thermoplastics piping systems for non-pressure underground drainage and sewerage — Thermoplastics fittings — Test method for impact strength (ISO 13263)*

EN ISO 13264, *Thermoplastics piping systems for non-pressure underground drainage and sewerage — Thermoplastics fittings — Test method for mechanical strength or flexibility of fabricated fittings (ISO 13264)*

ISO 6259-2, *Thermoplastics pipes — Determination of tensile properties — Part 2: Pipes made of unplasticized poly(vinyl chloride) (PVC-U), chlorinated poly (vinyl chloride) (PVC-C) and high-impact poly (vinyl chloride) (PVC-HI)*

ISO 18373-1, *Rigid PVC pipes — Differential scanning calorimetry (DSC) method — Part 1: Measurement of the processing temperature*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 472:2013 and EN ISO 1043-1:2011 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 application area code
code used in the marking of pipes and fittings to indicate the application area(s) for which they are intended, as follows:

U: code for the area more than 1 m from the building to which the buried piping system is connected;

D: code for the area under and within 1 m from the building where the pipes and the fittings are buried in ground and are connected to the soil and waste discharge system of the building

Note 1 to entry: In "D" application areas, the existence of hot water discharge in addition to external forces from the surroundings is usual.

Note 2 to entry: Components intended for use for both code U and code D application areas are marked UD.

Note 3 to entry: Other application area codes B and BD not covered by this standard are defined elsewhere, e.g. in EN 1329-1 [2].

3.2 nominal size

DN
numerical designation of the size of a component, other than a component designated by thread size, which is approximately equal to the manufacturing dimension, in millimetres (mm)

3.3 nominal size, outside diameter related

DN/OD
nominal size, related to the outside diameter

3.4 nominal outside diameter

d_n
specified outside diameter, in millimetres, assigned to a nominal size DN/OD