

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61058-1:2003	This Estonian standard EVS-EN 61058-1:2003
sisaldab Euroopa standardi EN 61058-1:2002	consists of the English text of the European
ingliskeelset teksti.	standard EN 61058-1:2002.
Standard on kinnitatud Eesti Standardikeskuse	This standard is ratified with the order of
15.01.2003 käskkirjaga ja jõustub sellekohase	Estonian Centre for Standardisation dated
teate avaldamiset EVS Teatajas.	15.01.2003 and is endorsed with the notification
	published in the official bulletin of the Estonian
	national standardisation organisation.
	6
Euroopa standardimisorganisatsioonide poolt	Date of Availability of the European standard text
rahvuslikele liikmetele Euroopa standardi teksti	28.06.2002.
kättesaadavaks tegemise kuupäev on	
28.06.2002.	
1	
Standard on kättesaadav Eesti	The standard is available from Estonian
standardiorganisatsioonist.	standardisation organisation.
() ,	<u> </u>
· A	
C	
ICS 29.120.40	
	4
	N.
	Ś.
	6
Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Sta	indardikeskusele
Andmete paljundamine, taastekitamine, kopeerimine, salvestamine e millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirja	lektroonilisse süsteemi või edastamine ükskõik millises vormis või liku loata.
Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühen Aru 10 Tallinn 10317 Eesti; <u>www.evs.ee</u> ; Telefon: 605 5050; E-post	dust Eesti Standardikeskusega: :: <u>info@evs.ee</u>
Right to reproduce and distribute Estonian Standards belongs to	o the Estonian Centre for Standardisation
No part of this publication may be reproduced or utilized in any form of photocopying, without permission in writing from Estonian Centre for	or by any means, electronic or mechanical, including Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; <u>www.evs.ee</u>; Phone: +372 605 5050; E-mail: <u>info@evs.ee</u>

EUROPEAN STANDARD

EN 61058-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

20.40

ICS 29

June 2002

Supersedes EN 61058-1:1992 + A1:1993

English version Switches for appliances Part 1: General requirements (IEC 61058-1:2000 + A1:2001, modified)

Interrupteurs pour appareils Partie 1: Règles générales (CEI 61058-1:2000 + A1:2001, modifiée)

Geräteschalter Teil 1: Allgemeine Anforderungen (IEC 61058-1:2000 + A1:2001, modifiziert)

This European Standard was approved by GENELEC on 2002-03-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2002 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of the International Standard IEC 61058-1:2000, prepared by SC 23J, Switches for appliances, of IEC TC 23, Electrical accessories, together with the common modifications prepared by CENELEC Reporting Secretariat SR 23J, was submitted to the formal vote and was approved by CENELEC as EN 61058-1 on 2002-03-05.

The text of document 23J/232/FDIS, future amendment 1 to IEC 61058-1:2000, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC on 2002-03-05 for inclusion into the European Standard.

This European Standard supersedes EN 61058-1:1992 + A1:1993.

The following dates were fixed:

-	latest date by which the EN has to be implemented at national level by publication of an identical		
	national standard or by endorsement	(dop)	2003-03-01

- latest date by which the national standards conflicting with the EN have to be withdrawn

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes A, C, D, E, K, L, M, N, P, Q, R and ZB are normative and annexes B, F, G, H, J, S, T and ZA are informative.

Annexes ZA and ZB have been added by CENELEC.

IFE. Wornerated by the second second

(dow) 2009-03-01

Endorsement notice

The text of the International Standard IEC 61058-1:2000 + A1:2001 was approved by CENELEC as a European Standard with agreed common modifications as given below.

COMMON MODIFICATIONS

Add in the table of contents:

Annex ZA (informative) - Compliance checks to be carried out for switches for appliances complying with EN 61058-1:1992 + A1:1993

Annex ZB (normative) - Normative references to international publications with their corresponding European publications

Add the following annex

Annex ZA (informative)

Compliance checks to be carried out for switches for appliances complying with **EN 61058-1:1992 + A1:1993**

Introduction

This informative annex relates to changed requirements. It informs where compliance checks are not required and where compliance checks are required to be carried out in order that a switch can be declared to meet the requirements of the new edition of EN 61058-1, if this switch already complies with EN 61058-1:1992 + A1:1993.

Clause 8:

Marking and documentation according to EN 610584:1992 + A1:1993 shall be aligned with the new edition of EN 61058-1, specifically for

- pollution degree.
- rated impulse withstand voltage,
- type and/or connection of switch.

9.1.2 and 9.1.3:

Compliance shall be checked if relevant.

14.2:

Compliance shall be checked for numeral 5 and 6 if relevant.

14.4:

No compliance checks are necessary.

15.3:

No compliance checks are necessary.

Clause 17:

No compliance checks are necessary.

<page-header><text><text><text>



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (<u>www.iec.ch/searchpub</u>) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published •

> This summary of recently issued publications (www.iec.ch/online_news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre .

Some of the second seco If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00



CONTENTS

FOI	REWO	DRD	11
1	Scon		15
י ו ס	Nam		
2			
3	Defin	itions	25
	3.1	General terms	25
	3.2	Definitions relating to voltages, currents and wattage	
	3.3	Definitions relating to the different types of switches	
	3.4	Definitions relating to the operation of the switch	
	3.5	Definitions relating to connections to the switch	
	3.6	Definitions relating to terminals and terminations	
	3.7	Definitions relating to insulation	
	3.8	Definitions relating to pollution	
	3.9	Definitions relating to manufacturers' tests	
4	Gene	ral requirements	47
5	Gene	ral notes on tests	49
6	Ratin	g	55
7	Class	sification	57
	7.1	Classification of switches	57
	7.2	Classification of terminals	69
8	Mark	ing and documentation	87
9	Prote	ction against electric shock	
10	Provi	sion for earthing	109
11	Term	inals and terminations	113
	14.4	Terminale for conner conductors	
10	11.1 Cono	truction	
12	Cons		
	12.1	Constructional requirements relating to protection against electric shock	131
	12.2	and normal operation of the switch	
	12.3	Constructional requirements relating to the mounting of switches	
		and to the attachment of cords	135
13	Mech	anism	137
14	Prote	ction against solid foreign objects, ingress of dust, water, and humid condi	tions 139
	14.1	Protection against solid foreign objects	139
	14.2	Protection against ingress of dust	
	14.3	Protection against ingress of water	<u></u> 141
	14.4	Protection against humid conditions	
15	Insula	ation resistance and dielectric strength	
16	Heati	ng	
	16 1	General requirements	129
	16.2	Contacts and terminals	149
	16.3	Other parts	

17	Endurance	161
	17.1 General requirements	161
	17.2 Electrical endurance tests	169
18	Mechanical strength	185
19 '	Screws, current-carrying parts and connections	189
	19.1 General requirements for electrical connections	189
	19.2 Screwed connections	189
	19.3 Current-carrying parts	195
20	Clearances, creepage distances, solid insulation and coatings of rigid	
	printed board assemblies	197
	20.1 Clearances	197
	20.2 Creepage distances	203
	20.3 Solid insulation	209
	20.4 Coatings of rigid printed board assemblies	209
21	Resistance to heat and fire	211
22	Resistance to rusting	213
23	Abnormal operation and fault conditions for electronic switches	215
24	Components	223
	24.1 Protective devices	225
	24.2 Capacitors	
	24.3 Resistors	231
25	EMC requirements	231
	25.1 Immunity	233
	25.2 Emission	237
Anr	nex A (normative) Measurement of clearances and creepage distances	271
Anr	nex B (informative) Diagram for the dimensioning of clearances and	
cre	epage distances	281
Anr	nex C (normative) Glow-wire test	283
Anr	nex D (normative) Proof tracking test	285
Anr	nex E (normative) Ball-pressure test	287
Anr	nex F (informative) Switch application guide	289
Anr	nex G (informative) Schematic diagram of families of terminals	293
Anr	nex H (informative) Flat quick-connect terminations, method for selection	
of f	emale connectors	295
Anr	nex J (informative) Selection and sequence of tests of clause 21	297
Anr rate	nex K (normative) Relation between rated impulse withstand voltage, ed voltage and overvoltage category	299
Anr	nex L (normative) Pollution degree	301
Anr	nex M (normative) Impulse voltage test	303
Anr	nex N (normative) Altitude correction factors	
Anr	nex P (normative) Types of coatings for rigid printed board assemblies	
Anr	nex Q (normative) Measuring the insulation distance of a coated printed board	Ω
with	n type A coating	
Anr	nex R (normative) Routine tests	311
Anr	nex S (informative) Sampling tests	313
Anr	nex T (informative) Switch families	317

Figure 1 – Examples of pillar terminals
Figure 2 – Examples of screw terminals and stud terminals
Figure 3 – Examples of saddle terminals
Figure 4 – Examples of lug terminals
Figure 5 Examples of mantle terminals
Figure 6 – Examples of screwless terminals
Figure 7 – Tabs of flat quick-connect terminations
Figure 8 – Female (test) connector of flat quick-connect termination
Figure 9a – Circuit for capacitive load test and simulated tungsten filament lamp load test for a.c. circuits
Figure 9b – Circuit for capacitive load test and simulated lamp load test for d.c. circuits255
Figure 10 – Values of the capacitive load test circuit for test of switches rated 10/100 A 250 V~
Figure 11 – Mounting device for the impact test
Figure 12 – Ball pressure apparatus
Figure 13 – Test pin
Figure 14 – Continuous duty – Duty type S1
Figure 15 – Short-time duty – Duty type S2
Figure 16 – Intermittent periodic duty – Duty-type S3
Figure 17 – Diagram for short-circuit test
Figure 18 – Diagram for heating test
Figure 19 – Diagram for endurance test
Figure Q.1 – Measurement of the insulation distance
2
Table 1 – Test specimens
Table 2 – Type and connection of switches 73
Table 3 – Switch information 89
Table 4 – Resistive current carried by the terminal and related cross-sectional areas of terminals for unprepared conductors 115
Table 5 – Maximum diameters of circular copper conductors
Table 6 – Pulling forces for screw-type terminals
Table 7 – Material and plating for tabs
Table 8 – Push and pull forces for tabs
Table 9 – Test conditions for Ta
Table 10 – Test conditions for Tb
Table 11 – Minimum insulation resistance
Table 12 – Dielectric strength
Table 13 – Permissible maximum temperatures
Table 14 – Temperatures for thermosetting materials used for electronic switches
Table 15 – Electrical endurance tests for the different types of electronic switches with or without electrical contact(s)

Table 16 – Test loads for multiway switches	169
Table 17 – Test loads for electrical endurance tests for a.c. circuits	173
Table 18 – Test loads for electrical endurance tests for d.c. circuits	175
Table 19 - Minimum values of pull force	187
Table 20 - Torque values	191
Table 21 – Torque values for screwed glands	193
Table 22 – Minimum clearances for basic insulation	201
Table 23 – Minimum creepage distances for basic insulation	205
Table 24 – Minimum creepage distances for functional insulation	207
Table 25 – Test levels and conditions	211
Table 26 – Conventional fusing current versus rated current	219
Table 27 – Requirements for capacitors	231
Table 28 – Test levels and duration for voltage dips and short interruptions	233
Table 29 – Fast transient bursts	235
Table H.1 – Insertion and withdrawal forces for flat quick-connect terminations	295
Table K.1 – Rated impulse withstand voltage for switches energized directly	
from the low voltage mains	299
Table M.1 – Test voltages for verifying clearances at sea level	303
Table N.1 – Altitude correction factors	305

The second secon

INTERNATIONAL ELECTROTECHNICAL COMMISSION



SWITCHES FOR APPLIANCES –

Part 1: General requirements

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61058-1 has been prepared by subcommittee 23J: Switches for appliances, of IEC technical committee 23: Electrical accessories.

This consolidated version of IEC 61058-1 consists of the third edition (2000) [documents 23J/221/FDIS and 23J/222/RVD] and its amendment 1 (2001) [documents 23J/232/FDIS and 23J/233/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 3.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3

IEC 61058 consists of the following parts:

Part 1: General requirements;

Part 2-1: Particular requirements for cord switches;

Part 2-4: Particular requirements for independently mounted switches;

Part 2-5: Particular requirements for change-over selectors.

In this part, the following print types are used:

- requirements proper: roman type;
- test specifications: italic type;
- notes: smaller roman type.

Annexes A, C, D, E, K, L, M, N, P, Q and R form an integral part of this standard.

Annexes B, F, G, H, J, S and T are for information only.

The following differences exist in some countries:

- The locked rotor power factor is 0,4 to 0,5 to reflect application conditions - 7.1.2.9 (USA).
- The duration of the application of the test voltage is 1 min to assure the - 15.3 detection of defects in the insulation (USA).
- The minimum number of operating cycles is 6 000 (USA). - 17.2.4.7
- The temperature rise at the terminals shall not exceed 30 °C (USA). - 17.2.5
- Table 16 The make current for the inductive circuit is I-I to reflect actual application conditions (USA).
- The horsepower ratings are used when controlling a motor rated in horsepower Table 16 (USA).
- 25 EMC is not considered to be a safety-related matter (USA).

The committee has decided that the contents of the base publication and its amendment will remain unchanged until 2006. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

th Dica. On Connection of the of the

SWITCHES FOR APPLIANCES –

Part 1: General requirements



1.1 This International Standard applies to switches (mechanical or electronic) for appliances actuated by hand, by foot or by other human activity, to operate or control electrical appliances and other equipment for household or similar purposes with a rated voltage not exceeding 440 V and a rated current not exceeding 63 A.

These switches are intended to be operated by a person, via an actuating member or by actuating a sensing unit. The actuating member or sensing unit can be integral with or arranged separately, either physically or electrically, from the switch and may involve transmission of a signal, for example electrical, optical, acoustic or thermal, between the actuating member or sensing unit and the switch.

Switches which incorporate additional control functions governed by the switch function are within the scope of this standard.

This standard also covers the indirect actuation of the switch when the operation of the actuating member or sensing unit is provided by a remote control or a part of an appliance or equipment such as a door.

NOTE 1 Electronic switches may be combined with mechanical switches giving full disconnection or microdisconnection.

NOTE 2 Electronic switches without a mechanical switch in the supply circuit provide only electronic disconnection. Therefore, the circuit on the load side is always considered to be live.

NOTE 3 For switches used in tropical climates, additional requirements may be necessary.

NOTE 4 Attention is drawn to the fact that the standards for appliances may contain additional or alternative requirements for switches.

NOTE 5 Throughout this standard, the word "appliance" means "appliance or equipment".

NOTE 6 This part of IEC 61058 is applicable when testing incorporated switches. When other types of switches for appliances are tested, this part is applicable together with the relevant IEC 61058-2.

This part may, however, be applied for other types of switches which are not mentioned in IEC 61058-2, provided that the electrical safety is not disregarded.

1.2 This standard applies to switches intended to be incorporated in, on or with an appliance.

- 1.3 This standard also applies to switches incorporating electronic devices.
- **1.4** This standard also applies to switches for appliances such as
- switches intended to be connected to a flexible cable (cord switches);
 NOTE In this document, the word "cable" means "cable or cord".
- switches integrated in an appliance (integrated switches);
- switches intended to be mounted apart from the appliance (independently mounted switches) other than those within the scope of IEC 60669-1;
- change-over selectors for which, however, particular requirements are given in IEC 61058-2.

1.5 This standard does not contain requirements for isolating switches.

NOTE Requirements for isolating switches are under consideration.

1.6 This standard does not apply to devices which control appliances and equipment not actuated intentionally by a person. These are covered by IEC 60730.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:1996, Rotating electrical machines – Part 1: Rating and performance 1) Amendment 1 (1997) Amendment 2 (1999)

IEC 60038:1983, IEC standard voltages

IEC 60050(151):1978, International Electrotechnical Vocabulary (IEV) – Chapter 151: Electrical and magnetic devices

IEC 60050(411):1973, International Electrotechnical Vocabulary (IEV) – Chapter 411: Rotating machinery

IEC 60050(441):1984, International Electrotechnical Vocabulary (IEV) - Chapter 441: Switchgear, controlgear and fuses

IEC 60050(826):1982, International Electrotechnical Vocabulary (IEV) – Chapter 826: Electrical installations of buildings Amendment 1 (1990) Amendment 2 (1995)

IEC 60060-1:1989: High-voltage techniques – Part 1: General definitions and test requirements

IEC 60068-2-20:1979, Environmental testing - Part 2-20: Tests Test T: Soldering

IEC 60068-2-75:1997, Environmental testing – Part 2-75: Tests – est Eh: Hammer tests

IEC 60085:1984, Thermal evaluation and classification of electrical insulation

IEC 60112:1979, Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions 1 TT

IEC 60127 (all parts), Miniature fuses

IEC 60127-2:1989, Miniature fuses – Part 2: Cartridge fuse-links

¹⁾ There is a consolidated edition 10.2 (1999) that includes IEC 60034-1 and its amendments 1 (1997) and 2 (1999).

IEC 60228:1978, Conductors of insulated cables

IEC 60228A:1982, Conductors of insulated cables – First supplement: Guide to the dimensional limits of circular conductors

IEC 60269-1:1998, Low-voltage fuses – Part 1: General requirements

IEC 60269-3-1:1994, Low-voltage fuses – Part 3-1: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) – Sections I to IV

IEC 60335-1:1991, Safety of household and similar electrical appliances – Part 1: General requirements Amendment 1 (1994)

IEC 60335 (all parts 2), Safety for household and similar electrical appliances

IEC 60364-4-41:1992, Electrical installations of buildings – Part 4: Protection for safety – Chapter 41: Protection against electric shock ²) Amendment 1 (1996) Amendment 2 (1999)

IEC 60364-4-442:1993, Electrical installations of buildings – Part 4: Protection for safety – Chapter 44: Protection against overvoltage – Section 442: Protection of low-voltage installations against faults between high-voltage systems and earth ³) Amendment 1 (1995) Amendment 2 (1999)

IEC 60364-4-443:1995, Electrical installations of buildings – Part 4: Protection for safety – Chapter 44: Protection against overvoltages – Section 443: Protection against overvoltages of atmospheric origin or due to switching ⁴) Amendment 1 (1998)

IEC 60384-14:1993, Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic suppression and connection to the supply mains

IEC 60417-1:1998, Graphical symbols for use on equipment – Part 1: Overview and application

IEC 60529:1989, Degree of protection provided by enclosures (IP code

IEC 60617-2:1996, Graphical symbols for diagrams – Part 2: Symbol elements, qualifying symbols and other symbols having general application

IEC 60664-1:1992, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

²⁾ There is a consolidated edition 3.2 (1999) that includes IEC 60364-4-41 and its amendments 1 (1996) and 2 (1999).

³⁾ There is a consolidated edition 1.2 (1999) that includes IEC 60364-4-442 and its amendments 1 (1995) and 2 (1999).

⁴⁾ There is a consolidated edition 3.2 (1999) that includes IEC 60364-4-443 and its amendment 1 (1998).

IEC 60664-3:1992, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coatings to achieve insulation coordination of printed board assemblies

IEC 60669-1:1998, Switches for household and similar fixed electrical installations – Part 1: General requirements

IEC 60691:1993, Thermal-links – Requirements and application guide

IEC 60695 2-1 (all sheets), Fire hazard testing - Part 2-1: Test methods

IEC 60707:1999, Flammability of solid non-metallic materials when exposed to flame sources – List of methods

IEC 60730 (all parts), Automatic electrical controls for household and similar use

IEC 60730-1:1999, Automatic electrical controls for household and similar use – Part 1: General requirements

IEC 60730-2-9:2000, Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls

IEC 60738-1:1998, Thermistors directly heated positive step-function temperature efficient thermistors – Part 1: Generic specification

IEC 60760:1989, Flat, quick-connect terminations

IEC 60893-1:1987, Specification for industrial rigid laminated sheets based on thermosetting resins for electrical purposes – Part 1: Definitions, designations and general requirements

IEC 60998-2-3:1991, Connecting devices for low-voltage circuits for household and similar purposes – Part 2-3: Particular requirements for connecting devices as separate entities with insulation piercing clamping units

IEC 61000 (all parts), Electromagnetic compatibility (EMC)

IEC 61000-3-2:1995, Electromagnetic compatibility (EMC) – Part 3: Limits – Section 2: Limits for harmonic current emissions (equipment input current ≤16 A per phase) ⁵) Amendment 1 (1997) Amendment 2 (1998)

IEC 61000-3-3:1994, Electromagnetic compatibility (EMC) – Part 3: Limits – Section 3: Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current \leq 16 A

⁵⁾ There is a consolidated edition 1.2 (1998) that includes IEC 61000-3-2 and its amendments 1 (1997) and 2 (1998).

IEC/TR2 61000-3-5:1994, Electromagnetic compatibility (EMC) – Part 3: Limits – Section 5: Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 16 A

IEC 61000-4-1:1992, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 1: Overview of immunity tests. Basic EMC publication

IEC 61000-4-2:1995, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 2: Electrostatic discharge immunity test. Basic EMC publication ⁶) Amendment 1 (1998)

IEC 61000-4-3:1995, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 3: Radiated, radio-frequency, electromagnetic field immunity test ⁷) Amendment 1 (1998)

IEC 61000-4-4:1995, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 4: Electrical fast transient/burst immunity test. Basic EMC publication

IEC 61000-4-6:1996, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 6: Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000 4-11:1994, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 11: Voltage dips, short interruptions and voltage variations immunity tests

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 61058-2-1, Switches for appliances – Part 2-1: Particular requirements for cord switches

IEC 61058-2-4, Switches for appliances – Part 2-4 Particular requirements for independently mounted switches

ISO 1456:1988, Metallic coatings – Electrodeposited coatings of nickel plus chromium and of copper plus nickel plus chromium

TOT LO

ISO 2081:1986, Metallic coatings – Electroplated coatings of zinc of iron or steel

ISO 2093:1986, Electroplated coatings of tin – Specification and test methods

ISO 4046:1978, Paper, board, pulp and related terms - Vocabulary

⁶⁾ There is a consolidated edition 1.1 (1999) that includes IEC 61000-4-2 and its amendment 1 (1998).

⁷⁾ There is a consolidated edition 1.1 (1998) that includes IEC 61000-4-3 and its amendment 1 (1998).