

Foodstuffs - Detection of food allergens by molecular biological methods - Part 2: Celery (*Apium graveolens*) - Detection of a specific DNA sequence in cooked sausages by real-time PCR

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15634-2:2019 sisaldab Euroopa standardi EN 15634-2:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 15634-2:2019 consists of the English text of the European standard EN 15634-2:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 02.10.2019.	Date of Availability of the European standard is 02.10.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 07.100.30, 67.120.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Foodstuffs - Detection of food allergens by molecular
biological methods - Part 2: Celery (*Apium graveolens*) -
Detection of a specific DNA sequence in cooked sausages
by real-time PCR

Produits alimentaires - Détection des allergènes
alimentaires par des méthodes d'analyse de biologie
moléculaire - Partie 2 : Céleri (*Apium graveolens*) -
Détection d'une séquence d'ADN spécifique dans des
saucisses cuites par PCR en temps réel

Lebensmittel - Nachweis von Lebensmittelallergenen
mit molekularbiologischen Verfahren - Teil 2: Sellerie
(*Apium graveolens*) - Nachweis einer spezifischen
DNA-Sequenz in Brühwürsten mittels Real-time-PCR

This European Standard was approved by CEN on 12 August 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	3
Introduction	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Principle	5
5 Reagents	6
6 Apparatus and equipment	7
7 Procedure.....	8
8 Expression of results.....	13
9 Validation.....	13
10 Test report.....	19
Bibliography.....	20

European foreword

This document (EN 15634-2:2019) has been prepared by Technical Committee CEN/TC 275 “Food analysis - Horizontal methods”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 15634-2:2012.

Significant technical changes between this standard and CEN/TS 15634-2:2012 are as follows:

- a) the document was converted from a Technical Specification into a European Standard;
- b) normative references added (2);
- c) expression of results (8) updated;
- d) requirements regarding the test report added (10)
- e) updated bibliography.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

For the use of this document the term:

- 'shall' indicates a requirement;
- 'should' indicates a recommendation;
- 'may' indicates a permission; and
- 'can' indicates a possibility and/or a capability.

1 Scope

This document specifies a method for the detection of celery (*Apium graveolens*) in emulsion-type sausages (e.g. Frankfurter, Wiener).

Real-time PCR (polymerase chain reaction) detection of celery is based on an 101 bp (base pair) sequence from the gene of the mannitol dehydrogenase (GenBank Acc. No. AF067082¹) of celery (*Apium graveolens*).

The method has been validated on emulsion-type sausages (Bavarian "Leberkäse") spiked with celery. For this purpose meat batter containing mass fractions of 50 % pork meat, 25 % pork fat, 23 % crushed ice and 1,8 % of a mixture of sodium chloride, nitrite, nitrate, phosphates and ascorbates was prepared according to a standard procedure for emulsion-type sausage. The meat batter was spiked with either ground celery seeds or celery root powder to 1000 mg/kg. Lower spiking levels were obtained by diluting with celery-free meat batter. The batter was stuffed into casings and heated at 65 °C for 60 min [1].

This document is intended to be used in addition to EN 15842 and EN 15634-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15634-1:2019, *Foodstuffs — Detection of food allergens by molecular biological methods — Part 1: General considerations*

EN 15842, *Foodstuffs - Detection of food allergens - General considerations and validation of methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15842 and EN 15634-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Principle

Total DNA from emulsion-type sausages is isolated from the sample using a cetyltrimethylammonium bromide (CTAB) method. Potential PCR inhibitors are removed from the DNA extracted by purification with solid phase columns. Real-time PCR is used to detect a celery specific sequence. The real time PCR method involves a fluorescence detection with a sequence specific hydrolysis probe [1], [2].

1) NCBI-GeneBank® is an example of a suitable search tool for free use. This information is given for the convenience of users of this document and does not constitute an endorsement by CEN.